

ANTRIM 2008 Annual Gas Production Report

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|---------------|-----------------|-----------|-------|---------------|---------------|--------------------------|
| ANTRIM DEVELOP | BRADFORD LAKE | 1/08 | 6,624 | 20.85 | 876 | 21 | 10 |
| | | 2/08 | 6,192 | 20.14 | 705 | 21 | 10 |
| | | 3/08 | 6,698 | 19.69 | 871 | 21 | 10 |
| | | 4/08 | 5,929 | 21.32 | 732 | 21 | 9 |
| | | 5/08 | 6,602 | 18.76 | 979 | 21 | 10 |
| | | 6/08 | 6,200 | 20.93 | 839 | 21 | 10 |
| | | 7/08 | 5,380 | 20.99 | 768 | 21 | 8 |
| | | 8/08 | 5,485 | 20.79 | 928 | 21 | 8 |
| | | 9/08 | 5,470 | 21.38 | 1,104 | 21 | 9 |
| | | 10/08 | 5,957 | 22.11 | 1,324 | 21 | 9 |
| | | 11/08 | 5,723 | 22.42 | 1,148 | 21 | 9 |
| | | 12/08 | 5,712 | 21.80 | 1,192 | 21 | 9 |
| | | | | | 71,972 | | 11,466 |
| ANTRIM DEVELOP | DODGE LAKE | 1/08 | 8,139 | 30.83 | 5 | 20 | 13 |
| | | 2/08 | 7,623 | 30.47 | 0 | 20 | 13 |
| | | 3/08 | 8,067 | 30.49 | 0 | 20 | 13 |
| | | 4/08 | 7,747 | 30.63 | 6 | 20 | 13 |
| | | 5/08 | 8,085 | 30.64 | 10 | 20 | 13 |
| | | 6/08 | 7,849 | 30.72 | 3 | 20 | 13 |
| | | 7/08 | 7,982 | 30.59 | 2 | 20 | 13 |
| | | 8/08 | 7,966 | 30.76 | 0 | 20 | 13 |
| | | 9/08 | 7,470 | 30.77 | 0 | 20 | 12 |
| | | 10/08 | 7,437 | 30.73 | 0 | 20 | 12 |
| | | 11/08 | 7,216 | 30.79 | 4 | 20 | 12 |
| | | 12/08 | 7,464 | 30.79 | 3 | 20 | 12 |
| | | | | | 93,045 | | 33 |
| ANTRIM DEVELOP | E-Z | 1/08 | 3,843 | 28.66 | 25 | 10 | 12 |
| | | 2/08 | 3,561 | 28.32 | 22 | 10 | 12 |
| | | 3/08 | 3,724 | 28.51 | 27 | 10 | 12 |
| | | 4/08 | 3,506 | 28.51 | 24 | 10 | 12 |
| | | 5/08 | 3,540 | 28.31 | 82 | 10 | 11 |
| | | 6/08 | 3,589 | 27.93 | 61 | 10 | 12 |
| | | 7/08 | 3,589 | 28.61 | 68 | 10 | 12 |
| | | 8/08 | 3,446 | 28.65 | 59 | 10 | 11 |
| | | 9/08 | 3,272 | 28.71 | 54 | 10 | 11 |
| | | 10/08 | 3,321 | 28.21 | 51 | 10 | 11 |
| | | 11/08 | 3,284 | 28.49 | 62 | 10 | 11 |
| | | 12/08 | 3,324 | 28.91 | 70 | 10 | 11 |
| | | | | | 41,999 | | 605 |
| ANTRIM DEVELOP | TOWER | 1/08 | 42,274 | 18.19 | 1,088 | 33 | 41 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|-----------------|------------------|-----------------|--|-------|----------------|---------------|--------------------------|--|--|
| ANTRIM DEVELOP | TOWER | 2/08 | 39,606 | 17.97 | 1,078 | 33 | 41 | | |
| | | 3/08 | 41,583 | 18.37 | 1,170 | 33 | 41 | | |
| | | 4/08 | 39,882 | 18.28 | 1,033 | 33 | 40 | | |
| | | 5/08 | 40,990 | 18.41 | 1,125 | 33 | 40 | | |
| | | 6/08 | 39,532 | 18.95 | 1,114 | 33 | 40 | | |
| | | 7/08 | 42,789 | 17.29 | 995 | 33 | 42 | | |
| | | 8/08 | 41,596 | 18.34 | 767 | 33 | 41 | | |
| | | 9/08 | 39,196 | 18.59 | 939 | 33 | 40 | | |
| | | 10/08 | 39,948 | 18.77 | 1,087 | 33 | 39 | | |
| | | 11/08 | 38,863 | 18.77 | 1,039 | 33 | 39 | | |
| | | 12/08 | 39,343 | 19.65 | 1,076 | 33 | 38 | | |
| | | | | | 485,602 | | 12,511 | | |
| | | | ANTRIM DEVELOP - REPORTER TOTALS: | | 692,618 | | 24,615 | | |
| ARBOR RESOURCES | DOLLAR LAKE | 1/08 | 11,812 | 2.82 | 11,027 | 13 | 29 | | |
| | | 2/08 | 10,792 | 2.82 | 10,095 | 13 | 29 | | |
| | | 3/08 | 12,585 | 2.82 | 11,050 | 13 | 31 | | |
| | | 4/08 | 13,304 | 2.82 | 10,875 | 13 | 34 | | |
| | | 5/08 | 13,530 | 2.82 | 7,591 | 13 | 34 | | |
| | | 6/08 | 12,731 | 2.82 | 7,482 | 13 | 33 | | |
| | | 7/08 | 14,508 | 2.82 | 6,655 | 13 | 36 | | |
| | | 8/08 | 16,652 | 2.82 | 3,619 | 13 | 41 | | |
| | | 9/08 | 14,726 | 2.82 | 4,099 | 14 | 35 | | |
| | | 10/08 | 19,426 | 2.82 | 3,764 | 14 | 45 | | |
| | | 11/08 | 16,647 | 2.82 | 3,511 | 14 | 40 | | |
| | | 12/08 | 16,533 | 2.82 | 3,345 | 14 | 38 | | |
| | | | 173,246 | | 83,113 | | | | |
| ARBOR RESOURCES | SHARKSTOOTH | 3/08 | 10,347 | 2.82 | 10,998 | 4 | 83 | | |
| | | 4/08 | 9,865 | 2.82 | 6,415 | 4 | 82 | | |
| | | 5/08 | 12,050 | 2.82 | 9,900 | 4 | 97 | | |
| | | 6/08 | 13,426 | 2.82 | 10,633 | 4 | 112 | | |
| | | 7/08 | 13,343 | 2.82 | 14,518 | 4 | 108 | | |
| | | 8/08 | 17,870 | 2.82 | 31,828 | 4 | 144 | | |
| | | 9/08 | 20,327 | 2.82 | 26,932 | 4 | 169 | | |
| | | 10/08 | 26,151 | 2.82 | 28,687 | 4 | 211 | | |
| | | 11/08 | 23,473 | 2.82 | 26,243 | 4 | 196 | | |
| | | 12/08 | 24,486 | 2.82 | 28,438 | 4 | 197 | | |
| | | | 171,338 | | 194,592 | | | | |
| ARBOR RESOURCES | WEST DOLLAR LAKE | 1/08 | 5,458 | 4.25 | 2,337 | 12 | 15 | | |
| | | 2/08 | 5,051 | 4.25 | 2,469 | 12 | 14 | | |
| | | 3/08 | 5,034 | 4.25 | 2,788 | 12 | 14 | | |
| | | 4/08 | 5,017 | 4.25 | 2,690 | 12 | 14 | | |
| | | 5/08 | 5,239 | 4.25 | 2,429 | 12 | 14 | | |
| | | 6/08 | 5,433 | 4.25 | 1,965 | 12 | 15 | | |
| | | 7/08 | 5,160 | 4.25 | 2,009 | 12 | 14 | | |
| | | 8/08 | 6,092 | 4.25 | 2,278 | 12 | 16 | | |
| | | 9/08 | 6,430 | 4.25 | 2,703 | 12 | 18 | | |
| | | 10/08 | 7,618 | 4.25 | 2,326 | 12 | 20 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|---|------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| ARBOR RESOURCES | WEST DOLLAR LAKE | 11/08 | 6,640 | 4.25 | 2,029 | 12 | 18 |
| | | 12/08 | 7,182 | 4.25 | 2,047 | 12 | 19 |
| | | | 70,354 | | 28,070 | | |
| ARBOR RESOURCES - REPORTER TOTALS: | | | 414,938 | | 305,775 | | |
| ATLAS GAS & OIL CO | ALBERT 1 | 1/08 | 46,893 | 18.04 | 3,514 | 28 | 54 |
| | | 2/08 | 42,173 | 17.98 | 4,364 | 28 | 52 |
| | | 3/08 | 44,929 | 17.98 | 4,289 | 28 | 52 |
| | | 4/08 | 43,206 | 17.77 | 3,727 | 30 | 48 |
| | | 5/08 | 46,047 | 17.77 | 3,085 | 30 | 49 |
| | | 6/08 | 43,759 | 17.86 | 717 | 30 | 49 |
| | | 7/08 | 45,457 | 17.70 | 725 | 30 | 49 |
| | | 8/08 | 44,772 | 18.07 | 940 | 30 | 48 |
| | | 9/08 | 44,223 | 17.78 | 872 | 30 | 49 |
| | | 10/08 | 44,746 | 17.73 | 418 | 30 | 48 |
| | | 11/08 | 43,677 | 18.81 | 728 | 30 | 49 |
| | | 12/08 | 44,355 | 18.81 | 1,073 | 30 | 48 |
| | | | 534,237 | | 24,452 | | |
| ATLAS GAS & OIL CO | ANCHOR STEAM | 1/08 | 9,143 | 2.55 | 33,660 | 11 | 27 |
| | | 2/08 | 7,376 | 2.55 | 31,777 | 11 | 23 |
| | | 3/08 | 7,730 | 2.55 | 34,496 | 11 | 23 |
| | | 4/08 | 7,738 | 2.55 | 32,296 | 11 | 23 |
| | | 5/08 | 7,766 | 2.55 | 33,013 | 11 | 23 |
| | | 6/08 | 7,597 | 2.55 | 31,323 | 11 | 23 |
| | | 7/08 | 8,010 | 2.55 | 34,745 | 11 | 23 |
| | | 8/08 | 7,711 | 2.55 | 34,225 | 11 | 23 |
| | | 9/08 | 7,702 | 2.55 | 34,582 | 11 | 23 |
| | | 10/08 | 7,994 | 3.36 | 35,361 | 11 | 23 |
| | | 11/08 | 7,644 | 3.36 | 35,170 | 11 | 23 |
| | | 12/08 | 7,908 | 3.36 | 34,584 | 11 | 23 |
| | | | 94,319 | | 405,232 | | |
| ATLAS GAS & OIL CO | APPLE ORCHARD | 1/08 | 7,187 | 21.02 | 153 | 8 | 29 |
| | | 2/08 | 6,311 | 20.91 | 110 | 8 | 27 |
| | | 3/08 | 5,994 | 20.73 | 106 | 8 | 24 |
| | | 4/08 | 6,325 | 20.59 | 110 | 8 | 26 |
| | | 5/08 | 7,470 | 19.38 | 159 | 8 | 30 |
| | | 6/08 | 7,442 | 20.76 | 168 | 8 | 31 |
| | | 7/08 | 7,245 | 21.25 | 154 | 8 | 29 |
| | | 8/08 | 7,140 | 21.08 | 178 | 8 | 29 |
| | | 9/08 | 6,941 | 21.10 | 162 | 8 | 29 |
| | | 10/08 | 6,656 | 21.58 | 58 | 8 | 27 |
| | | 11/08 | 6,140 | 21.65 | 44 | 8 | 26 |
| | | 12/08 | 5,882 | 22.46 | 98 | 8 | 24 |
| | | | 80,733 | | 1,500 | | |
| ATLAS GAS & OIL CO | ARTHUR MILLER | 1/08 | 19,572 | 7.52 | 14,393 | 27 | 23 |
| | | 2/08 | 19,342 | 7.52 | 10,829 | 27 | 25 |
| | | 3/08 | 20,958 | 7.52 | 10,423 | 27 | 25 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|--------------------|----------------|--------------------|---------------------|-------|----------------|---------------|--------------------------|----|---|
| ATLAS GAS & OIL CO | ARTHUR MILLER | 4/08 | 20,088 | 7.55 | 8,158 | 27 | 25 | | |
| | | 5/08 | 21,015 | 7.55 | 5,607 | 27 | 25 | | |
| | | 6/08 | 19,620 | 7.55 | 4,853 | 27 | 24 | | |
| | | 7/08 | 18,466 | 7.55 | 6,006 | 27 | 22 | | |
| | | 8/08 | 18,215 | 7.55 | 6,117 | 27 | 22 | | |
| | | 9/08 | 18,588 | 7.55 | 5,913 | 27 | 23 | | |
| | | 10/08 | 20,034 | 7.28 | 6,156 | 27 | 24 | | |
| | | 11/08 | 18,798 | 7.28 | 6,481 | 27 | 23 | | |
| | | 12/08 | 19,716 | 7.28 | 5,786 | 27 | 24 | | |
| | | | | | 234,412 | | 90,722 | | |
| | | ATLAS GAS & OIL CO | BAGLEY WEST AIRPORT | 1/08 | 4,998 | 12.35 | 10,111 | 17 | 9 |
| | | | | 2/08 | 4,494 | 12.35 | 9,830 | 17 | 9 |
| 3/08 | 4,819 | | | 13.99 | 10,808 | 17 | 9 | | |
| 4/08 | 4,960 | | | 13.99 | 10,457 | 17 | 10 | | |
| 5/08 | 5,148 | | | 13.99 | 10,428 | 17 | 10 | | |
| 6/08 | 5,174 | | | 13.99 | 11,908 | 17 | 10 | | |
| 7/08 | 5,510 | | | 13.99 | 12,162 | 17 | 10 | | |
| 8/08 | 6,503 | | | 13.89 | 12,248 | 17 | 12 | | |
| 9/08 | 6,168 | | | 13.89 | 11,102 | 17 | 12 | | |
| 10/08 | 6,281 | | | 13.89 | 10,388 | 17 | 12 | | |
| 11/08 | 5,721 | | | 13.89 | 10,671 | 17 | 11 | | |
| 12/08 | 5,341 | | | 13.89 | 10,398 | 17 | 10 | | |
| | | | 65,117 | | 130,511 | | | | |
| ATLAS GAS & OIL CO | BAGLEY WEST GP | 1/08 | 10,419 | 16.43 | 6,461 | 19 | 18 | | |
| | | 2/08 | 9,936 | 16.43 | 4,579 | 19 | 18 | | |
| | | 3/08 | 10,961 | 16.98 | 5,681 | 19 | 19 | | |
| | | 4/08 | 10,576 | 16.98 | 6,089 | 19 | 19 | | |
| | | 5/08 | 10,989 | 16.98 | 6,657 | 19 | 19 | | |
| | | 6/08 | 10,646 | 16.98 | 6,342 | 19 | 19 | | |
| | | 7/08 | 10,052 | 16.98 | 6,343 | 19 | 17 | | |
| | | 8/08 | 10,114 | 16.98 | 6,923 | 19 | 17 | | |
| | | 9/08 | 10,158 | 16.98 | 6,413 | 19 | 18 | | |
| | | 10/08 | 10,683 | 16.98 | 7,207 | 19 | 18 | | |
| | | 11/08 | 10,871 | 16.98 | 7,258 | 19 | 19 | | |
| | | 12/08 | 10,534 | 16.98 | 6,343 | 19 | 18 | | |
| | | | 125,939 | | 76,296 | | | | |
| ATLAS GAS & OIL CO | BEAR LAKE 29 | 1/08 | 7,015 | 7.39 | 6,271 | 9 | 25 | | |
| | | 2/08 | 8,234 | 7.87 | 6,618 | 11 | 26 | | |
| | | 3/08 | 10,888 | 7.87 | 7,446 | 11 | 32 | | |
| | | 4/08 | 11,403 | 7.87 | 6,252 | 11 | 35 | | |
| | | 5/08 | 12,195 | 7.87 | 7,094 | 12 | 33 | | |
| | | 6/08 | 12,238 | 8.31 | 5,937 | 12 | 34 | | |
| | | 7/08 | 12,596 | 8.31 | 5,894 | 12 | 34 | | |
| | | 8/08 | 11,988 | 8.31 | 5,342 | 13 | 30 | | |
| | | 9/08 | 11,356 | 8.41 | 8,116 | 13 | 29 | | |
| | | 10/08 | 12,362 | 8.41 | 7,083 | 15 | 27 | | |
| | | 11/08 | 11,840 | 8.41 | 6,362 | 15 | 26 | | |
| | | 12/08 | 11,646 | 8.07 | 5,580 | 15 | 25 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|------------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| | | | 133,761 | | 77,995 | | |
| ATLAS GAS & OIL CO | BEAR LAKE 9 | 1/08 | 35,315 | 10.75 | 23,952 | 32 | 36 |
| | | 2/08 | 29,762 | 10.75 | 19,686 | 32 | 32 |
| | | 3/08 | 35,132 | 10.75 | 20,114 | 32 | 35 |
| | | 4/08 | 38,692 | 10.75 | 19,103 | 32 | 40 |
| | | 5/08 | 38,119 | 10.75 | 18,974 | 32 | 38 |
| | | 6/08 | 31,989 | 9.99 | 16,637 | 33 | 32 |
| | | 7/08 | 33,245 | 9.99 | 20,844 | 33 | 32 |
| | | 8/08 | 32,309 | 9.99 | 17,417 | 33 | 32 |
| | | 9/08 | 35,545 | 9.99 | 18,779 | 34 | 35 |
| | | 10/08 | 34,946 | 9.99 | 18,689 | 34 | 33 |
| | | 11/08 | 33,368 | 9.99 | 20,401 | 34 | 33 |
| | | 12/08 | 31,859 | 9.99 | 24,402 | 34 | 30 |
| | | | 410,281 | | 238,998 | | |
| ATLAS GAS & OIL CO | BEAVER CREEK ANTRIM | 1/08 | 0 | 0.28 | 0 | 0 | 0 |
| | | 2/08 | 0 | 0.28 | 0 | 0 | 0 |
| | | 3/08 | 0 | 0.28 | 0 | 0 | 0 |
| | | 4/08 | 0 | 0.28 | 0 | 0 | 0 |
| | | 5/08 | 0 | 0.28 | 0 | 0 | 0 |
| | | 6/08 | 0 | 0.28 | 0 | 0 | 0 |
| | | 7/08 | 0 | 0.28 | 0 | 0 | 0 |
| | | 8/08 | 0 | 0.00 | 0 | 0 | 0 |
| | | 9/08 | 0 | 0.00 | 0 | 0 | 0 |
| | | 10/08 | 0 | 0.00 | 0 | 0 | 0 |
| | | 11/08 | 0 | 0.00 | 0 | 0 | 0 |
| | | 12/08 | 0 | 0.28 | 0 | 0 | 0 |
| | | | 0 | | 0 | | |
| ATLAS GAS & OIL CO | BOYNE VALLEY 31 MICROW | 1/08 | 4,329 | 0.30 | 57,198 | 12 | 12 |
| | | 2/08 | 4,309 | 0.30 | 52,279 | 12 | 12 |
| | | 3/08 | 4,617 | 0.30 | 56,095 | 12 | 12 |
| | | 4/08 | 4,701 | 0.30 | 54,879 | 12 | 13 |
| | | 5/08 | 5,034 | 0.24 | 56,033 | 12 | 14 |
| | | 6/08 | 5,168 | 0.24 | 57,287 | 12 | 14 |
| | | 7/08 | 4,176 | 0.24 | 60,856 | 12 | 11 |
| | | 8/08 | 4,200 | 0.24 | 62,338 | 12 | 11 |
| | | 9/08 | 3,292 | 0.24 | 61,067 | 12 | 9 |
| | | 10/08 | 3,427 | 0.24 | 61,372 | 12 | 9 |
| | | 11/08 | 3,625 | 0.24 | 60,405 | 12 | 10 |
| | | 12/08 | 3,628 | 0.24 | 60,100 | 12 | 10 |
| | | | 50,506 | | 699,909 | | |
| ATLAS GAS & OIL CO | BROWN NE 13 | 1/08 | 1,007 | 5.21 | 713 | 3 | 11 |
| | | 2/08 | 1,000 | 5.21 | 652 | 3 | 11 |
| | | 3/08 | 1,054 | 5.21 | 676 | 3 | 11 |
| | | 4/08 | 894 | 5.21 | 647 | 3 | 10 |
| | | 5/08 | 835 | 5.21 | 669 | 3 | 9 |
| | | 6/08 | 910 | 5.21 | 709 | 3 | 10 |
| | | 7/08 | 1,088 | 5.21 | 694 | 3 | 12 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|-----------------|-----------------|-----------|------------------|-------------|---------------|--------------------------|
| ATLAS GAS & OIL CO | BROWN NE 13 | 8/08 | 1,130 | 5.21 | 631 | 3 | 12 |
| | | 9/08 | 1,200 | 5.21 | 638 | 3 | 13 |
| | | 10/08 | 1,256 | 5.21 | 711 | 3 | 13 |
| | | 11/08 | 1,190 | 5.21 | 659 | 3 | 13 |
| | | 12/08 | 1,048 | 5.21 | 639 | 3 | 11 |
| | | | | 12,612 | | 8,038 | |
| ATLAS GAS & OIL CO | BRUSH LIMBAUGH | 1/08 | 12,667 | 11.22 | 1,811 | 21 | 19 |
| | | 2/08 | 11,875 | 11.22 | 1,986 | 21 | 19 |
| | | 3/08 | 13,622 | 11.22 | 1,464 | 21 | 21 |
| | | 4/08 | 13,220 | 11.22 | 1,333 | 21 | 21 |
| | | 5/08 | 13,944 | 11.22 | 692 | 21 | 21 |
| | | 6/08 | 12,568 | 11.22 | 305 | 21 | 20 |
| | | 7/08 | 13,769 | 11.22 | 224 | 21 | 21 |
| | | 8/08 | 13,028 | 11.22 | 199 | 21 | 20 |
| | | 9/08 | 12,570 | 11.22 | 171 | 21 | 20 |
| | | 10/08 | 13,166 | 10.89 | 3,459 | 21 | 20 |
| | | 11/08 | 13,368 | 10.89 | 3,799 | 21 | 21 |
| | | 12/08 | 12,426 | 10.89 | 3,597 | 21 | 19 |
| | | | | 156,223 | | 19,040 | |
| ATLAS GAS & OIL CO | CENTRAL LAKE 15 | 1/08 | 43,139 | 0.87 | 81,073 | 23 | 60 |
| | | 2/08 | 39,438 | 0.87 | 72,163 | 24 | 57 |
| | | 3/08 | 40,219 | 0.89 | 77,361 | 24 | 54 |
| | | 4/08 | 40,213 | 0.95 | 72,723 | 24 | 56 |
| | | 5/08 | 41,691 | 0.95 | 73,615 | 24 | 56 |
| | | 6/08 | 40,866 | 0.95 | 68,908 | 24 | 57 |
| | | 7/08 | 40,436 | 0.95 | 67,030 | 24 | 54 |
| | | 8/08 | 41,615 | 1.05 | 70,048 | 25 | 54 |
| | | 9/08 | 38,100 | 1.05 | 63,164 | 25 | 51 |
| | | 10/08 | 34,275 | 1.02 | 59,082 | 25 | 44 |
| | | 11/08 | 36,820 | 1.02 | 60,542 | 25 | 49 |
| | | 12/08 | 42,853 | 1.02 | 74,281 | 26 | 53 |
| | | 479,665 | | 839,990 | | | |
| ATLAS GAS & OIL CO | CENTRAL LAKE 28 | 1/08 | 54,997 | 1.22 | 76,248 | 24 | 74 |
| | | 2/08 | 52,446 | 1.22 | 69,069 | 27 | 67 |
| | | 3/08 | 58,795 | 1.50 | 71,534 | 27 | 70 |
| | | 4/08 | 51,741 | 1.54 | 71,522 | 27 | 64 |
| | | 5/08 | 53,692 | 1.54 | 70,685 | 27 | 64 |
| | | 6/08 | 55,083 | 1.54 | 65,104 | 27 | 68 |
| | | 7/08 | 54,468 | 1.54 | 79,402 | 28 | 63 |
| | | 8/08 | 53,340 | 1.54 | 116,390 | 30 | 57 |
| | | 9/08 | 52,117 | 1.54 | 125,282 | 30 | 58 |
| | | 10/08 | 51,188 | 1.74 | 117,127 | 30 | 55 |
| | | 11/08 | 48,795 | 1.74 | 61,984 | 30 | 54 |
| | | 12/08 | 53,333 | 1.74 | 187,129 | 30 | 57 |
| | | 639,995 | | 1,111,476 | | | |
| ATLAS GAS & OIL CO | CHESS PLAY | 1/08 | 34,307 | 5.21 | 94,924 | 36 | 31 |
| | | 2/08 | 32,344 | 5.21 | 97,310 | 36 | 31 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|--------------------|------------------------|--------------------|--------------|-------|----------------|---------------|--------------------------|----|----|
| ATLAS GAS & OIL CO | CHESS PLAY | 3/08 | 34,422 | 5.21 | 86,915 | 36 | 31 | | |
| | | 4/08 | 33,418 | 5.41 | 59,479 | 36 | 31 | | |
| | | 5/08 | 34,418 | 5.41 | 62,876 | 36 | 31 | | |
| | | 6/08 | 33,459 | 5.41 | 63,658 | 36 | 31 | | |
| | | 7/08 | 31,127 | 5.52 | 51,527 | 36 | 28 | | |
| | | 8/08 | 33,145 | 5.52 | 60,963 | 36 | 30 | | |
| | | 9/08 | 33,301 | 5.52 | 62,893 | 36 | 31 | | |
| | | 10/08 | 32,731 | 5.61 | 56,273 | 36 | 29 | | |
| | | 11/08 | 29,192 | 5.61 | 54,288 | 36 | 27 | | |
| | | 12/08 | 30,085 | 5.61 | 55,868 | 36 | 27 | | |
| | | | | | 391,949 | | 806,974 | | |
| | | ATLAS GAS & OIL CO | CHESTER WEST | 1/08 | 12,400 | 19.75 | 840 | 31 | 13 |
| | | | | 2/08 | 10,088 | 19.75 | 627 | 31 | 11 |
| 3/08 | 11,101 | | | 19.75 | 539 | 31 | 12 | | |
| 4/08 | 11,356 | | | 19.75 | 651 | 31 | 12 | | |
| 5/08 | 12,486 | | | 19.75 | 694 | 31 | 13 | | |
| 6/08 | 11,606 | | | 19.75 | 676 | 31 | 12 | | |
| 7/08 | 12,361 | | | 19.75 | 533 | 31 | 13 | | |
| 8/08 | 12,446 | | | 19.75 | 576 | 31 | 13 | | |
| 9/08 | 12,980 | | | 19.75 | 621 | 31 | 14 | | |
| 10/08 | 13,180 | | | 19.63 | 688 | 31 | 14 | | |
| 11/08 | 12,803 | | | 19.63 | 526 | 31 | 14 | | |
| 12/08 | 12,095 | | | 19.63 | 712 | 31 | 13 | | |
| | | | | | 144,902 | | 7,683 | | |
| ATLAS GAS & OIL CO | CHESTONIA 31 PAWN PLAY | 1/08 | 72,431 | 6.38 | 7,256 | 33 | 71 | | |
| | | 2/08 | 68,376 | 6.38 | 6,022 | 34 | 69 | | |
| | | 3/08 | 72,211 | 6.38 | 9,704 | 34 | 68 | | |
| | | 4/08 | 68,426 | 6.43 | 8,982 | 34 | 67 | | |
| | | 5/08 | 73,405 | 6.43 | 10,114 | 35 | 68 | | |
| | | 6/08 | 74,223 | 6.43 | 9,634 | 35 | 71 | | |
| | | 7/08 | 73,466 | 6.70 | 8,422 | 35 | 68 | | |
| | | 8/08 | 76,403 | 6.70 | 10,896 | 36 | 68 | | |
| | | 9/08 | 73,341 | 6.70 | 10,906 | 37 | 66 | | |
| | | 10/08 | 63,194 | 6.88 | 5,466 | 37 | 55 | | |
| | | 11/08 | 50,141 | 6.88 | 3,325 | 37 | 45 | | |
| | | 12/08 | 84,553 | 6.88 | 9,462 | 37 | 74 | | |
| | | | | | 850,170 | | 100,189 | | |
| ATLAS GAS & OIL CO | CHIEF CREEK | 1/08 | 9,717 | 5.93 | 4,750 | 16 | 20 | | |
| | | 2/08 | 9,766 | 5.93 | 4,640 | 16 | 21 | | |
| | | 3/08 | 12,183 | 5.93 | 4,814 | 16 | 25 | | |
| | | 4/08 | 10,667 | 5.93 | 4,658 | 16 | 22 | | |
| | | 5/08 | 10,801 | 5.93 | 4,649 | 16 | 22 | | |
| | | 6/08 | 10,197 | 5.93 | 4,433 | 16 | 21 | | |
| | | 7/08 | 10,448 | 5.93 | 4,556 | 16 | 21 | | |
| | | 8/08 | 10,113 | 5.93 | 4,496 | 16 | 20 | | |
| | | 9/08 | 10,306 | 5.93 | 4,327 | 16 | 21 | | |
| | | 10/08 | 10,232 | 5.93 | 4,409 | 16 | 21 | | |
| | | 11/08 | 10,072 | 5.93 | 4,304 | 16 | 21 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|--------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| ATLAS GAS & OIL CO | CHIEF CREEK | 12/08 | 10,145 | 5.93 | 4,101 | 16 | 20 |
| | | | 124,647 | | 54,137 | | |
| ATLAS GAS & OIL CO | CLEARWATER 14 | 1/08 | 8,338 | 4.95 | 1,407 | 3 | 90 |
| | | 2/08 | 7,680 | 4.95 | 1,136 | 3 | 88 |
| | | 3/08 | 7,906 | 4.95 | 1,124 | 3 | 85 |
| | | 4/08 | 7,756 | 4.95 | 1,093 | 3 | 86 |
| | | 5/08 | 7,822 | 4.95 | 1,140 | 3 | 84 |
| | | 6/08 | 7,536 | 6.57 | 1,031 | 3 | 84 |
| | | 7/08 | 7,647 | 6.57 | 1,126 | 3 | 82 |
| | | 8/08 | 7,802 | 6.57 | 1,119 | 3 | 84 |
| | | 9/08 | 7,761 | 6.57 | 970 | 3 | 86 |
| | | 10/08 | 7,888 | 6.57 | 912 | 3 | 85 |
| | | 11/08 | 7,333 | 6.57 | 903 | 3 | 81 |
| | | 12/08 | 7,775 | 6.57 | 910 | 3 | 84 |
| | | | 93,244 | | 12,871 | | |
| ATLAS GAS & OIL CO | CLEARWATER 2 | 1/08 | 39,932 | 5.22 | 11,953 | 26 | 50 |
| | | 2/08 | 38,476 | 5.22 | 11,446 | 27 | 49 |
| | | 3/08 | 41,238 | 5.68 | 11,266 | 27 | 49 |
| | | 4/08 | 40,123 | 5.68 | 10,878 | 27 | 50 |
| | | 5/08 | 41,943 | 5.68 | 11,139 | 27 | 50 |
| | | 6/08 | 40,484 | 6.57 | 9,573 | 27 | 50 |
| | | 7/08 | 41,648 | 6.57 | 10,005 | 27 | 50 |
| | | 8/08 | 41,265 | 6.57 | 10,481 | 27 | 49 |
| | | 9/08 | 42,161 | 6.57 | 14,548 | 27 | 52 |
| | | 10/08 | 44,891 | 6.57 | 15,654 | 28 | 52 |
| | | 11/08 | 43,481 | 6.57 | 14,057 | 28 | 52 |
| | | 12/08 | 45,679 | 6.57 | 13,754 | 28 | 53 |
| | | | 501,321 | | 144,754 | | |
| ATLAS GAS & OIL CO | CLEARWATER CENTRAL | 1/08 | 21,459 | 3.95 | 14,948 | 25 | 28 |
| | | 2/08 | 20,585 | 3.95 | 14,492 | 25 | 28 |
| | | 3/08 | 21,880 | 3.95 | 15,126 | 25 | 28 |
| | | 4/08 | 21,294 | 3.95 | 14,937 | 25 | 28 |
| | | 5/08 | 22,079 | 3.95 | 15,625 | 25 | 28 |
| | | 6/08 | 21,468 | 3.98 | 14,082 | 25 | 29 |
| | | 7/08 | 22,027 | 3.98 | 13,661 | 25 | 28 |
| | | 8/08 | 21,702 | 3.98 | 15,363 | 25 | 28 |
| | | 9/08 | 21,199 | 3.98 | 14,625 | 26 | 27 |
| | | 10/08 | 24,602 | 3.98 | 19,959 | 27 | 29 |
| | | 11/08 | 23,850 | 3.98 | 17,793 | 27 | 29 |
| | | 12/08 | 24,296 | 4.37 | 16,866 | 27 | 29 |
| | | | 266,441 | | 187,477 | | |
| ATLAS GAS & OIL CO | CLEARWATER SOUTH | 1/08 | 1,720 | 3.93 | 1,285 | 4 | 14 |
| | | 2/08 | 1,569 | 3.93 | 1,275 | 4 | 14 |
| | | 3/08 | 1,622 | 3.93 | 1,526 | 4 | 13 |
| | | 4/08 | 1,531 | 3.93 | 1,493 | 4 | 13 |
| | | 5/08 | 1,610 | 3.93 | 1,616 | 4 | 13 |
| | | 6/08 | 1,616 | 4.04 | 1,535 | 4 | 13 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|---------------------|-----------------|-----------|---------------|-------------|---------------|--------------------------|
| ATLAS GAS & OIL CO | CLEARWATER SOUTH | 7/08 | 1,701 | 4.04 | 1,539 | 4 | 14 |
| | | 8/08 | 1,667 | 4.04 | 1,523 | 4 | 13 |
| | | 9/08 | 1,545 | 4.04 | 1,417 | 4 | 13 |
| | | 10/08 | 1,547 | 4.04 | 1,567 | 4 | 12 |
| | | 11/08 | 1,508 | 4.04 | 1,688 | 4 | 13 |
| | | 12/08 | 1,528 | 3.86 | 1,461 | 4 | 12 |
| | | | | 19,164 | | 17,925 | |
| ATLAS GAS & OIL CO | CONNIE STEVENS EAST | 1/08 | 27,685 | 23.47 | 41 | 20 | 45 |
| | | 2/08 | 25,708 | 23.47 | 62 | 20 | 44 |
| | | 3/08 | 26,828 | 23.47 | 43 | 20 | 43 |
| | | 4/08 | 25,991 | 23.47 | 50 | 20 | 43 |
| | | 5/08 | 26,101 | 23.47 | 46 | 20 | 42 |
| | | 6/08 | 25,667 | 23.47 | 44 | 20 | 43 |
| | | 7/08 | 27,242 | 23.47 | 62 | 20 | 44 |
| | | 8/08 | 27,969 | 23.47 | 51 | 20 | 45 |
| | | 9/08 | 27,243 | 23.47 | 56 | 20 | 45 |
| | | 10/08 | 27,582 | 23.47 | 101 | 20 | 44 |
| | | 11/08 | 26,547 | 23.47 | 108 | 20 | 44 |
| | | 12/08 | 26,998 | 23.47 | 61 | 20 | 44 |
| | | 321,561 | | 725 | | | |
| ATLAS GAS & OIL CO | CONNIE STEVENS WEST | 1/08 | 11,319 | 22.71 | 1,063 | 14 | 26 |
| | | 2/08 | 10,566 | 22.71 | 627 | 14 | 26 |
| | | 3/08 | 12,249 | 22.71 | 662 | 14 | 28 |
| | | 4/08 | 11,680 | 22.71 | 538 | 14 | 28 |
| | | 5/08 | 12,539 | 22.71 | 550 | 14 | 29 |
| | | 6/08 | 11,910 | 22.71 | 492 | 14 | 28 |
| | | 7/08 | 12,202 | 22.71 | 500 | 14 | 28 |
| | | 8/08 | 12,430 | 22.71 | 384 | 14 | 29 |
| | | 9/08 | 13,033 | 22.71 | 435 | 14 | 31 |
| | | 10/08 | 13,449 | 22.71 | 405 | 14 | 31 |
| | | 11/08 | 11,982 | 22.71 | 407 | 14 | 29 |
| | | 12/08 | 12,403 | 22.71 | 396 | 14 | 29 |
| | | 145,762 | | 6,459 | | | |
| ATLAS GAS & OIL CO | CUSTER 1 | 1/08 | 19,556 | 7.25 | 2,271 | 12 | 53 |
| | | 2/08 | 17,219 | 7.25 | 1,986 | 12 | 49 |
| | | 3/08 | 18,738 | 7.25 | 2,179 | 12 | 50 |
| | | 4/08 | 19,070 | 7.25 | 1,939 | 12 | 53 |
| | | 5/08 | 18,894 | 7.25 | 1,860 | 12 | 51 |
| | | 6/08 | 18,135 | 7.25 | 1,883 | 12 | 50 |
| | | 7/08 | 19,060 | 7.74 | 1,760 | 12 | 51 |
| | | 8/08 | 21,049 | 7.74 | 1,861 | 12 | 57 |
| | | 9/08 | 20,222 | 7.74 | 1,718 | 12 | 56 |
| | | 10/08 | 15,226 | 8.19 | 979 | 12 | 41 |
| | | 11/08 | 12,450 | 8.19 | 889 | 12 | 35 |
| | | 12/08 | 18,515 | 8.19 | 1,881 | 12 | 50 |
| | | 218,134 | | 21,206 | | | |
| ATLAS GAS & OIL CO | CUSTER 15 | 1/08 | 50,593 | 10.25 | 2,817 | 21 | 78 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|--------------------|--------------|--------------------|-----------|-------|----------------|---------------|--------------------------|----|----|
| ATLAS GAS & OIL CO | CUSTER 15 | 2/08 | 46,875 | 10.25 | 2,156 | 21 | 77 | | |
| | | 3/08 | 48,905 | 10.25 | 2,488 | 21 | 75 | | |
| | | 4/08 | 47,379 | 10.25 | 2,967 | 21 | 75 | | |
| | | 5/08 | 48,315 | 10.25 | 3,064 | 21 | 74 | | |
| | | 6/08 | 42,084 | 11.00 | 2,936 | 21 | 67 | | |
| | | 7/08 | 49,235 | 11.00 | 3,030 | 21 | 76 | | |
| | | 8/08 | 46,872 | 11.00 | 2,972 | 21 | 72 | | |
| | | 9/08 | 45,288 | 11.00 | 2,763 | 21 | 72 | | |
| | | 10/08 | 46,675 | 11.00 | 3,342 | 21 | 72 | | |
| | | 11/08 | 44,155 | 11.00 | 2,552 | 21 | 70 | | |
| | | 12/08 | 44,980 | 10.86 | 2,530 | 21 | 69 | | |
| | | | | | 561,356 | | 33,617 | | |
| | | ATLAS GAS & OIL CO | CUSTER 20 | 1/08 | 13,781 | 7.14 | 2,925 | 10 | 44 |
| 2/08 | 12,511 | | | 7.14 | 2,084 | 10 | 43 | | |
| 3/08 | 13,232 | | | 7.14 | 2,428 | 10 | 43 | | |
| 4/08 | 12,859 | | | 7.14 | 2,607 | 10 | 43 | | |
| 5/08 | 14,011 | | | 7.14 | 3,865 | 10 | 45 | | |
| 6/08 | 13,681 | | | 7.16 | 2,662 | 10 | 46 | | |
| 7/08 | 15,022 | | | 7.16 | 3,090 | 10 | 48 | | |
| 8/08 | 14,962 | | | 7.16 | 3,223 | 10 | 48 | | |
| 9/08 | 14,512 | | | 7.16 | 2,592 | 10 | 48 | | |
| 10/08 | 14,908 | | | 7.16 | 2,655 | 10 | 48 | | |
| 11/08 | 14,160 | | | 7.16 | 2,382 | 10 | 47 | | |
| 12/08 | 14,194 | | | 8.66 | 2,069 | 10 | 46 | | |
| | | | | | 167,833 | | 32,582 | | |
| ATLAS GAS & OIL CO | CUSTER 29 | 1/08 | 59,176 | 8.85 | 7,723 | 19 | 100 | | |
| | | 2/08 | 56,067 | 8.85 | 7,342 | 19 | 102 | | |
| | | 3/08 | 59,574 | 8.85 | 7,329 | 19 | 101 | | |
| | | 4/08 | 58,923 | 8.85 | 7,004 | 19 | 103 | | |
| | | 5/08 | 61,286 | 8.85 | 7,042 | 19 | 104 | | |
| | | 6/08 | 59,291 | 9.77 | 6,819 | 19 | 104 | | |
| | | 7/08 | 67,831 | 9.77 | 9,988 | 21 | 104 | | |
| | | 8/08 | 66,601 | 9.77 | 8,345 | 21 | 102 | | |
| | | 9/08 | 62,968 | 9.77 | 7,101 | 21 | 100 | | |
| | | 10/08 | 63,599 | 9.77 | 7,420 | 21 | 98 | | |
| | | 11/08 | 59,294 | 9.77 | 6,992 | 21 | 94 | | |
| | | 12/08 | 60,168 | 9.68 | 6,882 | 21 | 92 | | |
| | | | | | 734,778 | | 89,987 | | |
| ATLAS GAS & OIL CO | CUSTER 33 | 1/08 | 36,152 | 10.94 | 1,116 | 17 | 69 | | |
| | | 2/08 | 34,064 | 10.94 | 1,587 | 18 | 65 | | |
| | | 3/08 | 35,954 | 10.94 | 1,386 | 18 | 64 | | |
| | | 4/08 | 34,523 | 10.94 | 942 | 21 | 55 | | |
| | | 5/08 | 36,448 | 10.94 | 1,386 | 21 | 56 | | |
| | | 6/08 | 35,172 | 11.99 | 1,201 | 21 | 56 | | |
| | | 7/08 | 36,880 | 11.99 | 1,133 | 21 | 57 | | |
| | | 8/08 | 38,872 | 11.99 | 1,900 | 22 | 57 | | |
| | | 9/08 | 38,803 | 11.99 | 1,598 | 22 | 59 | | |
| | | 10/08 | 39,902 | 11.99 | 1,444 | 22 | 58 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|---------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| ATLAS GAS & OIL CO | CUSTER 33 | 11/08 | 37,586 | 11.99 | 1,319 | 22 | 57 |
| | | 12/08 | 37,041 | 11.82 | 1,209 | 22 | 54 |
| | | | 441,397 | | 16,221 | | |
| ATLAS GAS & OIL CO | CUSTER 35 | 1/08 | 15,579 | 8.01 | 2,230 | 18 | 28 |
| | | 2/08 | 15,222 | 8.01 | 1,777 | 18 | 29 |
| | | 3/08 | 15,726 | 8.01 | 2,080 | 18 | 28 |
| | | 4/08 | 15,323 | 8.01 | 2,042 | 18 | 28 |
| | | 5/08 | 16,215 | 8.01 | 1,932 | 18 | 29 |
| | | 6/08 | 15,110 | 9.63 | 2,026 | 18 | 28 |
| | | 7/08 | 15,679 | 9.63 | 2,611 | 19 | 27 |
| | | 8/08 | 16,120 | 9.63 | 3,317 | 20 | 26 |
| | | 9/08 | 16,053 | 9.63 | 2,660 | 20 | 27 |
| | | 10/08 | 16,442 | 9.63 | 2,586 | 20 | 27 |
| | | 11/08 | 15,570 | 9.63 | 2,393 | 20 | 26 |
| | | 12/08 | 16,641 | 8.24 | 2,446 | 20 | 27 |
| | 189,680 | | 28,100 | | | | |
| ATLAS GAS & OIL CO | CUSTER/MANCELONA W | 1/08 | 15,493 | 9.53 | 2,624 | 33 | 15 |
| | | 2/08 | 14,663 | 9.53 | 2,790 | 33 | 15 |
| | | 3/08 | 14,675 | 9.53 | 2,578 | 33 | 14 |
| | | 4/08 | 14,345 | 9.53 | 2,535 | 33 | 14 |
| | | 5/08 | 15,061 | 9.53 | 2,725 | 33 | 15 |
| | | 6/08 | 14,677 | 9.53 | 2,432 | 33 | 15 |
| | | 7/08 | 14,695 | 9.53 | 1,676 | 33 | 14 |
| | | 8/08 | 13,655 | 9.53 | 1,771 | 33 | 13 |
| | | 9/08 | 13,229 | 9.53 | 1,827 | 33 | 13 |
| | | 10/08 | 13,811 | 9.53 | 1,878 | 33 | 13 |
| | | 11/08 | 13,568 | 9.53 | 1,829 | 33 | 14 |
| | | 12/08 | 13,806 | 11.30 | 1,572 | 33 | 13 |
| | 171,678 | | 26,237 | | | | |
| ATLAS GAS & OIL CO | ECHO 10 KING ARTHUR | 1/08 | 30,160 | 2.43 | 29,399 | 21 | 46 |
| | | 2/08 | 28,292 | 2.43 | 22,462 | 22 | 44 |
| | | 3/08 | 32,550 | 2.43 | 24,603 | 22 | 48 |
| | | 4/08 | 29,728 | 2.58 | 25,401 | 23 | 43 |
| | | 5/08 | 30,512 | 2.58 | 28,471 | 23 | 43 |
| | | 6/08 | 29,723 | 2.58 | 29,618 | 23 | 43 |
| | | 7/08 | 30,979 | 2.58 | 27,623 | 23 | 43 |
| | | 8/08 | 32,802 | 2.58 | 35,186 | 25 | 42 |
| | | 9/08 | 30,494 | 2.58 | 28,751 | 25 | 41 |
| | | 10/08 | 30,384 | 3.97 | 22,498 | 25 | 39 |
| | | 11/08 | 28,288 | 3.97 | 19,032 | 25 | 38 |
| | | 12/08 | 29,970 | 3.97 | 23,241 | 25 | 39 |
| | 363,882 | | 316,285 | | | | |
| ATLAS GAS & OIL CO | ECHO 11 | 1/08 | 12,485 | 2.41 | 9,343 | 6 | 67 |
| | | 2/08 | 11,263 | 2.41 | 8,717 | 6 | 65 |
| | | 3/08 | 12,769 | 2.41 | 5,091 | 6 | 69 |
| | | 4/08 | 11,467 | 2.58 | 3,088 | 6 | 64 |
| | | 5/08 | 12,004 | 2.58 | 3,786 | 6 | 65 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|------------------|-----------------|-----------|----------------|-------------|---------------|--------------------------|
| ATLAS GAS & OIL CO | ECHO 11 | 6/08 | 11,521 | 2.58 | 4,795 | 6 | 64 |
| | | 7/08 | 12,320 | 2.58 | 5,857 | 6 | 66 |
| | | 8/08 | 12,125 | 2.58 | 6,182 | 6 | 65 |
| | | 9/08 | 10,407 | 2.58 | 5,426 | 6 | 58 |
| | | 10/08 | 10,158 | 3.09 | 6,602 | 6 | 55 |
| | | 11/08 | 9,648 | 3.09 | 5,352 | 6 | 54 |
| | | 12/08 | 8,953 | 3.09 | 2,910 | 6 | 48 |
| | | | | 135,120 | | 67,149 | |
| ATLAS GAS & OIL CO | ECHO 11B - 21174 | 1/08 | 598 | 2.41 | 0 | 1 | 19 |
| | | 2/08 | 569 | 2.41 | 0 | 1 | 20 |
| | | 3/08 | 610 | 2.41 | 0 | 1 | 20 |
| | | 4/08 | 585 | 2.58 | 0 | 1 | 20 |
| | | 5/08 | 521 | 2.58 | 0 | 1 | 17 |
| | | 6/08 | 425 | 2.58 | 0 | 1 | 14 |
| | | 7/08 | 541 | 2.58 | 0 | 1 | 17 |
| | | 8/08 | 601 | 2.58 | 0 | 1 | 19 |
| | | 9/08 | 618 | 2.58 | 0 | 1 | 21 |
| | | 10/08 | 626 | 3.09 | 0 | 1 | 20 |
| | | 11/08 | 442 | 3.09 | 0 | 1 | 15 |
| | | 12/08 | 550 | 3.09 | 0 | 1 | 18 |
| | | 6,686 | | 0 | | | |
| ATLAS GAS & OIL CO | ECHO 11B - 21175 | 1/08 | 611 | 2.41 | 0 | 1 | 20 |
| | | 2/08 | 486 | 2.41 | 0 | 1 | 17 |
| | | 3/08 | 379 | 2.41 | 0 | 1 | 12 |
| | | 4/08 | 306 | 2.58 | 0 | 1 | 10 |
| | | 5/08 | 343 | 2.58 | 0 | 1 | 11 |
| | | 6/08 | 305 | 2.58 | 0 | 1 | 10 |
| | | 7/08 | 402 | 2.58 | 0 | 1 | 13 |
| | | 8/08 | 425 | 2.58 | 0 | 1 | 14 |
| | | 9/08 | 232 | 2.58 | 0 | 1 | 8 |
| | | 10/08 | 406 | 3.09 | 0 | 1 | 13 |
| | | 11/08 | 275 | 3.09 | 0 | 1 | 9 |
| | | 12/08 | 181 | 3.09 | 0 | 1 | 6 |
| | | 4,351 | | 0 | | | |
| ATLAS GAS & OIL CO | ECHO 24 | 1/08 | 24,863 | 2.33 | 34,024 | 18 | 45 |
| | | 2/08 | 23,422 | 2.33 | 31,347 | 18 | 45 |
| | | 3/08 | 24,582 | 2.43 | 37,291 | 18 | 44 |
| | | 4/08 | 23,383 | 2.32 | 28,856 | 18 | 43 |
| | | 5/08 | 23,214 | 2.32 | 30,713 | 18 | 42 |
| | | 6/08 | 22,951 | 2.32 | 37,292 | 18 | 43 |
| | | 7/08 | 25,555 | 2.32 | 37,610 | 18 | 46 |
| | | 8/08 | 25,391 | 2.32 | 38,771 | 18 | 45 |
| | | 9/08 | 22,617 | 2.32 | 49,848 | 19 | 40 |
| | | 10/08 | 22,517 | 3.47 | 34,175 | 19 | 38 |
| | | 11/08 | 19,743 | 3.47 | 30,346 | 19 | 35 |
| | | 12/08 | 21,638 | 3.47 | 40,960 | 19 | 37 |
| | | 279,876 | | 431,233 | | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|----------------|-----------------|-----------|-------|----------------|---------------|--------------------------|
| ATLAS GAS & OIL CO | ECHO 26 | 1/08 | 17,280 | 3.85 | 55,748 | 24 | 23 |
| | | 2/08 | 16,008 | 3.85 | 66,261 | 24 | 23 |
| | | 3/08 | 16,684 | 3.85 | 65,992 | 24 | 22 |
| | | 4/08 | 16,745 | 3.87 | 67,130 | 24 | 23 |
| | | 5/08 | 18,841 | 3.87 | 73,695 | 24 | 25 |
| | | 6/08 | 18,379 | 3.87 | 66,953 | 24 | 26 |
| | | 7/08 | 19,482 | 3.87 | 72,758 | 24 | 26 |
| | | 8/08 | 18,512 | 3.87 | 85,251 | 24 | 25 |
| | | 9/08 | 18,972 | 3.87 | 82,597 | 25 | 25 |
| | | 10/08 | 19,388 | 4.08 | 80,577 | 26 | 24 |
| | | 11/08 | 17,215 | 4.08 | 73,912 | 26 | 22 |
| | | 12/08 | 20,040 | 4.08 | 66,290 | 26 | 25 |
| | | | | | 217,546 | | 857,164 |
| ATLAS GAS & OIL CO | ELMERS GLEWOLL | 1/08 | 35,440 | 10.09 | 3,252 | 27 | 42 |
| | | 2/08 | 33,190 | 10.09 | 2,856 | 27 | 42 |
| | | 3/08 | 33,658 | 10.09 | 3,058 | 27 | 40 |
| | | 4/08 | 32,929 | 10.09 | 2,826 | 27 | 41 |
| | | 5/08 | 32,784 | 10.09 | 2,950 | 27 | 39 |
| | | 6/08 | 31,070 | 10.09 | 2,703 | 27 | 38 |
| | | 7/08 | 31,207 | 10.09 | 2,760 | 27 | 37 |
| | | 8/08 | 31,562 | 10.09 | 3,028 | 27 | 38 |
| | | 9/08 | 30,942 | 10.09 | 2,707 | 27 | 38 |
| | | 10/08 | 32,337 | 10.09 | 2,682 | 27 | 39 |
| | | 11/08 | 30,267 | 10.09 | 2,527 | 27 | 37 |
| | | 12/08 | 31,369 | 10.09 | 2,532 | 27 | 37 |
| | | | | | 386,755 | | 33,881 |
| ATLAS GAS & OIL CO | ELMIRA 14 | 1/08 | 33,012 | 6.55 | 12,773 | 26 | 41 |
| | | 2/08 | 31,004 | 6.55 | 11,038 | 26 | 41 |
| | | 3/08 | 33,052 | 6.55 | 12,498 | 26 | 41 |
| | | 4/08 | 33,212 | 6.55 | 13,530 | 27 | 41 |
| | | 5/08 | 33,867 | 6.55 | 12,818 | 27 | 40 |
| | | 6/08 | 32,498 | 6.55 | 11,521 | 27 | 40 |
| | | 7/08 | 29,956 | 6.55 | 10,529 | 27 | 36 |
| | | 8/08 | 32,389 | 6.55 | 9,990 | 27 | 39 |
| | | 9/08 | 33,009 | 6.55 | 9,480 | 27 | 41 |
| | | 10/08 | 35,600 | 6.55 | 11,849 | 29 | 40 |
| | | 11/08 | 33,804 | 6.55 | 11,787 | 30 | 38 |
| | | 12/08 | 35,080 | 6.55 | 13,732 | 30 | 38 |
| | | | | | 396,483 | | 141,545 |
| ATLAS GAS & OIL CO | ELMIRA 23 | 1/08 | 21,851 | 8.51 | 4,635 | 15 | 47 |
| | | 2/08 | 22,818 | 10.13 | 3,954 | 15 | 52 |
| | | 3/08 | 24,256 | 10.13 | 4,575 | 15 | 52 |
| | | 4/08 | 23,694 | 10.13 | 4,504 | 15 | 53 |
| | | 5/08 | 23,799 | 10.13 | 5,156 | 15 | 51 |
| | | 6/08 | 22,994 | 10.13 | 4,616 | 15 | 51 |
| | | 7/08 | 22,365 | 10.13 | 4,349 | 15 | 48 |
| | | 8/08 | 22,963 | 10.13 | 4,488 | 15 | 49 |
| | | 9/08 | 21,570 | 10.13 | 4,004 | 15 | 48 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|--------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| ATLAS GAS & OIL CO | ELMIRA 23 | 10/08 | 21,370 | 10.13 | 3,241 | 15 | 46 |
| | | 11/08 | 20,197 | 10.13 | 2,914 | 15 | 45 |
| | | 12/08 | 21,746 | 10.13 | 2,468 | 15 | 47 |
| | | | 269,623 | | 48,904 | | |
| ATLAS GAS & OIL CO | ELMIRA 26 | 1/08 | 36,981 | 9.39 | 892 | 20 | 60 |
| | | 2/08 | 31,091 | 10.13 | 871 | 20 | 54 |
| | | 3/08 | 33,073 | 10.13 | 840 | 20 | 53 |
| | | 4/08 | 31,158 | 10.13 | 870 | 20 | 52 |
| | | 5/08 | 32,555 | 10.13 | 856 | 20 | 52 |
| | | 6/08 | 31,287 | 10.13 | 801 | 20 | 52 |
| | | 7/08 | 30,372 | 10.13 | 726 | 20 | 49 |
| | | 8/08 | 31,633 | 10.13 | 798 | 20 | 51 |
| | | 9/08 | 31,127 | 10.13 | 683 | 20 | 52 |
| | | 10/08 | 31,377 | 10.13 | 684 | 20 | 51 |
| | | 11/08 | 29,779 | 10.13 | 732 | 21 | 47 |
| | | 12/08 | 32,108 | 10.13 | 808 | 21 | 49 |
| | 382,541 | | 9,561 | | | | |
| ATLAS GAS & OIL CO | ELMIRA THRIVE WEST | 1/08 | 12,904 | 8.43 | 45,524 | 14 | 30 |
| | | 2/08 | 11,123 | 8.43 | 38,951 | 14 | 27 |
| | | 3/08 | 11,246 | 8.43 | 42,884 | 14 | 26 |
| | | 4/08 | 12,378 | 8.43 | 42,773 | 14 | 29 |
| | | 5/08 | 12,189 | 8.43 | 41,639 | 14 | 28 |
| | | 6/08 | 10,410 | 8.43 | 41,780 | 14 | 25 |
| | | 7/08 | 10,219 | 8.43 | 42,440 | 14 | 24 |
| | | 8/08 | 11,174 | 8.43 | 38,021 | 14 | 26 |
| | | 9/08 | 10,826 | 8.43 | 30,838 | 14 | 26 |
| | | 10/08 | 10,927 | 8.43 | 27,327 | 14 | 25 |
| | | 11/08 | 11,061 | 8.43 | 34,141 | 14 | 26 |
| | | 12/08 | 10,837 | 8.43 | 35,088 | 14 | 25 |
| | 135,294 | | 461,406 | | | | |
| ATLAS GAS & OIL CO | ELVIRA 11 | 1/08 | 16,207 | 9.50 | 39,218 | 29 | 18 |
| | | 2/08 | 13,367 | 9.61 | 38,548 | 29 | 16 |
| | | 3/08 | 15,351 | 8.69 | 43,816 | 30 | 16 |
| | | 4/08 | 21,857 | 8.88 | 52,297 | 34 | 21 |
| | | 5/08 | 24,934 | 8.66 | 60,483 | 35 | 23 |
| | | 6/08 | 25,552 | 8.62 | 65,225 | 35 | 24 |
| | | 7/08 | 24,159 | 7.32 | 62,090 | 35 | 22 |
| | | 8/08 | 27,925 | 7.44 | 77,928 | 36 | 25 |
| | | 9/08 | 28,521 | 7.49 | 69,007 | 36 | 26 |
| | | 10/08 | 28,433 | 7.52 | 63,335 | 36 | 25 |
| | | 11/08 | 26,404 | 8.34 | 57,124 | 36 | 24 |
| | | 12/08 | 26,757 | 7.73 | 54,057 | 36 | 24 |
| | 279,467 | | 683,128 | | | | |
| ATLAS GAS & OIL CO | FLINT NAPPERS | 1/08 | 12,806 | 6.54 | 5,849 | 17 | 24 |
| | | 2/08 | 11,743 | 6.50 | 5,698 | 17 | 24 |
| | | 3/08 | 12,626 | 6.46 | 5,720 | 17 | 24 |
| | | 4/08 | 12,135 | 6.31 | 5,284 | 17 | 24 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|----------------|-----------------|----------------|-------|------------------|---------------|--------------------------|
| ATLAS GAS & OIL CO | FLINT NAPPERS | 5/08 | 12,813 | 6.58 | 5,963 | 17 | 24 |
| | | 6/08 | 12,425 | 6.60 | 5,998 | 17 | 24 |
| | | 7/08 | 12,677 | 6.65 | 6,190 | 17 | 24 |
| | | 8/08 | 12,271 | 6.72 | 5,833 | 17 | 23 |
| | | 9/08 | 11,973 | 6.70 | 5,357 | 17 | 23 |
| | | 10/08 | 12,089 | 6.78 | 5,005 | 17 | 23 |
| | | 11/08 | 11,452 | 7.18 | 4,536 | 17 | 22 |
| | | 12/08 | 11,492 | 7.12 | 4,162 | 17 | 22 |
| | | | 146,502 | | 65,595 | | |
| ATLAS GAS & OIL CO | FOREST HOME 10 | 1/08 | 26,903 | 3.15 | 192,931 | 18 | 48 |
| | | 2/08 | 25,519 | 3.15 | 188,109 | 18 | 49 |
| | | 3/08 | 28,337 | 3.15 | 187,635 | 18 | 51 |
| | | 4/08 | 28,394 | 3.15 | 109,807 | 21 | 45 |
| | | 5/08 | 30,512 | 3.15 | 191,611 | 21 | 47 |
| | | 6/08 | 30,065 | 3.15 | 183,860 | 21 | 48 |
| | | 7/08 | 30,846 | 3.15 | 125,595 | 22 | 45 |
| | | 8/08 | 32,400 | 3.15 | 92,157 | 23 | 45 |
| | | 9/08 | 31,207 | 3.15 | 112,031 | 23 | 45 |
| | | 10/08 | 31,538 | 3.15 | 113,392 | 23 | 44 |
| | | 11/08 | 32,384 | 3.15 | 107,297 | 23 | 47 |
| | | 12/08 | 34,617 | 3.15 | 103,805 | 23 | 49 |
| | | | 362,722 | | 1,708,230 | | |
| ATLAS GAS & OIL CO | FOREST HOME 14 | 1/08 | 2,125 | 1.11 | 12,378 | 5 | 14 |
| | | 2/08 | 2,097 | 1.11 | 11,150 | 5 | 14 |
| | | 3/08 | 2,619 | 1.11 | 15,904 | 5 | 17 |
| | | 4/08 | 4,192 | 1.22 | 16,461 | 6 | 23 |
| | | 5/08 | 4,769 | 1.22 | 14,763 | 6 | 26 |
| | | 6/08 | 4,806 | 1.22 | 13,570 | 6 | 27 |
| | | 7/08 | 4,766 | 2.79 | 11,102 | 6 | 26 |
| | | 8/08 | 5,114 | 2.79 | 10,551 | 8 | 21 |
| | | 9/08 | 4,877 | 2.79 | 9,895 | 8 | 20 |
| | | 10/08 | 4,993 | 1.33 | 10,164 | 8 | 20 |
| | | 11/08 | 5,628 | 1.33 | 15,633 | 9 | 21 |
| | | 12/08 | 6,913 | 1.33 | 18,327 | 12 | 19 |
| | | | 52,899 | | 159,898 | | |
| ATLAS GAS & OIL CO | FOREST HOME 34 | 10/08 | 193 | 1.33 | 300 | 1 | 6 |
| | | 11/08 | 1,021 | 1.33 | 2,462 | 2 | 17 |
| | | 12/08 | 1,173 | 1.33 | 3,662 | 2 | 19 |
| | | | 2,387 | | 6,424 | | |
| ATLAS GAS & OIL CO | FOSTERS LAGER | 1/08 | 10,284 | 7.17 | 3,303 | 12 | 28 |
| | | 2/08 | 9,997 | 7.17 | 3,466 | 12 | 29 |
| | | 3/08 | 10,686 | 7.17 | 3,623 | 12 | 29 |
| | | 4/08 | 10,106 | 7.17 | 3,349 | 12 | 28 |
| | | 5/08 | 9,705 | 7.17 | 3,492 | 12 | 26 |
| | | 6/08 | 9,646 | 7.17 | 3,371 | 12 | 27 |
| | | 7/08 | 9,427 | 7.17 | 3,343 | 12 | 25 |
| | | 8/08 | 10,414 | 7.17 | 3,164 | 12 | 28 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|----------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| ATLAS GAS & OIL CO | FOSTERS LAGER | 9/08 | 9,983 | 7.17 | 3,268 | 12 | 28 |
| | | 10/08 | 10,643 | 6.34 | 3,635 | 12 | 29 |
| | | 11/08 | 10,220 | 6.34 | 3,461 | 12 | 28 |
| | | 12/08 | 10,333 | 6.34 | 3,355 | 12 | 28 |
| | | | 121,444 | | 40,830 | | |
| ATLAS GAS & OIL CO | GRAND CANYON 2 | 1/08 | 2,612 | 1.66 | 31,600 | 3 | 28 |
| | | 2/08 | 2,205 | 1.66 | 30,934 | 3 | 25 |
| | | 3/08 | 1,999 | 1.66 | 31,976 | 3 | 21 |
| | | 4/08 | 1,880 | 1.07 | 31,136 | 3 | 21 |
| | | 5/08 | 1,861 | 1.07 | 34,218 | 3 | 20 |
| | | 6/08 | 1,954 | 1.07 | 28,277 | 3 | 22 |
| | | 7/08 | 1,839 | 1.07 | 22,748 | 3 | 20 |
| | | 8/08 | 1,807 | 1.07 | 24,372 | 3 | 19 |
| | | 9/08 | 1,730 | 1.24 | 26,503 | 3 | 19 |
| | | 10/08 | 1,845 | 1.24 | 24,802 | 3 | 20 |
| | | 11/08 | 1,649 | 1.24 | 24,236 | 3 | 18 |
| | | 12/08 | 1,632 | 1.24 | 24,821 | 3 | 18 |
| | | | 23,013 | | 335,623 | | |
| ATLAS GAS & OIL CO | HAWK LAKE | 1/08 | 9,982 | 10.94 | 1,405 | 16 | 20 |
| | | 2/08 | 6,945 | 11.05 | 1,356 | 16 | 15 |
| | | 3/08 | 9,511 | 11.05 | 1,415 | 16 | 19 |
| | | 4/08 | 9,360 | 10.97 | 1,339 | 16 | 20 |
| | | 5/08 | 9,723 | 10.98 | 1,288 | 16 | 20 |
| | | 6/08 | 9,370 | 10.98 | 1,243 | 16 | 20 |
| | | 7/08 | 9,223 | 10.98 | 1,638 | 16 | 19 |
| | | 8/08 | 9,535 | 10.98 | 2,385 | 18 | 17 |
| | | 9/08 | 9,540 | 10.98 | 1,921 | 18 | 18 |
| | | 10/08 | 10,779 | 10.98 | 1,733 | 18 | 19 |
| | | 11/08 | 9,664 | 10.98 | 1,615 | 18 | 18 |
| | | 12/08 | 10,294 | 11.59 | 1,656 | 18 | 18 |
| | 113,926 | | 18,994 | | | | |
| ATLAS GAS & OIL CO | HELENA 23 | 1/08 | 30,757 | 4.27 | 15,375 | 17 | 58 |
| | | 2/08 | 29,333 | 4.27 | 14,171 | 17 | 59 |
| | | 3/08 | 31,123 | 4.27 | 14,087 | 17 | 59 |
| | | 4/08 | 30,584 | 4.27 | 13,422 | 17 | 60 |
| | | 5/08 | 32,322 | 4.27 | 13,117 | 17 | 61 |
| | | 6/08 | 32,245 | 4.35 | 11,393 | 17 | 63 |
| | | 7/08 | 32,974 | 4.35 | 12,763 | 17 | 63 |
| | | 8/08 | 34,182 | 4.35 | 14,064 | 17 | 65 |
| | | 9/08 | 35,138 | 4.35 | 14,562 | 18 | 65 |
| | | 10/08 | 36,652 | 4.35 | 13,110 | 18 | 66 |
| | | 11/08 | 35,441 | 4.35 | 11,981 | 18 | 66 |
| | | 12/08 | 37,179 | 4.86 | 11,535 | 18 | 67 |
| | 397,930 | | 159,580 | | | | |
| ATLAS GAS & OIL CO | HELENA 25 | 1/08 | 54,428 | 5.21 | 33,897 | 22 | 80 |
| | | 2/08 | 51,201 | 5.21 | 32,402 | 23 | 77 |
| | | 3/08 | 55,899 | 5.21 | 31,804 | 23 | 78 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|--------------------|------------------------|--------------------|----------------|-------|----------------|---------------|--------------------------|----|----|
| ATLAS GAS & OIL CO | HELENA 25 | 4/08 | 53,927 | 5.21 | 30,012 | 24 | 75 | | |
| | | 5/08 | 56,904 | 5.21 | 29,749 | 24 | 76 | | |
| | | 6/08 | 50,317 | 5.01 | 27,137 | 24 | 70 | | |
| | | 7/08 | 60,066 | 5.01 | 30,290 | 24 | 81 | | |
| | | 8/08 | 62,961 | 5.01 | 41,395 | 26 | 78 | | |
| | | 9/08 | 62,183 | 5.01 | 36,739 | 27 | 77 | | |
| | | 10/08 | 62,325 | 5.01 | 28,204 | 27 | 74 | | |
| | | 11/08 | 59,367 | 5.01 | 26,034 | 27 | 73 | | |
| | | 12/08 | 58,011 | 5.26 | 25,351 | 28 | 67 | | |
| | | | | | 687,589 | | 373,014 | | |
| | | ATLAS GAS & OIL CO | HILLBILLY | 1/08 | 17,727 | 12.15 | 8,209 | 21 | 27 |
| | | | | 2/08 | 16,617 | 12.15 | 5,211 | 21 | 27 |
| 3/08 | 17,920 | | | 12.15 | 5,459 | 21 | 28 | | |
| 4/08 | 17,986 | | | 12.32 | 5,251 | 21 | 29 | | |
| 5/08 | 16,956 | | | 12.32 | 5,141 | 21 | 26 | | |
| 6/08 | 17,882 | | | 12.32 | 4,963 | 21 | 28 | | |
| 7/08 | 17,210 | | | 12.32 | 3,889 | 21 | 26 | | |
| 8/08 | 17,710 | | | 12.32 | 5,626 | 21 | 27 | | |
| 9/08 | 18,747 | | | 12.32 | 4,672 | 21 | 30 | | |
| 10/08 | 18,308 | | | 12.37 | 7,922 | 21 | 28 | | |
| 11/08 | 18,093 | | | 12.37 | 7,885 | 21 | 29 | | |
| 12/08 | 16,356 | | | 12.37 | 6,316 | 21 | 25 | | |
| | | | 211,512 | | 70,544 | | | | |
| ATLAS GAS & OIL CO | IRON OXIDE | 1/08 | 30,075 | 13.16 | 291 | 24 | 40 | | |
| | | 2/08 | 28,252 | 12.77 | 727 | 26 | 37 | | |
| | | 3/08 | 30,976 | 12.82 | 974 | 26 | 38 | | |
| | | 4/08 | 30,602 | 12.89 | 1,027 | 26 | 39 | | |
| | | 5/08 | 31,513 | 13.22 | 1,418 | 26 | 39 | | |
| | | 6/08 | 31,032 | 13.21 | 1,665 | 26 | 40 | | |
| | | 7/08 | 31,484 | 13.31 | 1,628 | 26 | 39 | | |
| | | 8/08 | 30,314 | 13.57 | 1,648 | 26 | 38 | | |
| | | 9/08 | 30,025 | 13.69 | 1,642 | 26 | 38 | | |
| | | 10/08 | 30,052 | 13.45 | 1,094 | 28 | 35 | | |
| | | 11/08 | 30,150 | 14.27 | 1,956 | 28 | 36 | | |
| | | 12/08 | 30,368 | 14.05 | 1,633 | 28 | 35 | | |
| | | | 364,843 | | 15,703 | | | | |
| ATLAS GAS & OIL CO | JORDAN 10 FOAMING WAVE | 1/08 | 15,554 | 1.56 | 13,822 | 16 | 31 | | |
| | | 2/08 | 15,007 | 1.57 | 12,576 | 16 | 32 | | |
| | | 3/08 | 16,296 | 1.58 | 13,332 | 16 | 33 | | |
| | | 4/08 | 15,640 | 1.59 | 12,769 | 16 | 33 | | |
| | | 5/08 | 16,517 | 2.11 | 10,420 | 16 | 33 | | |
| | | 6/08 | 15,810 | 2.11 | 8,915 | 16 | 33 | | |
| | | 7/08 | 16,827 | 2.10 | 8,741 | 16 | 34 | | |
| | | 8/08 | 17,121 | 2.11 | 9,623 | 16 | 35 | | |
| | | 9/08 | 16,827 | 2.11 | 5,997 | 16 | 35 | | |
| | | 10/08 | 16,759 | 2.12 | 4,686 | 16 | 34 | | |
| | | 11/08 | 15,789 | 1.72 | 4,555 | 16 | 33 | | |
| | | 12/08 | 16,501 | 1.71 | 4,761 | 16 | 33 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|------------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| | | | 194,648 | | 110,197 | | |
| ATLAS GAS & OIL CO | JORDAN 12 JIVE WAVE | 1/08 | 30,007 | 3.40 | 3,141 | 23 | 42 |
| | | 2/08 | 27,145 | 3.40 | 3,370 | 23 | 41 |
| | | 3/08 | 28,901 | 3.40 | 3,566 | 23 | 41 |
| | | 4/08 | 26,729 | 3.40 | 3,205 | 24 | 37 |
| | | 5/08 | 28,285 | 3.60 | 3,168 | 24 | 38 |
| | | 6/08 | 27,568 | 3.59 | 3,221 | 24 | 38 |
| | | 7/08 | 27,801 | 3.60 | 3,223 | 25 | 36 |
| | | 8/08 | 31,345 | 3.61 | 4,227 | 25 | 40 |
| | | 9/08 | 30,069 | 3.61 | 3,746 | 25 | 40 |
| | | 10/08 | 29,851 | 3.61 | 3,936 | 25 | 39 |
| | | 11/08 | 27,861 | 4.55 | 3,651 | 25 | 37 |
| | | 12/08 | 30,551 | 4.56 | 3,945 | 25 | 39 |
| | | | 346,113 | | 42,399 | | |
| ATLAS GAS & OIL CO | JORDAN 21 IMPORTANT WA | 1/08 | 16,224 | 2.08 | 14,159 | 13 | 40 |
| | | 2/08 | 14,849 | 2.08 | 13,561 | 13 | 39 |
| | | 3/08 | 15,692 | 2.08 | 14,318 | 13 | 39 |
| | | 4/08 | 14,396 | 2.08 | 13,235 | 13 | 37 |
| | | 5/08 | 16,445 | 1.97 | 14,353 | 13 | 41 |
| | | 6/08 | 15,722 | 1.97 | 13,420 | 13 | 40 |
| | | 7/08 | 16,443 | 1.97 | 14,136 | 13 | 41 |
| | | 8/08 | 16,846 | 1.97 | 14,040 | 13 | 42 |
| | | 9/08 | 16,481 | 1.97 | 13,513 | 13 | 42 |
| | | 10/08 | 16,910 | 1.97 | 13,676 | 13 | 42 |
| | | 11/08 | 16,456 | 2.10 | 12,920 | 13 | 42 |
| | | 12/08 | 17,002 | 2.10 | 13,345 | 13 | 42 |
| | | | 193,466 | | 164,676 | | |
| ATLAS GAS & OIL CO | JORDAN 29 HEAT WAVE | 1/08 | 5,789 | 2.69 | 23,388 | 9 | 21 |
| | | 2/08 | 5,439 | 2.69 | 18,830 | 9 | 21 |
| | | 3/08 | 6,119 | 2.69 | 28,876 | 9 | 22 |
| | | 4/08 | 5,827 | 2.80 | 24,703 | 9 | 22 |
| | | 5/08 | 5,887 | 2.80 | 28,501 | 9 | 21 |
| | | 6/08 | 5,533 | 2.80 | 26,140 | 9 | 20 |
| | | 7/08 | 5,665 | 2.82 | 26,521 | 9 | 20 |
| | | 8/08 | 5,743 | 2.82 | 26,516 | 9 | 21 |
| | | 9/08 | 5,223 | 2.82 | 24,399 | 9 | 19 |
| | | 10/08 | 5,372 | 3.13 | 24,818 | 9 | 19 |
| | | 11/08 | 4,638 | 3.13 | 25,238 | 9 | 17 |
| | | 12/08 | 5,234 | 3.13 | 25,635 | 9 | 19 |
| | | | 66,469 | | 303,565 | | |
| ATLAS GAS & OIL CO | JORDAN 33 DYNAMITE WAV | 1/08 | 17,398 | 2.88 | 55,420 | 13 | 43 |
| | | 2/08 | 15,380 | 2.88 | 51,961 | 13 | 41 |
| | | 3/08 | 15,117 | 2.88 | 55,742 | 13 | 37 |
| | | 4/08 | 15,521 | 2.88 | 48,631 | 13 | 40 |
| | | 5/08 | 15,219 | 3.32 | 55,920 | 13 | 38 |
| | | 6/08 | 16,328 | 3.32 | 52,334 | 13 | 42 |
| | | 7/08 | 16,015 | 3.32 | 52,714 | 13 | 40 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|------------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| ATLAS GAS & OIL CO | JORDAN 33 DYNAMITE WAV | 8/08 | 15,910 | 3.32 | 51,278 | 13 | 39 |
| | | 9/08 | 17,120 | 3.32 | 49,809 | 13 | 44 |
| | | 10/08 | 16,146 | 3.32 | 48,622 | 13 | 40 |
| | | 11/08 | 14,224 | 3.41 | 46,959 | 13 | 36 |
| | | 12/08 | 14,899 | 3.41 | 48,686 | 13 | 37 |
| | | | | | 189,277 | | 618,076 |
| ATLAS GAS & OIL CO | JORDAN 35 KING WAVE | 1/08 | 30,760 | 4.71 | 21,542 | 21 | 47 |
| | | 2/08 | 29,491 | 4.71 | 20,463 | 21 | 48 |
| | | 3/08 | 33,507 | 4.71 | 23,231 | 21 | 51 |
| | | 4/08 | 31,385 | 4.71 | 20,124 | 21 | 50 |
| | | 5/08 | 36,116 | 5.62 | 23,155 | 21 | 55 |
| | | 6/08 | 33,536 | 5.62 | 20,266 | 21 | 53 |
| | | 7/08 | 32,247 | 5.62 | 20,555 | 21 | 50 |
| | | 8/08 | 31,771 | 5.62 | 19,839 | 21 | 49 |
| | | 9/08 | 32,890 | 5.62 | 19,856 | 21 | 52 |
| | | 10/08 | 33,726 | 5.62 | 20,375 | 21 | 52 |
| | | 11/08 | 31,405 | 5.52 | 16,080 | 21 | 50 |
| | | 12/08 | 32,422 | 5.52 | 15,529 | 21 | 50 |
| | | | 389,256 | | 241,015 | | |
| ATLAS GAS & OIL CO | JORDAN 9 GIGANTIC WAVE | 1/08 | 11,879 | 2.03 | 9,374 | 10 | 38 |
| | | 2/08 | 10,826 | 2.03 | 8,783 | 10 | 37 |
| | | 3/08 | 11,804 | 2.03 | 9,376 | 10 | 38 |
| | | 4/08 | 11,651 | 2.03 | 9,074 | 10 | 39 |
| | | 5/08 | 12,120 | 2.10 | 9,246 | 10 | 39 |
| | | 6/08 | 11,299 | 2.10 | 9,217 | 10 | 38 |
| | | 7/08 | 11,711 | 2.10 | 9,381 | 10 | 38 |
| | | 8/08 | 11,476 | 2.10 | 9,662 | 10 | 37 |
| | | 9/08 | 10,992 | 2.10 | 9,502 | 10 | 37 |
| | | 10/08 | 11,928 | 2.10 | 13,535 | 12 | 32 |
| | | 11/08 | 11,325 | 2.10 | 15,491 | 12 | 31 |
| | | 12/08 | 12,183 | 2.10 | 10,209 | 13 | 30 |
| | | | 139,194 | | 122,850 | | |
| ATLAS GAS & OIL CO | KEARNEY 15 | 1/08 | 18,079 | 6.34 | 5,570 | 11 | 53 |
| | | 2/08 | 16,725 | 6.34 | 4,695 | 11 | 52 |
| | | 3/08 | 17,721 | 6.34 | 4,912 | 11 | 52 |
| | | 4/08 | 17,502 | 5.46 | 4,881 | 11 | 53 |
| | | 5/08 | 18,996 | 5.46 | 5,068 | 11 | 56 |
| | | 6/08 | 18,940 | 5.46 | 4,695 | 11 | 57 |
| | | 7/08 | 19,904 | 5.92 | 4,419 | 11 | 58 |
| | | 8/08 | 19,438 | 5.92 | 4,263 | 11 | 57 |
| | | 9/08 | 18,421 | 5.92 | 3,922 | 11 | 56 |
| | | 10/08 | 18,585 | 5.59 | 4,021 | 11 | 54 |
| | | 11/08 | 17,573 | 5.59 | 3,152 | 11 | 53 |
| | | 12/08 | 18,966 | 5.59 | 3,539 | 11 | 56 |
| | | | 220,850 | | 53,137 | | |
| ATLAS GAS & OIL CO | KEARNEY 16 | 1/08 | 27,070 | 6.34 | 14,144 | 17 | 51 |
| | | 2/08 | 25,233 | 6.34 | 12,654 | 17 | 51 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|--------------------|--------------|--------------------|------------|-------|----------------|---------------|--------------------------|----|----|
| ATLAS GAS & OIL CO | KEARNEY 16 | 3/08 | 28,290 | 6.34 | 14,910 | 17 | 54 | | |
| | | 4/08 | 27,899 | 5.46 | 13,567 | 18 | 52 | | |
| | | 5/08 | 29,635 | 5.46 | 13,388 | 18 | 53 | | |
| | | 6/08 | 29,088 | 5.46 | 12,637 | 18 | 54 | | |
| | | 7/08 | 30,647 | 5.92 | 12,530 | 18 | 55 | | |
| | | 8/08 | 29,940 | 5.92 | 11,639 | 18 | 54 | | |
| | | 9/08 | 28,375 | 5.92 | 9,985 | 18 | 53 | | |
| | | 10/08 | 28,317 | 5.59 | 12,911 | 18 | 51 | | |
| | | 11/08 | 25,973 | 5.59 | 10,670 | 18 | 48 | | |
| | | 12/08 | 28,691 | 5.59 | 12,878 | 19 | 49 | | |
| | | | | | 339,158 | | 151,913 | | |
| | | ATLAS GAS & OIL CO | KEARNEY 26 | 1/08 | 43,261 | 6.34 | 9,782 | 18 | 78 |
| | | | | 2/08 | 40,000 | 6.34 | 8,757 | 18 | 77 |
| 3/08 | 41,616 | | | 6.34 | 8,809 | 18 | 75 | | |
| 4/08 | 40,102 | | | 5.46 | 7,566 | 18 | 74 | | |
| 5/08 | 41,766 | | | 5.46 | 8,015 | 18 | 75 | | |
| 6/08 | 39,314 | | | 5.46 | 8,823 | 18 | 73 | | |
| 7/08 | 40,070 | | | 5.92 | 8,885 | 18 | 72 | | |
| 8/08 | 43,429 | | | 5.92 | 17,312 | 20 | 70 | | |
| 9/08 | 40,866 | | | 5.92 | 13,524 | 20 | 68 | | |
| 10/08 | 40,189 | | | 5.59 | 10,376 | 20 | 65 | | |
| 11/08 | 36,516 | | | 5.59 | 8,522 | 20 | 61 | | |
| 12/08 | 38,809 | | | 5.59 | 8,628 | 20 | 63 | | |
| | | | | | 485,938 | | 118,999 | | |
| ATLAS GAS & OIL CO | KEARNEY 33 | 1/08 | 3,595 | 4.10 | 2,999 | 5 | 23 | | |
| | | 2/08 | 3,192 | 4.10 | 2,758 | 5 | 22 | | |
| | | 3/08 | 3,251 | 4.10 | 2,840 | 5 | 21 | | |
| | | 4/08 | 3,158 | 4.10 | 2,831 | 5 | 21 | | |
| | | 5/08 | 3,714 | 4.10 | 2,879 | 5 | 24 | | |
| | | 6/08 | 4,470 | 4.10 | 2,727 | 5 | 30 | | |
| | | 7/08 | 4,308 | 4.10 | 2,737 | 5 | 28 | | |
| | | 8/08 | 4,638 | 4.10 | 2,821 | 5 | 30 | | |
| | | 9/08 | 4,235 | 4.10 | 2,675 | 5 | 28 | | |
| | | 10/08 | 4,397 | 4.10 | 2,657 | 5 | 28 | | |
| | | 11/08 | 4,070 | 4.10 | 2,405 | 5 | 27 | | |
| | | 12/08 | 4,703 | 4.10 | 2,663 | 5 | 30 | | |
| | | | | | 47,731 | | 32,992 | | |
| ATLAS GAS & OIL CO | KEARNEY 36 | 1/08 | 23,651 | 8.81 | 2,480 | 12 | 64 | | |
| | | 2/08 | 22,324 | 8.81 | 2,399 | 12 | 64 | | |
| | | 3/08 | 23,874 | 8.81 | 2,540 | 12 | 64 | | |
| | | 4/08 | 22,548 | 8.59 | 2,193 | 12 | 63 | | |
| | | 5/08 | 24,450 | 8.59 | 2,228 | 12 | 66 | | |
| | | 6/08 | 23,687 | 8.59 | 1,959 | 12 | 66 | | |
| | | 7/08 | 25,697 | 8.47 | 1,934 | 12 | 69 | | |
| | | 8/08 | 25,580 | 8.47 | 1,941 | 12 | 69 | | |
| | | 9/08 | 22,482 | 8.47 | 1,772 | 12 | 62 | | |
| | | 10/08 | 16,754 | 9.27 | 1,215 | 12 | 45 | | |
| | | 11/08 | 10,985 | 9.27 | 687 | 12 | 31 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|----------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| ATLAS GAS & OIL CO | KEARNEY 36 | 12/08 | 29,026 | 9.27 | 1,998 | 12 | 78 |
| | | | 271,058 | | 23,346 | | |
| ATLAS GAS & OIL CO | KEARNEY 9 CHECK MATE | 1/08 | 69,688 | 4.26 | 29,064 | 35 | 64 |
| | | 2/08 | 64,965 | 4.26 | 27,742 | 36 | 62 |
| | | 3/08 | 69,632 | 4.26 | 27,776 | 36 | 62 |
| | | 4/08 | 67,228 | 4.30 | 22,311 | 36 | 62 |
| | | 5/08 | 69,963 | 4.30 | 21,853 | 36 | 63 |
| | | 6/08 | 66,399 | 4.30 | 20,884 | 36 | 61 |
| | | 7/08 | 69,549 | 4.55 | 22,552 | 37 | 61 |
| | | 8/08 | 71,955 | 4.55 | 26,033 | 37 | 63 |
| | | 9/08 | 65,197 | 4.55 | 19,830 | 38 | 57 |
| | | 10/08 | 70,214 | 4.55 | 20,655 | 38 | 60 |
| | | 11/08 | 67,071 | 4.55 | 20,654 | 38 | 59 |
| | | 12/08 | 73,194 | 4.55 | 24,270 | 39 | 61 |
| | | | 825,055 | | 283,624 | | |
| ATLAS GAS & OIL CO | KING EDWARDS | 1/08 | 17,341 | 12.59 | 590 | 17 | 33 |
| | | 2/08 | 16,740 | 12.52 | 465 | 17 | 34 |
| | | 3/08 | 17,974 | 12.73 | 510 | 17 | 34 |
| | | 4/08 | 17,142 | 12.59 | 576 | 17 | 34 |
| | | 5/08 | 17,717 | 12.53 | 327 | 17 | 34 |
| | | 6/08 | 17,114 | 12.57 | 270 | 17 | 34 |
| | | 7/08 | 17,321 | 12.40 | 186 | 17 | 33 |
| | | 8/08 | 17,737 | 12.63 | 192 | 17 | 34 |
| | | 9/08 | 17,579 | 12.63 | 358 | 17 | 34 |
| | | 10/08 | 18,135 | 12.94 | 368 | 17 | 34 |
| | | 11/08 | 17,303 | 13.51 | 366 | 17 | 34 |
| | | 12/08 | 17,817 | 13.51 | 368 | 17 | 34 |
| | | | 209,920 | | 4,576 | | |
| ATLAS GAS & OIL CO | LLOYDS OF LONDON | 1/08 | 29,549 | 8.13 | 14,165 | 21 | 45 |
| | | 2/08 | 26,692 | 8.13 | 7,766 | 21 | 44 |
| | | 3/08 | 29,706 | 8.13 | 5,397 | 21 | 46 |
| | | 4/08 | 28,621 | 8.13 | 5,237 | 21 | 45 |
| | | 5/08 | 29,840 | 8.13 | 5,310 | 21 | 46 |
| | | 6/08 | 28,515 | 8.13 | 4,410 | 21 | 45 |
| | | 7/08 | 29,905 | 8.13 | 5,293 | 21 | 46 |
| | | 8/08 | 28,670 | 8.13 | 4,955 | 21 | 44 |
| | | 9/08 | 28,779 | 8.13 | 4,956 | 21 | 46 |
| | | 10/08 | 29,255 | 8.13 | 5,163 | 21 | 45 |
| | | 11/08 | 28,591 | 8.13 | 5,061 | 21 | 45 |
| | | 12/08 | 29,615 | 8.13 | 5,355 | 21 | 45 |
| | | | 347,738 | | 73,068 | | |
| ATLAS GAS & OIL CO | LOUDBERT | 1/08 | 20,279 | 23.24 | 497 | 23 | 28 |
| | | 2/08 | 18,823 | 23.24 | 418 | 23 | 28 |
| | | 3/08 | 19,658 | 23.24 | 457 | 23 | 28 |
| | | 4/08 | 19,093 | 23.24 | 388 | 23 | 28 |
| | | 5/08 | 19,926 | 23.24 | 330 | 23 | 28 |
| | | 6/08 | 19,152 | 23.24 | 343 | 23 | 28 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|----------------|-----------------|-----------|----------------|-------------|---------------|--------------------------|
| ATLAS GAS & OIL CO | LOUDBERT | 7/08 | 19,482 | 23.24 | 312 | 23 | 27 |
| | | 8/08 | 19,636 | 23.24 | 312 | 23 | 28 |
| | | 9/08 | 19,307 | 23.24 | 323 | 23 | 28 |
| | | 10/08 | 20,357 | 23.24 | 286 | 23 | 29 |
| | | 11/08 | 18,689 | 23.24 | 304 | 23 | 27 |
| | | 12/08 | 18,655 | 23.24 | 356 | 23 | 26 |
| | | | | 233,057 | | 4,326 | |
| ATLAS GAS & OIL CO | MILLER CREEK | 1/08 | 24,573 | 14.27 | 5,286 | 18 | 44 |
| | | 2/08 | 25,424 | 14.27 | 7,429 | 20 | 44 |
| | | 3/08 | 27,007 | 14.27 | 7,227 | 20 | 44 |
| | | 4/08 | 25,638 | 14.27 | 6,114 | 20 | 43 |
| | | 5/08 | 26,284 | 14.27 | 6,064 | 20 | 42 |
| | | 6/08 | 26,527 | 14.27 | 5,356 | 20 | 44 |
| | | 7/08 | 26,345 | 14.27 | 5,456 | 20 | 42 |
| | | 8/08 | 26,105 | 14.27 | 5,652 | 20 | 42 |
| | | 9/08 | 25,593 | 14.27 | 5,097 | 20 | 43 |
| | | 10/08 | 25,666 | 14.27 | 5,169 | 20 | 41 |
| | | 11/08 | 25,457 | 14.27 | 5,424 | 20 | 42 |
| | | 12/08 | 24,845 | 14.27 | 5,192 | 20 | 40 |
| | | 309,464 | | 69,466 | | | |
| ATLAS GAS & OIL CO | MOTHER HUBBARD | 1/08 | 14,736 | 8.20 | 3,422 | 15 | 32 |
| | | 2/08 | 13,964 | 8.07 | 2,791 | 15 | 32 |
| | | 3/08 | 14,796 | 7.94 | 2,801 | 15 | 32 |
| | | 4/08 | 13,887 | 8.04 | 2,500 | 15 | 31 |
| | | 5/08 | 14,435 | 7.87 | 2,517 | 15 | 31 |
| | | 6/08 | 13,417 | 8.02 | 1,821 | 15 | 30 |
| | | 7/08 | 13,888 | 7.85 | 2,321 | 15 | 30 |
| | | 8/08 | 13,562 | 8.07 | 2,346 | 15 | 29 |
| | | 9/08 | 13,422 | 8.18 | 2,281 | 15 | 30 |
| | | 10/08 | 14,382 | 7.62 | 2,772 | 15 | 31 |
| | | 11/08 | 14,168 | 7.62 | 2,035 | 15 | 31 |
| | | 12/08 | 14,129 | 8.57 | 2,322 | 15 | 30 |
| | | 168,786 | | 29,929 | | | |
| ATLAS GAS & OIL CO | MT MARIAH | 1/08 | 0 | 15.96 | 0 | 0 | 0 |
| | | 2/08 | 0 | 15.96 | 0 | 0 | 0 |
| | | 3/08 | 0 | 15.96 | 0 | 0 | 0 |
| | | 4/08 | 0 | 15.96 | 0 | 0 | 0 |
| | | 5/08 | 0 | 15.96 | 0 | 0 | 0 |
| | | 6/08 | 0 | 15.96 | 0 | 0 | 0 |
| | | 7/08 | 0 | 15.96 | 0 | 0 | 0 |
| | | 8/08 | 0 | 0.00 | 0 | 0 | 0 |
| | | 9/08 | 155 | 15.96 | 8,000 | 5 | 1 |
| | | 10/08 | 2,585 | 15.96 | 47,877 | 9 | 9 |
| | | 11/08 | 2,900 | 13.19 | 37,198 | 9 | 11 |
| | | 12/08 | 2,538 | 13.19 | 32,234 | 9 | 9 |
| | | 8,178 | | 125,309 | | | |
| ATLAS GAS & OIL CO | NET WERTH | 1/08 | 2,182 | 5.79 | 11,247 | 7 | 10 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|--------------------|------------------------|--------------------|--------------|-------|----------------|---------------|--------------------------|---|----|
| ATLAS GAS & OIL CO | NET WERTH | 2/08 | 2,072 | 5.79 | 10,212 | 7 | 10 | | |
| | | 3/08 | 2,256 | 5.79 | 13,018 | 7 | 10 | | |
| | | 4/08 | 2,542 | 5.79 | 12,200 | 7 | 12 | | |
| | | 5/08 | 2,712 | 5.79 | 12,860 | 7 | 12 | | |
| | | 6/08 | 2,450 | 5.79 | 13,230 | 7 | 12 | | |
| | | 7/08 | 1,736 | 5.79 | 12,739 | 7 | 8 | | |
| | | 8/08 | 1,965 | 5.79 | 14,143 | 7 | 9 | | |
| | | 9/08 | 2,162 | 5.79 | 12,791 | 7 | 10 | | |
| | | 10/08 | 2,287 | 5.79 | 12,914 | 7 | 11 | | |
| | | 11/08 | 2,051 | 5.79 | 11,401 | 7 | 10 | | |
| | | 12/08 | 1,710 | 5.79 | 16,098 | 7 | 8 | | |
| | | | | | 26,125 | | 152,853 | | |
| | | ATLAS GAS & OIL CO | NORTH ELMIRA | 1/08 | 5,782 | 6.93 | 6,546 | 4 | 47 |
| 2/08 | 5,331 | | | 6.93 | 5,856 | 4 | 46 | | |
| 3/08 | 5,204 | | | 6.93 | 6,555 | 4 | 42 | | |
| 4/08 | 5,241 | | | 6.93 | 6,138 | 4 | 44 | | |
| 5/08 | 5,308 | | | 8.34 | 5,960 | 4 | 43 | | |
| 6/08 | 5,125 | | | 8.34 | 5,590 | 4 | 43 | | |
| 7/08 | 5,027 | | | 8.34 | 5,788 | 4 | 41 | | |
| 8/08 | 5,749 | | | 8.34 | 6,209 | 4 | 46 | | |
| 9/08 | 5,399 | | | 8.34 | 6,008 | 4 | 45 | | |
| 10/08 | 5,384 | | | 8.34 | 6,262 | 4 | 43 | | |
| 11/08 | 5,083 | | | 8.34 | 5,840 | 4 | 42 | | |
| 12/08 | 5,309 | | | 8.34 | 6,185 | 4 | 43 | | |
| | | | | | 63,942 | | 72,937 | | |
| ATLAS GAS & OIL CO | NORTH RUST NEVER SLEEP | 1/08 | 22,159 | 24.15 | 1,274 | 25 | 29 | | |
| | | 2/08 | 20,180 | 24.15 | 1,165 | 25 | 28 | | |
| | | 3/08 | 21,819 | 24.15 | 1,093 | 25 | 28 | | |
| | | 4/08 | 20,501 | 24.15 | 976 | 25 | 27 | | |
| | | 5/08 | 21,892 | 24.15 | 1,483 | 25 | 28 | | |
| | | 6/08 | 23,042 | 23.82 | 2,073 | 29 | 26 | | |
| | | 7/08 | 26,934 | 23.82 | 2,418 | 30 | 29 | | |
| | | 8/08 | 28,212 | 23.82 | 2,230 | 30 | 30 | | |
| | | 9/08 | 25,170 | 23.82 | 1,940 | 30 | 28 | | |
| | | 10/08 | 27,002 | 23.82 | 1,838 | 30 | 29 | | |
| | | 11/08 | 26,062 | 23.82 | 1,633 | 30 | 29 | | |
| | | 12/08 | 25,259 | 23.82 | 1,532 | 30 | 27 | | |
| | | | | | 288,232 | | 19,655 | | |
| ATLAS GAS & OIL CO | OLD VANDY 2D | 1/08 | 3,341 | 4.27 | 23,873 | 9 | 12 | | |
| | | 2/08 | 2,662 | 4.27 | 21,013 | 9 | 10 | | |
| | | 3/08 | 2,081 | 4.27 | 24,086 | 9 | 7 | | |
| | | 4/08 | 3,870 | 4.27 | 20,825 | 9 | 14 | | |
| | | 5/08 | 3,054 | 4.27 | 25,365 | 9 | 11 | | |
| | | 6/08 | 1,499 | 4.27 | 23,346 | 9 | 6 | | |
| | | 7/08 | 3,148 | 4.27 | 26,504 | 9 | 11 | | |
| | | 8/08 | 2,899 | 4.27 | 28,396 | 9 | 10 | | |
| | | 9/08 | 2,360 | 4.27 | 27,501 | 9 | 9 | | |
| | | 10/08 | 3,759 | 4.27 | 29,886 | 9 | 13 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|-------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| ATLAS GAS & OIL CO | OLD VANDY 2D | 11/08 | 1,578 | 4.27 | 29,486 | 9 | 6 |
| | | 12/08 | 2,038 | 5.28 | 30,253 | 9 | 7 |
| | | | 32,289 | | 310,534 | | |
| ATLAS GAS & OIL CO | OLD VANDY UNIT #1 | 1/08 | 20,906 | 4.00 | 39,590 | 24 | 28 |
| | | 2/08 | 18,769 | 4.00 | 37,076 | 24 | 27 |
| | | 3/08 | 19,491 | 4.00 | 40,376 | 24 | 26 |
| | | 4/08 | 17,739 | 4.00 | 29,348 | 24 | 25 |
| | | 5/08 | 19,533 | 4.00 | 27,297 | 24 | 26 |
| | | 6/08 | 18,361 | 5.81 | 27,696 | 24 | 26 |
| | | 7/08 | 20,263 | 5.81 | 33,143 | 24 | 27 |
| | | 8/08 | 20,583 | 5.81 | 34,191 | 24 | 28 |
| | | 9/08 | 18,644 | 5.81 | 36,744 | 24 | 26 |
| | | 10/08 | 18,325 | 5.81 | 42,652 | 24 | 25 |
| | | 11/08 | 16,855 | 5.81 | 42,252 | 25 | 22 |
| | | 12/08 | 17,098 | 5.81 | 40,869 | 25 | 22 |
| | 226,567 | | 431,234 | | | | |
| ATLAS GAS & OIL CO | OLD VANDY UNIT #2 | 1/08 | 1,549 | 5.20 | 0 | 1 | 50 |
| | | 2/08 | 1,399 | 5.21 | 0 | 1 | 48 |
| | | 3/08 | 1,450 | 5.15 | 0 | 1 | 47 |
| | | 4/08 | 1,335 | 5.18 | 0 | 1 | 45 |
| | | 5/08 | 1,481 | 5.04 | 0 | 1 | 48 |
| | | 6/08 | 1,472 | 5.20 | 0 | 1 | 49 |
| | | 7/08 | 1,636 | 5.23 | 0 | 1 | 53 |
| | | 8/08 | 1,691 | 5.25 | 0 | 1 | 55 |
| | | 9/08 | 1,546 | 5.41 | 0 | 1 | 52 |
| | | 10/08 | 1,558 | 5.35 | 0 | 1 | 50 |
| | | 11/08 | 1,350 | 5.74 | 0 | 1 | 45 |
| | | 12/08 | 1,368 | 5.77 | 0 | 1 | 44 |
| | 17,835 | | 0 | | | | |
| ATLAS GAS & OIL CO | OLD VANDY UNIT #3 | 1/08 | 20,099 | 3.97 | 16,077 | 17 | 38 |
| | | 2/08 | 18,387 | 3.97 | 15,255 | 17 | 37 |
| | | 3/08 | 20,158 | 3.97 | 17,602 | 17 | 38 |
| | | 4/08 | 18,255 | 3.97 | 15,636 | 18 | 34 |
| | | 5/08 | 19,622 | 3.97 | 17,003 | 18 | 35 |
| | | 6/08 | 17,973 | 5.43 | 16,677 | 18 | 33 |
| | | 7/08 | 18,340 | 5.43 | 17,432 | 18 | 33 |
| | | 8/08 | 19,049 | 5.43 | 17,404 | 18 | 34 |
| | | 9/08 | 17,881 | 5.43 | 16,947 | 18 | 33 |
| | | 10/08 | 19,414 | 5.43 | 18,669 | 19 | 33 |
| | | 11/08 | 17,747 | 5.43 | 18,650 | 19 | 31 |
| | | 12/08 | 18,065 | 4.26 | 17,960 | 19 | 31 |
| | 224,990 | | 205,312 | | | | |
| ATLAS GAS & OIL CO | OLD VANDY UNIT #5 | 1/08 | 12,663 | 3.04 | 127,241 | 21 | 19 |
| | | 2/08 | 12,223 | 3.04 | 115,712 | 21 | 20 |
| | | 3/08 | 12,289 | 3.04 | 129,358 | 21 | 19 |
| | | 4/08 | 12,262 | 3.04 | 127,980 | 21 | 19 |
| | | 5/08 | 13,021 | 3.04 | 107,168 | 21 | 20 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|-------------------|-----------------|----------------|-------|------------------|---------------|--------------------------|
| ATLAS GAS & OIL CO | OLD VANDY UNIT #5 | 6/08 | 11,182 | 3.34 | 96,277 | 21 | 18 |
| | | 7/08 | 12,493 | 3.34 | 124,527 | 21 | 19 |
| | | 8/08 | 15,218 | 3.34 | 137,151 | 23 | 21 |
| | | 9/08 | 16,404 | 3.34 | 103,157 | 23 | 24 |
| | | 10/08 | 16,037 | 3.34 | 127,477 | 23 | 22 |
| | | 11/08 | 14,423 | 3.34 | 105,003 | 23 | 21 |
| | | 12/08 | 14,196 | 3.34 | 132,555 | 23 | 20 |
| | | | 162,411 | | 1,433,606 | | |
| ATLAS GAS & OIL CO | OLD VANDY UNIT #6 | 1/08 | 17,870 | 3.04 | 72,283 | 19 | 30 |
| | | 2/08 | 16,295 | 3.04 | 59,175 | 19 | 30 |
| | | 3/08 | 16,766 | 3.04 | 66,409 | 19 | 28 |
| | | 4/08 | 14,367 | 3.04 | 68,331 | 19 | 25 |
| | | 5/08 | 15,835 | 3.04 | 71,686 | 19 | 27 |
| | | 6/08 | 14,791 | 2.70 | 67,155 | 19 | 26 |
| | | 7/08 | 14,686 | 2.70 | 66,046 | 19 | 25 |
| | | 8/08 | 15,308 | 2.70 | 67,978 | 19 | 26 |
| | | 9/08 | 17,466 | 2.70 | 63,812 | 19 | 31 |
| | | 10/08 | 16,667 | 2.70 | 60,599 | 19 | 28 |
| | | 11/08 | 15,160 | 2.70 | 74,947 | 19 | 27 |
| | | 12/08 | 14,933 | 2.70 | 74,610 | 19 | 25 |
| | | | 190,144 | | 813,031 | | |
| ATLAS GAS & OIL CO | OLD VANDY UNIT #7 | 1/08 | 25,191 | 2.89 | 85,047 | 16 | 51 |
| | | 2/08 | 21,695 | 3.02 | 78,707 | 16 | 47 |
| | | 3/08 | 22,394 | 3.07 | 85,033 | 16 | 45 |
| | | 4/08 | 18,966 | 2.99 | 86,451 | 16 | 40 |
| | | 5/08 | 24,485 | 2.82 | 90,622 | 16 | 49 |
| | | 6/08 | 24,269 | 2.79 | 85,114 | 16 | 51 |
| | | 7/08 | 24,411 | 3.00 | 87,514 | 16 | 49 |
| | | 8/08 | 22,395 | 3.04 | 88,456 | 16 | 45 |
| | | 9/08 | 25,336 | 3.01 | 85,906 | 16 | 53 |
| | | 10/08 | 24,411 | 2.98 | 84,517 | 16 | 49 |
| | | 11/08 | 22,326 | 2.98 | 80,957 | 16 | 47 |
| | | 12/08 | 23,008 | 3.20 | 82,189 | 16 | 46 |
| | | | 278,887 | | 1,020,513 | | |
| ATLAS GAS & OIL CO | OLD VANDY UNIT #8 | 1/08 | 15,596 | 1.65 | 42,139 | 13 | 39 |
| | | 2/08 | 14,444 | 1.65 | 40,640 | 13 | 38 |
| | | 3/08 | 16,058 | 1.65 | 43,581 | 13 | 40 |
| | | 4/08 | 15,756 | 1.32 | 42,083 | 13 | 40 |
| | | 5/08 | 16,793 | 1.32 | 43,644 | 13 | 42 |
| | | 6/08 | 15,869 | 1.32 | 42,873 | 13 | 41 |
| | | 7/08 | 15,073 | 1.32 | 49,153 | 13 | 37 |
| | | 8/08 | 16,302 | 1.32 | 50,564 | 13 | 40 |
| | | 9/08 | 15,905 | 1.53 | 49,076 | 13 | 41 |
| | | 10/08 | 16,017 | 1.53 | 51,087 | 13 | 40 |
| | | 11/08 | 14,738 | 1.53 | 48,512 | 13 | 38 |
| | | 12/08 | 13,845 | 1.53 | 49,455 | 13 | 34 |
| | | | 186,396 | | 552,807 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|-------------------|-----------------|-----------|-------|----------------|---------------|--------------------------|
| ATLAS GAS & OIL CO | OLD VANDY UNIT #9 | 1/08 | 4,426 | 1.66 | 2,805 | 5 | 29 |
| | | 2/08 | 3,884 | 1.66 | 2,860 | 5 | 27 |
| | | 3/08 | 4,030 | 1.66 | 3,117 | 5 | 26 |
| | | 4/08 | 3,555 | 1.07 | 3,499 | 5 | 24 |
| | | 5/08 | 3,413 | 1.07 | 3,952 | 5 | 22 |
| | | 6/08 | 3,616 | 1.07 | 4,036 | 5 | 24 |
| | | 7/08 | 3,157 | 1.07 | 4,402 | 5 | 20 |
| | | 8/08 | 3,682 | 1.07 | 4,575 | 5 | 24 |
| | | 9/08 | 3,783 | 1.24 | 4,570 | 5 | 25 |
| | | 10/08 | 4,161 | 1.24 | 4,736 | 5 | 27 |
| | | 11/08 | 3,829 | 1.24 | 4,524 | 5 | 26 |
| | | 12/08 | 3,554 | 1.24 | 4,664 | 5 | 23 |
| | | | | | 45,090 | | 47,740 |
| ATLAS GAS & OIL CO | RAPID RIVER 21 | 1/08 | 899 | 5.39 | 640 | 6 | 5 |
| | | 2/08 | 890 | 5.39 | 624 | 6 | 5 |
| | | 3/08 | 919 | 5.39 | 778 | 6 | 5 |
| | | 4/08 | 878 | 5.39 | 667 | 6 | 5 |
| | | 5/08 | 954 | 5.39 | 701 | 6 | 5 |
| | | 6/08 | 1,006 | 5.39 | 680 | 6 | 6 |
| | | 7/08 | 962 | 5.39 | 728 | 6 | 5 |
| | | 8/08 | 960 | 5.39 | 730 | 6 | 5 |
| | | 9/08 | 956 | 5.39 | 647 | 6 | 5 |
| | | 10/08 | 1,017 | 5.39 | 676 | 6 | 5 |
| | | 11/08 | 941 | 5.39 | 627 | 6 | 5 |
| | | 12/08 | 917 | 5.39 | 588 | 6 | 5 |
| | | | | | 11,299 | | 8,086 |
| ATLAS GAS & OIL CO | RAPID RIVER 3 | 1/08 | 9,217 | 4.50 | 1,753 | 17 | 17 |
| | | 2/08 | 8,344 | 4.50 | 1,682 | 17 | 17 |
| | | 3/08 | 8,818 | 4.50 | 1,840 | 17 | 17 |
| | | 4/08 | 8,519 | 4.50 | 1,791 | 17 | 17 |
| | | 5/08 | 8,478 | 4.50 | 1,934 | 17 | 16 |
| | | 6/08 | 8,187 | 4.50 | 1,818 | 17 | 16 |
| | | 7/08 | 8,476 | 4.50 | 1,839 | 17 | 16 |
| | | 8/08 | 8,659 | 4.50 | 1,748 | 17 | 16 |
| | | 9/08 | 8,512 | 4.50 | 1,647 | 17 | 17 |
| | | 10/08 | 8,646 | 4.50 | 1,694 | 17 | 16 |
| | | 11/08 | 8,100 | 4.50 | 1,579 | 17 | 16 |
| | | 12/08 | 8,179 | 4.50 | 1,662 | 17 | 16 |
| | | | | | 102,135 | | 20,987 |
| ATLAS GAS & OIL CO | RAPID RIVER 5 | 1/08 | 32,992 | 9.80 | 8,437 | 22 | 48 |
| | | 2/08 | 29,669 | 9.80 | 6,936 | 22 | 46 |
| | | 3/08 | 32,458 | 9.80 | 7,399 | 22 | 48 |
| | | 4/08 | 30,837 | 9.80 | 6,271 | 22 | 47 |
| | | 5/08 | 33,032 | 9.80 | 6,188 | 22 | 48 |
| | | 6/08 | 31,335 | 10.28 | 5,486 | 22 | 47 |
| | | 7/08 | 32,112 | 10.28 | 6,041 | 22 | 47 |
| | | 8/08 | 32,058 | 10.28 | 5,150 | 23 | 45 |
| | | 9/08 | 30,164 | 10.28 | 5,580 | 23 | 44 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|----------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| ATLAS GAS & OIL CO | RAPID RIVER 5 | 10/08 | 30,515 | 10.28 | 6,236 | 24 | 41 |
| | | 11/08 | 28,561 | 10.28 | 5,232 | 24 | 40 |
| | | 12/08 | 28,766 | 10.28 | 5,304 | 24 | 39 |
| | | | 372,499 | | 74,260 | | |
| ATLAS GAS & OIL CO | RUST PROOF | 1/08 | 8,508 | 14.09 | 1,282 | 5 | 55 |
| | | 2/08 | 7,601 | 14.09 | 1,190 | 5 | 52 |
| | | 3/08 | 8,322 | 14.09 | 1,225 | 5 | 54 |
| | | 4/08 | 7,869 | 14.09 | 984 | 6 | 44 |
| | | 5/08 | 7,806 | 14.09 | 1,116 | 6 | 42 |
| | | 6/08 | 7,750 | 14.09 | 957 | 6 | 43 |
| | | 7/08 | 7,477 | 14.09 | 983 | 6 | 40 |
| | | 8/08 | 7,488 | 14.09 | 1,084 | 6 | 40 |
| | | 9/08 | 7,941 | 14.09 | 1,956 | 6 | 44 |
| | | 10/08 | 8,511 | 14.09 | 1,884 | 7 | 39 |
| | | 11/08 | 8,324 | 14.09 | 1,113 | 7 | 40 |
| | | 12/08 | 8,658 | 14.09 | 1,432 | 7 | 40 |
| | 96,255 | | 15,206 | | | | |
| ATLAS GAS & OIL CO | RUST ROAD | 1/08 | 16,322 | 17.75 | 195 | 16 | 33 |
| | | 2/08 | 14,487 | 17.71 | 169 | 16 | 31 |
| | | 3/08 | 15,612 | 17.51 | 139 | 16 | 31 |
| | | 4/08 | 14,928 | 17.44 | 112 | 16 | 31 |
| | | 5/08 | 16,341 | 17.43 | 141 | 16 | 33 |
| | | 6/08 | 15,620 | 17.38 | 150 | 16 | 33 |
| | | 7/08 | 15,767 | 17.58 | 124 | 16 | 32 |
| | | 8/08 | 17,552 | 17.61 | 128 | 16 | 35 |
| | | 9/08 | 16,389 | 17.88 | 76 | 16 | 34 |
| | | 10/08 | 16,814 | 17.90 | 148 | 16 | 34 |
| | | 11/08 | 16,134 | 18.81 | 85 | 16 | 34 |
| | | 12/08 | 15,802 | 18.78 | 111 | 16 | 32 |
| | 191,768 | | 1,578 | | | | |
| ATLAS GAS & OIL CO | SCENIC | 1/08 | 22,867 | 24.49 | 1,149 | 20 | 37 |
| | | 2/08 | 22,004 | 23.75 | 1,126 | 20 | 38 |
| | | 3/08 | 23,450 | 23.67 | 1,415 | 20 | 38 |
| | | 4/08 | 23,011 | 23.67 | 1,195 | 20 | 38 |
| | | 5/08 | 24,047 | 23.67 | 1,177 | 20 | 39 |
| | | 6/08 | 22,422 | 24.20 | 1,101 | 20 | 37 |
| | | 7/08 | 23,660 | 23.94 | 1,096 | 20 | 38 |
| | | 8/08 | 22,940 | 24.19 | 1,051 | 20 | 37 |
| | | 9/08 | 22,083 | 24.19 | 1,042 | 20 | 37 |
| | | 10/08 | 23,236 | 24.22 | 1,140 | 21 | 36 |
| | | 11/08 | 23,060 | 24.22 | 1,038 | 21 | 37 |
| | | 12/08 | 22,792 | 25.09 | 1,044 | 21 | 35 |
| | 275,572 | | 13,574 | | | | |
| ATLAS GAS & OIL CO | TIMBER WOLF | 1/08 | 10,139 | 8.26 | 7,837 | 25 | 13 |
| | | 2/08 | 9,493 | 8.26 | 7,794 | 25 | 13 |
| | | 3/08 | 10,418 | 8.26 | 8,175 | 25 | 13 |
| | | 4/08 | 9,746 | 8.26 | 7,065 | 25 | 13 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|--------------------|--------------|--------------------|----------------|-------|----------------|---------------|--------------------------|----|----|
| ATLAS GAS & OIL CO | TIMBER WOLF | 5/08 | 10,883 | 8.26 | 7,801 | 25 | 14 | | |
| | | 6/08 | 10,561 | 8.26 | 7,110 | 25 | 14 | | |
| | | 7/08 | 10,165 | 8.26 | 7,662 | 25 | 13 | | |
| | | 8/08 | 10,169 | 8.26 | 7,671 | 25 | 13 | | |
| | | 9/08 | 10,287 | 8.26 | 8,392 | 25 | 14 | | |
| | | 10/08 | 10,593 | 8.26 | 9,001 | 25 | 14 | | |
| | | 11/08 | 10,193 | 8.26 | 8,167 | 25 | 14 | | |
| | | 12/08 | 9,463 | 8.26 | 7,754 | 25 | 12 | | |
| | | | | | 122,110 | | 94,429 | | |
| | | ATLAS GAS & OIL CO | VIENNA 14 | 1/08 | 33,465 | 23.16 | 1,493 | 27 | 40 |
| | | | | 2/08 | 30,687 | 23.22 | 994 | 27 | 39 |
| | | | | 3/08 | 33,721 | 23.40 | 903 | 27 | 40 |
| 4/08 | 32,374 | | | 23.28 | 923 | 27 | 40 | | |
| 5/08 | 33,754 | | | 23.44 | 1,122 | 27 | 40 | | |
| 6/08 | 32,706 | | | 23.26 | 1,072 | 27 | 40 | | |
| 7/08 | 33,297 | | | 23.28 | 633 | 27 | 40 | | |
| 8/08 | 32,984 | | | 23.49 | 491 | 27 | 39 | | |
| 9/08 | 31,434 | | | 23.65 | 397 | 27 | 39 | | |
| 10/08 | 32,612 | | | 23.39 | 896 | 27 | 39 | | |
| 11/08 | 31,070 | | | 24.76 | 909 | 27 | 38 | | |
| 12/08 | 31,545 | | | 24.52 | 1,064 | 27 | 38 | | |
| | | | 389,649 | | 10,897 | | | | |
| ATLAS GAS & OIL CO | VIENNA 23 | 1/08 | 31,075 | 22.18 | 1,463 | 23 | 44 | | |
| | | 2/08 | 27,802 | 22.94 | 1,357 | 23 | 42 | | |
| | | 3/08 | 30,274 | 22.83 | 1,689 | 23 | 42 | | |
| | | 4/08 | 27,992 | 22.97 | 1,587 | 23 | 41 | | |
| | | 5/08 | 29,582 | 22.81 | 1,572 | 23 | 41 | | |
| | | 6/08 | 28,326 | 23.03 | 1,468 | 23 | 41 | | |
| | | 7/08 | 29,885 | 22.71 | 1,469 | 23 | 42 | | |
| | | 8/08 | 29,305 | 22.66 | 1,957 | 23 | 41 | | |
| | | 9/08 | 28,427 | 22.76 | 2,190 | 23 | 41 | | |
| | | 10/08 | 29,603 | 23.04 | 2,077 | 23 | 42 | | |
| | | 11/08 | 28,193 | 24.20 | 2,016 | 23 | 41 | | |
| | | 12/08 | 27,960 | 24.18 | 2,163 | 23 | 39 | | |
| | | | 348,424 | | 21,008 | | | | |
| ATLAS GAS & OIL CO | VIENNA 27 | 1/08 | 11,352 | 23.15 | 325 | 13 | 28 | | |
| | | 2/08 | 11,059 | 23.00 | 293 | 14 | 27 | | |
| | | 3/08 | 11,814 | 23.34 | 303 | 14 | 27 | | |
| | | 4/08 | 10,986 | 23.08 | 266 | 14 | 26 | | |
| | | 5/08 | 11,765 | 22.85 | 1,797 | 14 | 27 | | |
| | | 6/08 | 11,677 | 23.24 | 2,761 | 14 | 28 | | |
| | | 7/08 | 12,248 | 23.29 | 3,008 | 14 | 28 | | |
| | | 8/08 | 11,684 | 23.29 | 2,895 | 14 | 27 | | |
| | | 9/08 | 11,238 | 23.95 | 2,071 | 14 | 27 | | |
| | | 10/08 | 11,244 | 23.63 | 2,158 | 14 | 26 | | |
| | | 11/08 | 10,487 | 24.63 | 2,174 | 14 | 25 | | |
| | | 12/08 | 10,868 | 24.40 | 2,001 | 14 | 25 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|----------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| | | | 136,422 | | 20,052 | | |
| ATLAS GAS & OIL CO | WARNER 10 COOL WAVE | 1/08 | 20,714 | 3.69 | 29,294 | 16 | 42 |
| | | 2/08 | 19,657 | 3.69 | 26,977 | 17 | 40 |
| | | 3/08 | 20,186 | 3.69 | 28,872 | 17 | 38 |
| | | 4/08 | 20,437 | 3.69 | 27,733 | 17 | 40 |
| | | 5/08 | 21,183 | 3.68 | 28,038 | 17 | 40 |
| | | 6/08 | 21,392 | 3.68 | 25,672 | 17 | 42 |
| | | 7/08 | 22,178 | 3.68 | 30,523 | 17 | 42 |
| | | 8/08 | 21,428 | 3.68 | 30,407 | 17 | 41 |
| | | 9/08 | 19,827 | 3.68 | 28,018 | 17 | 39 |
| | | 10/08 | 19,662 | 3.68 | 29,785 | 17 | 37 |
| | | 11/08 | 17,994 | 4.10 | 22,044 | 17 | 35 |
| | | 12/08 | 19,233 | 4.10 | 19,662 | 17 | 36 |
| | | | 243,891 | | 327,025 | | |
| ATLAS GAS & OIL CO | WARNER 13 | 1/08 | 21,315 | 5.10 | 32,989 | 18 | 38 |
| | | 2/08 | 19,903 | 5.10 | 27,870 | 18 | 38 |
| | | 3/08 | 21,042 | 5.10 | 34,530 | 18 | 38 |
| | | 4/08 | 20,503 | 5.10 | 30,739 | 18 | 38 |
| | | 5/08 | 21,132 | 5.11 | 29,344 | 18 | 38 |
| | | 6/08 | 21,092 | 5.11 | 32,672 | 18 | 39 |
| | | 7/08 | 20,968 | 5.11 | 35,134 | 18 | 38 |
| | | 8/08 | 21,446 | 5.11 | 35,420 | 19 | 36 |
| | | 9/08 | 20,839 | 5.11 | 35,285 | 19 | 37 |
| | | 10/08 | 20,886 | 5.11 | 34,951 | 19 | 35 |
| | | 11/08 | 20,132 | 5.73 | 33,473 | 19 | 35 |
| | | 12/08 | 19,654 | 5.73 | 32,725 | 19 | 33 |
| | | | 248,912 | | 395,132 | | |
| ATLAS GAS & OIL CO | WARNER 2 AWESOME WAV | 1/08 | 24,104 | 3.07 | 55,951 | 15 | 52 |
| | | 2/08 | 20,290 | 3.08 | 44,892 | 15 | 47 |
| | | 3/08 | 22,344 | 3.06 | 43,358 | 15 | 48 |
| | | 4/08 | 21,614 | 3.06 | 41,046 | 15 | 48 |
| | | 5/08 | 25,698 | 3.05 | 43,875 | 15 | 55 |
| | | 6/08 | 25,381 | 3.06 | 40,164 | 16 | 53 |
| | | 7/08 | 27,404 | 3.05 | 38,115 | 16 | 55 |
| | | 8/08 | 25,300 | 3.06 | 39,849 | 16 | 51 |
| | | 9/08 | 23,865 | 3.06 | 38,370 | 16 | 50 |
| | | 10/08 | 24,482 | 3.06 | 37,837 | 16 | 49 |
| | | 11/08 | 22,366 | 3.11 | 38,969 | 16 | 47 |
| | | 12/08 | 21,061 | 3.14 | 36,923 | 16 | 42 |
| | | | 283,909 | | 499,349 | | |
| ATLAS GAS & OIL CO | WARNER 22 | 1/08 | 47,412 | 5.92 | 1,997 | 29 | 53 |
| | | 2/08 | 41,834 | 5.93 | 1,901 | 29 | 50 |
| | | 3/08 | 44,218 | 5.81 | 1,884 | 29 | 49 |
| | | 4/08 | 43,176 | 5.81 | 1,847 | 29 | 50 |
| | | 5/08 | 45,407 | 5.94 | 2,426 | 29 | 50 |
| | | 6/08 | 42,465 | 6.05 | 2,601 | 29 | 49 |
| | | 7/08 | 43,976 | 5.99 | 2,903 | 30 | 47 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------|-----------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| ATLAS GAS & OIL CO | WARNER 22 | 8/08 | 44,220 | 6.03 | 2,980 | 31 | 46 |
| | | 9/08 | 44,813 | 5.96 | 2,575 | 32 | 47 |
| | | 10/08 | 44,909 | 6.11 | 2,648 | 32 | 45 |
| | | 11/08 | 46,075 | 6.56 | 2,247 | 32 | 48 |
| | | 12/08 | 46,594 | 6.52 | 2,579 | 32 | 47 |
| | | | 535,099 | | 28,588 | | |
| ATLAS GAS & OIL CO | WARNER 27 | 1/08 | 25,072 | 7.01 | 5,280 | 17 | 48 |
| | | 2/08 | 23,577 | 7.01 | 4,357 | 17 | 48 |
| | | 3/08 | 24,536 | 7.01 | 4,632 | 17 | 47 |
| | | 4/08 | 24,093 | 7.01 | 4,539 | 17 | 47 |
| | | 5/08 | 25,673 | 6.86 | 4,559 | 17 | 49 |
| | | 6/08 | 21,236 | 6.86 | 4,268 | 17 | 42 |
| | | 7/08 | 24,392 | 6.86 | 4,547 | 17 | 46 |
| | | 8/08 | 22,797 | 6.86 | 4,188 | 17 | 43 |
| | | 9/08 | 23,858 | 6.86 | 4,687 | 17 | 47 |
| | | 10/08 | 24,993 | 6.86 | 4,554 | 17 | 47 |
| | | 11/08 | 24,544 | 7.34 | 4,693 | 18 | 45 |
| | | 12/08 | 23,339 | 7.34 | 4,537 | 18 | 42 |
| | 288,110 | | 54,841 | | | | |
| ATLAS GAS & OIL CO | WARNER 8 BOOMING WAVE | 1/08 | 42,488 | 3.52 | 7,770 | 27 | 51 |
| | | 2/08 | 39,151 | 3.52 | 6,592 | 27 | 50 |
| | | 3/08 | 41,358 | 3.52 | 6,996 | 27 | 49 |
| | | 4/08 | 41,123 | 3.52 | 6,380 | 27 | 51 |
| | | 5/08 | 43,139 | 3.98 | 6,677 | 27 | 52 |
| | | 6/08 | 42,370 | 3.98 | 5,783 | 27 | 52 |
| | | 7/08 | 40,098 | 3.98 | 6,187 | 27 | 48 |
| | | 8/08 | 43,433 | 3.98 | 7,196 | 27 | 52 |
| | | 9/08 | 42,171 | 3.98 | 7,264 | 27 | 52 |
| | | 10/08 | 44,188 | 3.98 | 7,495 | 27 | 53 |
| | | 11/08 | 40,759 | 4.38 | 7,169 | 27 | 50 |
| | | 12/08 | 40,582 | 4.38 | 7,407 | 27 | 48 |
| | 500,860 | | 82,916 | | | | |
| ATLAS GAS & OIL CO | WILSON 28 | 1/08 | 11,157 | 0.53 | 26,185 | 15 | 24 |
| | | 2/08 | 10,341 | 0.53 | 27,276 | 15 | 24 |
| | | 3/08 | 10,580 | 0.53 | 29,102 | 15 | 23 |
| | | 4/08 | 10,503 | 0.53 | 29,520 | 15 | 23 |
| | | 5/08 | 11,365 | 0.87 | 30,782 | 15 | 24 |
| | | 6/08 | 11,475 | 0.87 | 29,771 | 15 | 26 |
| | | 7/08 | 11,741 | 0.87 | 31,259 | 15 | 25 |
| | | 8/08 | 11,211 | 0.87 | 31,274 | 15 | 24 |
| | | 9/08 | 10,861 | 0.87 | 30,711 | 15 | 24 |
| | | 10/08 | 10,842 | 0.87 | 32,275 | 15 | 23 |
| | | 11/08 | 9,727 | 0.52 | 31,559 | 15 | 22 |
| | | 12/08 | 10,466 | 0.52 | 32,104 | 15 | 22 |
| | 130,269 | | 361,818 | | | | |
| ATLAS GAS & OIL CO | XREA | 1/08 | 20,751 | 14.56 | 276 | 21 | 32 |
| | | 2/08 | 19,578 | 14.76 | 231 | 21 | 32 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|---|----------------------|--------------------|-------------------|-------|-------------------|---------------|--------------------------|----|----|
| ATLAS GAS & OIL CO | XREA | 3/08 | 21,604 | 14.23 | 235 | 21 | 33 | | |
| | | 4/08 | 21,190 | 14.46 | 250 | 21 | 34 | | |
| | | 5/08 | 21,742 | 14.76 | 218 | 21 | 33 | | |
| | | 6/08 | 20,983 | 14.69 | 224 | 21 | 33 | | |
| | | 7/08 | 21,657 | 14.78 | 196 | 21 | 33 | | |
| | | 8/08 | 20,329 | 14.96 | 204 | 21 | 31 | | |
| | | 9/08 | 21,202 | 14.64 | 225 | 21 | 34 | | |
| | | 10/08 | 21,519 | 14.75 | 231 | 21 | 33 | | |
| | | 11/08 | 20,298 | 15.80 | 223 | 21 | 32 | | |
| | | 12/08 | 21,067 | 15.91 | 207 | 21 | 32 | | |
| | | | | | 251,920 | | 2,720 | | |
| | | ATLAS GAS & OIL CO | ZBART | 1/08 | 19,231 | 15.88 | 288 | 23 | 27 |
| 2/08 | 17,323 | | | 16.08 | 204 | 23 | 26 | | |
| 3/08 | 20,196 | | | 16.08 | 204 | 23 | 28 | | |
| 4/08 | 19,634 | | | 15.87 | 308 | 23 | 28 | | |
| 5/08 | 20,809 | | | 16.32 | 244 | 23 | 29 | | |
| 6/08 | 19,482 | | | 15.84 | 215 | 24 | 27 | | |
| 7/08 | 18,966 | | | 15.99 | 242 | 24 | 25 | | |
| 8/08 | 18,012 | | | 16.05 | 387 | 24 | 24 | | |
| 9/08 | 18,881 | | | 16.11 | 306 | 24 | 26 | | |
| 10/08 | 20,020 | | | 16.46 | 235 | 24 | 27 | | |
| 11/08 | 19,439 | | | 16.72 | 222 | 24 | 27 | | |
| 12/08 | 19,676 | | | 17.06 | 170 | 25 | 25 | | |
| | | | 231,669 | | 3,025 | | | | |
| ATLAS GAS & OIL COMPANY - REPORTER TOTALS: | | | 25,193,244 | | 20,985,170 | | | | |
| AURORA ENERGY | ARROWHEAD RANCH MONT | 1/08 | 7,452 | 0.02 | 461,316 | 21 | 11 | | |
| | | 2/08 | 6,132 | 0.02 | 406,100 | 21 | 10 | | |
| | | 3/08 | 5,974 | 0.02 | 342,847 | 19 | 10 | | |
| | | 4/08 | 6,694 | 0.37 | 308,959 | 18 | 12 | | |
| | | 5/08 | 6,193 | 0.37 | 327,389 | 18 | 11 | | |
| | | 6/08 | 6,552 | 0.37 | 274,918 | 18 | 12 | | |
| | | 7/08 | 6,599 | 0.37 | 336,420 | 18 | 12 | | |
| | | 8/08 | 6,094 | 0.37 | 377,449 | 18 | 11 | | |
| | | 9/08 | 6,047 | 0.37 | 292,466 | 18 | 11 | | |
| | | 10/08 | 6,432 | 0.37 | 293,003 | 19 | 11 | | |
| | | 11/08 | 5,426 | 0.02 | 223,535 | 19 | 10 | | |
| | | 12/08 | 4,194 | 0.02 | 185,881 | 19 | 7 | | |
| | | | 73,789 | | 3,830,283 | | | | |
| AURORA ENERGY | BLACK BEAR CENTRAL | 1/08 | 17,991 | 0.15 | 254,523 | 23 | 25 | | |
| | | 2/08 | 15,214 | 0.15 | 199,035 | 23 | 23 | | |
| | | 3/08 | 17,948 | 0.15 | 236,800 | 23 | 25 | | |
| | | 4/08 | 14,738 | 0.15 | 209,716 | 21 | 23 | | |
| | | 5/08 | 13,325 | 0.15 | 200,039 | 21 | 20 | | |
| | | 6/08 | 14,199 | 0.15 | 180,200 | 20 | 24 | | |
| | | 7/08 | 13,675 | 0.15 | 208,820 | 20 | 22 | | |
| | | 8/08 | 14,725 | 0.15 | 205,361 | 20 | 24 | | |
| | | 9/08 | 13,644 | 0.15 | 211,663 | 20 | 23 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|---------------|--------------------|-----------------|------------------|-------|------------------|---------------|--------------------------|
| AURORA ENERGY | BLACK BEAR CENTRAL | 10/08 | 14,779 | 0.15 | 214,575 | 20 | 24 |
| | | 11/08 | 12,155 | 0.19 | 183,055 | 20 | 20 |
| | | 12/08 | 10,475 | 0.19 | 113,713 | 20 | 17 |
| | | | 172,868 | | 2,417,500 | | |
| AURORA ENERGY | BLACK BEAR EAST | 1/08 | 0 | | 0 | 4 | 0 |
| | | 2/08 | 0 | | 0 | 4 | 0 |
| | | 3/08 | 0 | | 0 | 4 | 0 |
| | | 4/08 | 0 | | 0 | 4 | 0 |
| | | 5/08 | 0 | | 0 | 4 | 0 |
| | | 6/08 | 0 | | 0 | 1 | 0 |
| | | 7/08 | 0 | | 0 | 1 | 0 |
| | | 8/08 | 0 | | 0 | 0 | 0 |
| | | 9/08 | 0 | | 0 | 0 | 0 |
| | | 10/08 | 0 | 0.00 | 0 | 0 | 0 |
| | | 11/08 | 0 | 0.00 | 0 | 0 | 0 |
| | | 12/08 | 0 | 0.00 | 0 | 0 | 0 |
| | 0 | | 0 | | | | |
| AURORA ENERGY | BLUE CHIP | 1/08 | 5,506 | 0.02 | 157,723 | 6 | 30 |
| | | 2/08 | 4,950 | 0.02 | 163,862 | 6 | 28 |
| | | 3/08 | 6,597 | 0.02 | 176,267 | 3 | 71 |
| | | 4/08 | 5,869 | 1.06 | 124,140 | 3 | 65 |
| | | 5/08 | 6,226 | 1.06 | 108,402 | 3 | 67 |
| | | 6/08 | 6,118 | 1.06 | 110,726 | 3 | 68 |
| | | 7/08 | 5,910 | 1.06 | 110,481 | 3 | 64 |
| | | 8/08 | 6,140 | 1.06 | 98,097 | 3 | 66 |
| | | 9/08 | 5,687 | 1.06 | 112,301 | 3 | 63 |
| | | 10/08 | 6,838 | 1.06 | 113,323 | 3 | 74 |
| | | 11/08 | 6,764 | 0.02 | 104,836 | 3 | 75 |
| | | 12/08 | 6,785 | 0.02 | 92,249 | 3 | 73 |
| | 73,390 | | 1,472,407 | | | | |
| AURORA ENERGY | CHANDLER NORTH | 1/08 | 456 | | 0 | 5 | 3 |
| | | 2/08 | 1,200 | | 0 | 5 | 8 |
| | | 3/08 | 1,856 | | 0 | 5 | 12 |
| | | 4/08 | 1,816 | | 0 | 5 | 12 |
| | | 5/08 | 1,991 | | 0 | 5 | 13 |
| | | 6/08 | 1,862 | | 0 | 4 | 16 |
| | | 7/08 | 1,386 | | 0 | 4 | 11 |
| | | 8/08 | 1,226 | | 0 | 4 | 10 |
| | | 9/08 | 1,316 | | 0 | 4 | 11 |
| | | 10/08 | 1,942 | 2.13 | 0 | 6 | 10 |
| | | 11/08 | 1,702 | 2.13 | 0 | 6 | 9 |
| | | 12/08 | 1,118 | 2.13 | 0 | 6 | 6 |
| | 17,871 | | 0 | | | | |
| AURORA ENERGY | CHANDLER SOUTH | 1/08 | 13,374 | | 202,278 | 7 | 62 |
| | | 2/08 | 11,354 | | 280,323 | 7 | 56 |
| | | 3/08 | 12,179 | | 395,829 | 7 | 56 |
| | | 4/08 | 11,582 | | 371,144 | 7 | 55 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|---------------|----------------------|-----------------|------------------------|-------|----------------|---------------|--------------------------|----|----|
| AURORA ENERGY | CHANDLER SOUTH | 5/08 | 11,757 | | 399,465 | 7 | 54 | | |
| | | 6/08 | 11,167 | | 339,279 | 7 | 53 | | |
| | | 7/08 | 11,415 | | 332,839 | 7 | 53 | | |
| | | 8/08 | 9,048 | | 290,586 | 7 | 42 | | |
| | | 9/08 | 9,424 | | 244,953 | 7 | 45 | | |
| | | 10/08 | 10,878 | 2.13 | 269,591 | 7 | 50 | | |
| | | 11/08 | 9,511 | 2.13 | 226,029 | 7 | 45 | | |
| | | 12/08 | 9,093 | 2.13 | 145,216 | 7 | 42 | | |
| | | | | | 130,782 | | 3,497,532 | | |
| | | AURORA ENERGY | CORWITH - AURORA ENERG | 1/08 | 24,125 | 4.44 | 188,774 | 10 | 78 |
| 2/08 | 24,660 | | | 4.44 | 175,674 | 10 | 85 | | |
| 3/08 | 25,339 | | | 4.80 | 140,267 | 10 | 82 | | |
| 4/08 | 24,911 | | | 1.79 | 133,795 | 10 | 83 | | |
| 5/08 | 24,067 | | | 1.79 | 130,305 | 9 | 86 | | |
| 6/08 | 24,451 | | | 1.79 | 114,272 | 8 | 102 | | |
| 7/08 | 23,141 | | | 1.79 | 123,689 | 8 | 93 | | |
| 8/08 | 23,638 | | | 1.79 | 125,677 | 8 | 95 | | |
| 9/08 | 21,391 | | | 1.79 | 122,180 | 8 | 89 | | |
| 10/08 | 23,492 | | | 1.79 | 113,110 | 8 | 95 | | |
| 11/08 | 20,194 | | | 4.80 | 87,889 | 8 | 84 | | |
| 12/08 | 20,026 | | | 4.80 | 97,524 | 8 | 81 | | |
| | | | | | 279,435 | | 1,553,156 | | |
| AURORA ENERGY | GAYLORD FISHING CLUB | 1/08 | 1,024 | | 0 | 3 | 11 | | |
| | | 2/08 | 973 | | 0 | 3 | 11 | | |
| | | 3/08 | 1,085 | | 0 | 3 | 12 | | |
| | | 4/08 | 948 | | 0 | 3 | 11 | | |
| | | 5/08 | 1,094 | | 0 | 3 | 12 | | |
| | | 6/08 | 1,098 | | 0 | 3 | 12 | | |
| | | 7/08 | 1,289 | | 0 | 3 | 14 | | |
| | | 8/08 | 1,180 | | 0 | 3 | 13 | | |
| | | 9/08 | 1,218 | | 0 | 3 | 14 | | |
| | | 10/08 | 1,212 | 0.32 | 0 | 3 | 13 | | |
| | | 11/08 | 1,230 | 0.44 | 0 | 3 | 14 | | |
| | | 12/08 | 1,200 | 0.44 | 0 | 3 | 13 | | |
| | | | | | 13,551 | | 0 | | |
| AURORA ENERGY | HUDSON 13 | 1/08 | 19,112 | 1.99 | 45,760 | 8 | 77 | | |
| | | 2/08 | 16,881 | 1.99 | 43,460 | 8 | 73 | | |
| | | 3/08 | 18,799 | 1.99 | 45,781 | 8 | 76 | | |
| | | 4/08 | 17,132 | 1.99 | 37,234 | 8 | 71 | | |
| | | 5/08 | 16,491 | 1.99 | 45,330 | 8 | 66 | | |
| | | 6/08 | 15,475 | 1.99 | 53,493 | 8 | 64 | | |
| | | 7/08 | 13,490 | 1.99 | 37,886 | 8 | 54 | | |
| | | 8/08 | 14,178 | 1.99 | 42,530 | 8 | 57 | | |
| | | 9/08 | 13,935 | 1.99 | 34,096 | 8 | 58 | | |
| | | 10/08 | 14,155 | 1.99 | 35,269 | 8 | 57 | | |
| | | 11/08 | 11,053 | 1.99 | 22,694 | 8 | 46 | | |
| | | 12/08 | 11,908 | 1.99 | 28,747 | 8 | 48 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------------|-------------------------|-----------------|----------------|-------|------------------|---------------|--------------------------|
| | | | 182,609 | | 472,280 | | |
| AURORA ENERGY | HUDSON 19 | 1/08 | 4,542 | 2.60 | 23,553 | 4 | 37 |
| | | 2/08 | 4,222 | 2.60 | 10,398 | 4 | 36 |
| | | 3/08 | 5,141 | 2.60 | 18,655 | 4 | 41 |
| | | 4/08 | 5,377 | 1.22 | 29,750 | 4 | 45 |
| | | 5/08 | 5,599 | 1.22 | 31,609 | 4 | 45 |
| | | 6/08 | 5,818 | 1.22 | 25,092 | 3 | 65 |
| | | 7/08 | 5,976 | 1.22 | 29,043 | 3 | 64 |
| | | 8/08 | 5,552 | 1.22 | 26,412 | 3 | 60 |
| | | 9/08 | 4,719 | 1.22 | 26,317 | 3 | 52 |
| | | 10/08 | 5,556 | 1.22 | 29,895 | 3 | 60 |
| | | 11/08 | 4,585 | 2.60 | 20,435 | 3 | 51 |
| | | 12/08 | 4,348 | 2.60 | 22,294 | 3 | 47 |
| | | | 61,435 | | 293,453 | | |
| AURORA ENERGY | HUDSON 34 USP | 1/08 | 38,850 | 4.50 | 395,728 | 29 | 43 |
| | | 2/08 | 36,663 | 4.50 | 389,363 | 29 | 44 |
| | | 3/08 | 35,763 | 4.50 | 392,507 | 29 | 40 |
| | | 4/08 | 33,636 | 4.78 | 381,833 | 29 | 39 |
| | | 5/08 | 31,480 | 4.78 | 176,422 | 26 | 39 |
| | | 6/08 | 30,777 | 4.78 | 205,110 | 26 | 39 |
| | | 7/08 | 31,626 | 4.78 | 260,778 | 26 | 39 |
| | | 8/08 | 30,446 | 4.78 | 226,386 | 26 | 38 |
| | | 9/08 | 30,365 | 4.78 | 171,030 | 26 | 39 |
| | | 10/08 | 26,817 | 4.78 | 176,397 | 26 | 33 |
| | | 11/08 | 28,627 | 4.50 | 125,221 | 26 | 37 |
| | | 12/08 | 26,966 | 4.50 | 114,532 | 26 | 33 |
| | | | 382,016 | | 3,015,307 | | |
| AURORA ENERGY | HUDSON NORTHEAST | 1/08 | 49,085 | | 197,503 | 27 | 59 |
| | | 2/08 | 49,485 | | 193,993 | 27 | 63 |
| | | 3/08 | 52,716 | | 170,759 | 27 | 63 |
| | | 4/08 | 47,224 | | 170,433 | 27 | 58 |
| | | 5/08 | 48,054 | | 179,826 | 27 | 57 |
| | | 6/08 | 42,829 | | 195,210 | 27 | 53 |
| | | 7/08 | 43,282 | | 207,847 | 27 | 52 |
| | | 8/08 | 43,065 | | 177,561 | 27 | 51 |
| | | 9/08 | 43,266 | 7.28 | 192,652 | 27 | 53 |
| | | 10/08 | 41,325 | 7.28 | 205,970 | 27 | 49 |
| | | 11/08 | 43,541 | 5.34 | 199,745 | 27 | 54 |
| | | 12/08 | 42,394 | 5.34 | 182,613 | 27 | 51 |
| | | | 546,266 | | 2,274,112 | | |
| AURORA ENERGY | HUDSON NORTHWEST | 1/08 | 28,734 | 4.41 | 60,096 | 24 | 39 |
| | | 2/08 | 27,576 | 4.41 | 61,876 | 24 | 40 |
| | | 3/08 | 29,595 | 4.41 | 66,638 | 24 | 40 |
| | | 4/08 | 26,891 | 5.93 | 58,211 | 24 | 37 |
| | | 5/08 | 26,663 | 5.93 | 49,108 | 21 | 41 |
| | | 6/08 | 25,738 | 5.93 | 45,367 | 17 | 50 |
| | | 7/08 | 23,893 | 5.93 | 46,121 | 17 | 45 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|---|----------------------|-----------------|------------------|-------|-------------------|---------------|--------------------------|
| AURORA ENERGY | HUDSON NORTHWEST | 8/08 | 23,775 | 5.93 | 44,514 | 17 | 45 |
| | | 9/08 | 21,599 | 5.93 | 41,088 | 17 | 42 |
| | | 10/08 | 23,785 | 5.93 | 34,013 | 17 | 45 |
| | | 11/08 | 20,335 | 4.41 | 37,223 | 17 | 40 |
| | | 12/08 | 20,975 | 4.41 | 43,625 | 17 | 40 |
| | | | | | 299,559 | | 587,880 |
| AURORA ENERGY | HUDSON SOUTHWEST USP | 1/08 | 31,013 | 4.22 | 87,674 | 30 | 33 |
| | | 2/08 | 28,801 | 4.22 | 84,648 | 30 | 33 |
| | | 3/08 | 27,878 | 4.22 | 89,377 | 30 | 30 |
| | | 4/08 | 25,939 | 4.04 | 79,624 | 30 | 29 |
| | | 5/08 | 29,395 | 4.04 | 98,656 | 30 | 32 |
| | | 6/08 | 26,366 | 4.04 | 86,364 | 30 | 29 |
| | | 7/08 | 28,179 | 4.04 | 107,861 | 30 | 30 |
| | | 8/08 | 26,780 | 4.04 | 107,572 | 30 | 29 |
| | | 9/08 | 27,770 | 4.04 | 107,803 | 30 | 31 |
| | | 10/08 | 25,490 | 4.04 | 105,913 | 30 | 27 |
| | | 11/08 | 25,640 | 4.22 | 78,404 | 29 | 29 |
| | | 12/08 | 24,761 | 4.22 | 108,111 | 29 | 28 |
| | | | 328,012 | | 1,142,007 | | |
| AURORA ENERGY | HUDSON WEST | 1/08 | 285 | 4.44 | 8,514 | 2 | 5 |
| | | 2/08 | 944 | 4.44 | 6,719 | 2 | 16 |
| | | 3/08 | 990 | 4.80 | 7,854 | 2 | 16 |
| | | 4/08 | 599 | 4.80 | 8,192 | 2 | 10 |
| | | 5/08 | 464 | 4.80 | 9,351 | 2 | 7 |
| | | 6/08 | 421 | 4.80 | 6,038 | 1 | 14 |
| | | 7/08 | 360 | 4.80 | 4,999 | 1 | 12 |
| | | 8/08 | 350 | 4.80 | 4,366 | 1 | 11 |
| | | 9/08 | 307 | 4.80 | 4,217 | 1 | 10 |
| | | 10/08 | 386 | 4.80 | 4,349 | 1 | 12 |
| | | 11/08 | 309 | 4.80 | 4,205 | 1 | 10 |
| | | 12/08 | 283 | 4.80 | 4,406 | 1 | 9 |
| | | | 5,698 | | 73,210 | | |
| AURORA ENERGY - REPORTER TOTALS: | | | 2,567,281 | | 20,629,127 | | |
| AZTEC PRODUCTION | STATE MANISTEE | 1/08 | 1,152 | 8.00 | 975 | 1 | 37 |
| | | 2/08 | 1,167 | 8.00 | 975 | 1 | 40 |
| | | 3/08 | 1,697 | 8.00 | 975 | 1 | 55 |
| | | 4/08 | 1,691 | 8.00 | 1,950 | 1 | 56 |
| | | 5/08 | 2,177 | 8.00 | 2,537 | 1 | 70 |
| | | 6/08 | 2,177 | 8.00 | 2,210 | 1 | 73 |
| | | 7/08 | 2,177 | 7.50 | 2,210 | 1 | 70 |
| | | 8/08 | 1,934 | 7.50 | 1,771 | 1 | 62 |
| | | 9/08 | 1,834 | 7.50 | 1,417 | 1 | 61 |
| | | 10/08 | 1,727 | 7.50 | 1,835 | 1 | 56 |
| | | 11/08 | 1,114 | 7.50 | 1,700 | 1 | 37 |
| | | 12/08 | 1,599 | 7.50 | 1,700 | 1 | 52 |
| | | | 20,446 | | 20,255 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|---|----------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| AZTEC PRODUCTION COMPANY INC - REPORTER TOTALS: | | | 20,446 | | 20,255 | | |
| BABCOCK and BROW | GRAND CANYON | 2/08 | 25,404 | 4.00 | 38,256 | 26 | 34 |
| | | 3/08 | 27,236 | 4.00 | 54,323 | 26 | 34 |
| | | 4/08 | 27,794 | 4.00 | 53,275 | 26 | 36 |
| | | 5/08 | 30,174 | 3.91 | 52,966 | 26 | 37 |
| | | 6/08 | 27,844 | 3.67 | 47,919 | 26 | 36 |
| | | 7/08 | 27,987 | 3.77 | 54,171 | 26 | 35 |
| | | 8/08 | 28,536 | 3.92 | 55,139 | 26 | 35 |
| | | 9/08 | 27,028 | 3.88 | 54,770 | 26 | 35 |
| | | 10/08 | 25,626 | 4.79 | 56,976 | 26 | 32 |
| | | 11/08 | 21,200 | 3.91 | 53,925 | 26 | 27 |
| | | 12/08 | 28,482 | 4.09 | 97,050 | 26 | 35 |
| | | | | | 297,311 | | 618,770 |
| BABCOCK and BROWN ENERGY, INC - REPORTER TOTALS: | | | 297,311 | | 618,770 | | |
| BreitBurn | AEQUUS | 1/08 | 2,582 | 13.95 | 722 | 2 | 42 |
| | | 2/08 | 2,456 | 13.99 | 741 | 2 | 42 |
| | | 3/08 | 2,581 | 13.98 | 711 | 2 | 42 |
| | | 4/08 | 2,547 | 13.96 | 665 | 2 | 42 |
| | | 5/08 | 2,565 | 13.95 | 750 | 2 | 41 |
| | | 6/08 | 2,526 | 14.14 | 821 | 2 | 42 |
| | | 7/08 | 2,691 | 14.20 | 1,007 | 2 | 43 |
| | | 8/08 | 2,708 | 14.18 | 958 | 2 | 44 |
| | | 9/08 | 2,561 | 14.25 | 809 | 2 | 43 |
| | | 10/08 | 2,695 | 14.34 | 823 | 2 | 43 |
| | | 11/08 | 2,587 | 14.45 | 845 | 2 | 43 |
| | | 12/08 | 2,432 | 14.45 | 731 | 2 | 39 |
| | | | 30,931 | | 9,583 | | |
| BreitBurn | ALL STATE STAR | 1/08 | 33,207 | 7.75 | 2,882 | 17 | 63 |
| | | 2/08 | 30,892 | 7.04 | 2,514 | 17 | 63 |
| | | 3/08 | 33,422 | 7.95 | 3,298 | 17 | 63 |
| | | 4/08 | 31,685 | 7.82 | 2,721 | 17 | 62 |
| | | 5/08 | 32,733 | 7.82 | 2,780 | 17 | 62 |
| | | 6/08 | 31,392 | 8.17 | 2,887 | 17 | 62 |
| | | 7/08 | 33,679 | 8.20 | 2,942 | 17 | 64 |
| | | 8/08 | 33,468 | 8.29 | 2,965 | 17 | 63 |
| | | 9/08 | 31,911 | 8.33 | 2,771 | 17 | 63 |
| | | 10/08 | 28,658 | 8.33 | 3,326 | 17 | 54 |
| | | 11/08 | 34,340 | 8.52 | 2,363 | 17 | 67 |
| | | 12/08 | 31,713 | 8.39 | 2,244 | 17 | 60 |
| | | | 387,100 | | 33,693 | | |
| BreitBurn | ASE 4E | 1/08 | 934 | 16.79 | 93 | 1 | 30 |
| | | 2/08 | 847 | 17.41 | 84 | 1 | 29 |
| | | 3/08 | 846 | 16.99 | 59 | 1 | 27 |
| | | 4/08 | 895 | 16.99 | 58 | 1 | 30 |
| | | 5/08 | 845 | 16.99 | 52 | 1 | 27 |
| | | 6/08 | 258 | 15.79 | 57 | 1 | 9 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-----------|--------------|-----------------|---------------|-------|---------------|---------------|--------------------------|
| BreitBurn | ASE 4E | 7/08 | 912 | 15.89 | 49 | 1 | 29 |
| | | 8/08 | 882 | 17.07 | 47 | 1 | 28 |
| | | 9/08 | 853 | 16.20 | 73 | 1 | 28 |
| | | 10/08 | 1,023 | 16.07 | 68 | 1 | 33 |
| | | 11/08 | 848 | 17.06 | 48 | 1 | 28 |
| | | 12/08 | 956 | 16.08 | 52 | 1 | 31 |
| | | | | | 10,099 | | 740 |
| BreitBurn | BAGLEY | 1/08 | 4,526 | 13.95 | 2,872 | 3 | 49 |
| | | 2/08 | 4,007 | 13.99 | 3,040 | 3 | 46 |
| | | 3/08 | 4,182 | 13.98 | 3,112 | 3 | 45 |
| | | 4/08 | 2,840 | 13.96 | 2,160 | 3 | 32 |
| | | 5/08 | 4,571 | 13.95 | 3,603 | 3 | 49 |
| | | 6/08 | 4,283 | 14.14 | 2,889 | 3 | 48 |
| | | 7/08 | 4,472 | 14.20 | 3,021 | 3 | 48 |
| | | 8/08 | 4,247 | 14.18 | 3,083 | 3 | 46 |
| | | 9/08 | 4,032 | 14.25 | 2,990 | 3 | 45 |
| | | 10/08 | 4,142 | 14.34 | 3,056 | 3 | 45 |
| | | 11/08 | 3,926 | 14.45 | 2,841 | 3 | 44 |
| | | 12/08 | 3,887 | 14.45 | 3,070 | 3 | 42 |
| | | | | | 49,115 | | 35,737 |
| BreitBurn | BAGLEY 15 NW | 1/08 | 2,146 | 19.93 | 85 | 1 | 69 |
| | | 2/08 | 1,977 | 19.93 | 89 | 1 | 68 |
| | | 3/08 | 2,256 | 19.93 | 91 | 1 | 73 |
| | | 4/08 | 2,044 | 19.93 | 83 | 1 | 68 |
| | | 5/08 | 2,140 | 19.93 | 86 | 1 | 69 |
| | | 6/08 | 2,034 | 21.31 | 83 | 1 | 68 |
| | | 7/08 | 2,229 | 21.31 | 87 | 1 | 72 |
| | | 8/08 | 2,005 | 21.31 | 81 | 1 | 65 |
| | | 9/08 | 2,013 | 21.31 | 82 | 1 | 67 |
| | | 10/08 | 2,191 | 21.31 | 83 | 1 | 71 |
| | | 11/08 | 1,920 | 21.31 | 81 | 1 | 64 |
| | | 12/08 | 1,951 | 21.31 | 79 | 1 | 63 |
| | | | 24,906 | | 1,010 | | |
| BreitBurn | BAGLEY 5 | 1/08 | 0 | 13.95 | 2,847 | 1 | 0 |
| | | 2/08 | 1,911 | 13.99 | 3,014 | 1 | 66 |
| | | 3/08 | 1,985 | 13.98 | 3,147 | 1 | 64 |
| | | 4/08 | 1,912 | 13.96 | 2,966 | 1 | 64 |
| | | 5/08 | 1,893 | 13.95 | 3,068 | 1 | 61 |
| | | 6/08 | 1,936 | 14.14 | 2,955 | 1 | 65 |
| | | 7/08 | 1,580 | 14.20 | 2,986 | 1 | 51 |
| | | 8/08 | 1,507 | 14.18 | 3,081 | 1 | 49 |
| | | 9/08 | 1,482 | 14.25 | 2,982 | 1 | 49 |
| | | 10/08 | 1,788 | 14.34 | 3,022 | 1 | 58 |
| | | 11/08 | 1,708 | 14.45 | 2,992 | 1 | 57 |
| | | 12/08 | 1,781 | 14.45 | 3,000 | 1 | 57 |
| | | | 19,483 | | 36,060 | | |
| BreitBurn | BAGLEY EAST | 1/08 | 19,599 | 19.26 | 772 | 24 | 26 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|-----------|--------------------|-----------------|-----------|-------|----------------|---------------|--------------------------|---|----|
| BreitBurn | BAGLEY EAST | 2/08 | 18,203 | 20.17 | 823 | 24 | 26 | | |
| | | 3/08 | 20,329 | 20.13 | 832 | 24 | 27 | | |
| | | 4/08 | 19,457 | 20.13 | 793 | 24 | 27 | | |
| | | 5/08 | 19,301 | 20.13 | 770 | 24 | 26 | | |
| | | 6/08 | 18,875 | 19.58 | 769 | 24 | 26 | | |
| | | 7/08 | 19,814 | 19.58 | 787 | 24 | 27 | | |
| | | 8/08 | 20,839 | 19.58 | 731 | 24 | 28 | | |
| | | 9/08 | 18,020 | 19.77 | 731 | 24 | 25 | | |
| | | 10/08 | 19,820 | 19.77 | 750 | 24 | 27 | | |
| | | 11/08 | 17,321 | 19.77 | 728 | 24 | 24 | | |
| | | 12/08 | 16,839 | 20.20 | 679 | 24 | 23 | | |
| | | | | | 228,417 | | 9,165 | | |
| | | BreitBurn | BIJOU 16 | 1/08 | 8,439 | 13.48 | 265 | 4 | 68 |
| 2/08 | 7,612 | | | 13.25 | 219 | 4 | 66 | | |
| 3/08 | 7,965 | | | 13.29 | 239 | 4 | 64 | | |
| 4/08 | 7,671 | | | 13.26 | 213 | 4 | 64 | | |
| 5/08 | 7,431 | | | 13.34 | 226 | 4 | 60 | | |
| 6/08 | 7,456 | | | 13.48 | 216 | 4 | 62 | | |
| 7/08 | 7,752 | | | 13.31 | 232 | 4 | 63 | | |
| 8/08 | 7,903 | | | 13.49 | 206 | 4 | 64 | | |
| 9/08 | 7,743 | | | 13.61 | 230 | 4 | 65 | | |
| 10/08 | 7,591 | | | 13.70 | 192 | 4 | 61 | | |
| 11/08 | 7,239 | | | 13.73 | 151 | 4 | 60 | | |
| 12/08 | 7,477 | | | 13.63 | 14 | 4 | 60 | | |
| | | | | | 92,279 | | 2,403 | | |
| BreitBurn | CAMP 10 | 1/08 | 7,315 | 10.20 | 775 | 5 | 47 | | |
| | | 2/08 | 6,806 | 10.20 | 811 | 5 | 47 | | |
| | | 3/08 | 6,823 | 10.23 | 1,456 | 5 | 44 | | |
| | | 4/08 | 6,775 | 10.23 | 1,460 | 5 | 45 | | |
| | | 5/08 | 6,710 | 10.23 | 897 | 5 | 43 | | |
| | | 6/08 | 6,766 | 10.28 | 1,617 | 5 | 45 | | |
| | | 7/08 | 6,869 | 10.28 | 1,322 | 5 | 44 | | |
| | | 8/08 | 6,665 | 10.28 | 1,238 | 5 | 43 | | |
| | | 9/08 | 6,170 | 10.26 | 1,226 | 5 | 41 | | |
| | | 10/08 | 6,869 | 10.26 | 1,368 | 5 | 44 | | |
| | | 11/08 | 6,565 | 10.26 | 1,509 | 5 | 44 | | |
| | | 12/08 | 6,577 | 10.24 | 674 | 5 | 42 | | |
| | | | | | 80,910 | | 14,353 | | |
| BreitBurn | CENTRAL LIVINGSTON | 1/08 | 1,158 | 5.76 | 1,269 | 3 | 12 | | |
| | | 2/08 | 1,203 | 5.86 | 1,359 | 3 | 14 | | |
| | | 3/08 | 1,405 | 5.64 | 1,967 | 3 | 15 | | |
| | | 4/08 | 1,220 | 5.67 | 1,567 | 3 | 14 | | |
| | | 5/08 | 1,379 | 5.86 | 1,640 | 3 | 15 | | |
| | | 6/08 | 1,421 | 5.86 | 1,743 | 3 | 16 | | |
| | | 7/08 | 1,492 | 5.81 | 1,549 | 3 | 16 | | |
| | | 8/08 | 1,533 | 6.03 | 1,332 | 3 | 16 | | |
| | | 9/08 | 7,279 | 6.05 | 1,442 | 3 | 81 | | |
| | | 10/08 | 1,276 | 5.77 | 1,172 | 3 | 14 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-----------|--------------------|-----------------|---------------|-------|---------------|---------------|--------------------------|
| BreitBurn | CENTRAL LIVINGSTON | 11/08 | 1,111 | 5.77 | 1,212 | 3 | 12 |
| | | 12/08 | 1,164 | 5.77 | 1,260 | 3 | 13 |
| | | | 21,641 | | 17,512 | | |
| BreitBurn | CHARLTON 7 | 1/08 | 3,322 | 23.87 | 61 | 6 | 18 |
| | | 2/08 | 3,426 | 23.87 | 44 | 6 | 20 |
| | | 3/08 | 3,473 | 23.87 | 49 | 6 | 19 |
| | | 4/08 | 3,167 | 23.87 | 46 | 6 | 18 |
| | | 5/08 | 3,042 | 23.87 | 41 | 6 | 16 |
| | | 6/08 | 2,472 | 23.48 | 41 | 6 | 14 |
| | | 7/08 | 2,591 | 23.48 | 45 | 6 | 14 |
| | | 8/08 | 3,589 | 23.48 | 47 | 6 | 19 |
| | | 9/08 | 3,065 | 23.48 | 50 | 6 | 17 |
| | | 10/08 | 2,589 | 23.48 | 53 | 6 | 14 |
| | | 11/08 | 3,221 | 24.89 | 55 | 6 | 18 |
| | | 12/08 | 3,007 | 24.83 | 57 | 6 | 16 |
| | 36,964 | | 589 | | | | |
| BreitBurn | CHESTER EAST | 1/08 | 12,836 | 22.14 | 2,111 | 19 | 22 |
| | | 2/08 | 11,848 | 22.14 | 1,709 | 19 | 21 |
| | | 3/08 | 13,724 | 22.17 | 1,972 | 19 | 23 |
| | | 4/08 | 12,179 | 22.17 | 1,853 | 19 | 21 |
| | | 5/08 | 12,305 | 22.17 | 2,054 | 19 | 21 |
| | | 6/08 | 12,008 | 22.01 | 2,044 | 19 | 21 |
| | | 7/08 | 13,675 | 22.01 | 2,378 | 19 | 23 |
| | | 8/08 | 13,530 | 22.01 | 2,299 | 19 | 23 |
| | | 9/08 | 13,894 | 22.19 | 2,334 | 19 | 24 |
| | | 10/08 | 13,675 | 22.19 | 2,892 | 19 | 23 |
| | | 11/08 | 13,485 | 22.19 | 2,757 | 19 | 24 |
| | | 12/08 | 14,449 | 22.09 | 2,585 | 19 | 25 |
| | 157,608 | | 26,988 | | | | |
| BreitBurn | COACHES/HAYES 34 | 1/08 | 28,758 | 13.95 | 1,815 | 15 | 62 |
| | | 2/08 | 27,175 | 13.99 | 1,554 | 15 | 62 |
| | | 3/08 | 28,390 | 13.98 | 1,595 | 15 | 61 |
| | | 4/08 | 27,774 | 13.96 | 1,772 | 15 | 62 |
| | | 5/08 | 28,891 | 13.95 | 2,017 | 15 | 62 |
| | | 6/08 | 27,874 | 14.14 | 1,991 | 15 | 62 |
| | | 7/08 | 27,916 | 14.20 | 1,669 | 15 | 60 |
| | | 8/08 | 27,137 | 14.18 | 1,166 | 15 | 58 |
| | | 9/08 | 25,866 | 14.25 | 1,155 | 15 | 57 |
| | | 10/08 | 27,413 | 14.34 | 1,266 | 15 | 59 |
| | | 11/08 | 25,975 | 14.45 | 1,377 | 15 | 58 |
| | | 12/08 | 26,085 | 14.45 | 1,542 | 15 | 56 |
| | 329,254 | | 18,919 | | | | |
| BreitBurn | COLONEL SAUNDERS | 1/08 | 2,239 | 8.37 | 0 | 3 | 24 |
| | | 2/08 | 1,650 | 8.37 | 0 | 3 | 19 |
| | | 3/08 | 1,546 | 8.37 | 0 | 3 | 17 |
| | | 4/08 | 1,714 | 8.37 | 0 | 3 | 19 |
| | | 5/08 | 1,620 | 8.37 | 0 | 3 | 17 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-----------|-----------------------|-----------------|-----------|----------------|-------------|---------------|--------------------------|
| BreitBurn | COLONEL SAUNDERS | 6/08 | 1,762 | 8.37 | 0 | 3 | 20 |
| | | 7/08 | 1,652 | 8.37 | 0 | 3 | 18 |
| | | 8/08 | 893 | 8.37 | 0 | 3 | 10 |
| | | 9/08 | 1,733 | 8.37 | 0 | 3 | 19 |
| | | 10/08 | 1,555 | 8.37 | 0 | 3 | 17 |
| | | 11/08 | 1,399 | 8.45 | 0 | 3 | 16 |
| | | 12/08 | 1,240 | 8.51 | 0 | 3 | 13 |
| | | | | 19,003 | | 0 | |
| BreitBurn | COLONEL SAUNDERS NORT | 1/08 | 10,347 | 8.37 | 0 | 5 | 67 |
| | | 2/08 | 9,859 | 8.37 | 0 | 5 | 68 |
| | | 3/08 | 9,926 | 8.37 | 0 | 5 | 64 |
| | | 4/08 | 8,450 | 8.37 | 0 | 5 | 56 |
| | | 5/08 | 9,388 | 8.37 | 0 | 5 | 61 |
| | | 6/08 | 8,766 | 8.37 | 0 | 5 | 58 |
| | | 7/08 | 8,897 | 8.37 | 0 | 5 | 57 |
| | | 8/08 | 5,839 | 8.37 | 0 | 5 | 38 |
| | | 9/08 | 9,066 | 8.37 | 0 | 5 | 60 |
| | | 10/08 | 8,955 | 8.37 | 0 | 5 | 58 |
| | | 11/08 | 9,458 | 8.45 | 0 | 5 | 63 |
| | | 12/08 | 9,412 | 8.51 | 0 | 5 | 61 |
| | | | | 108,363 | | 0 | |
| BreitBurn | DOVER 7 | 1/08 | 9,636 | 6.22 | 133 | 4 | 78 |
| | | 2/08 | 9,394 | 6.53 | 137 | 4 | 81 |
| | | 3/08 | 10,084 | 6.29 | 110 | 4 | 81 |
| | | 4/08 | 9,425 | 6.23 | 121 | 4 | 79 |
| | | 5/08 | 9,227 | 6.40 | 98 | 4 | 74 |
| | | 6/08 | 9,092 | 6.40 | 98 | 4 | 76 |
| | | 7/08 | 9,090 | 5.93 | 111 | 4 | 73 |
| | | 8/08 | 9,132 | 6.20 | 121 | 4 | 74 |
| | | 9/08 | 9,034 | 6.52 | 125 | 4 | 75 |
| | | 10/08 | 9,111 | 6.52 | 117 | 4 | 73 |
| | | 11/08 | 8,699 | 6.54 | 114 | 4 | 72 |
| | | 12/08 | 8,918 | 6.50 | 105 | 4 | 72 |
| | | | | 110,842 | | 1,390 | |
| BreitBurn | DOVER RIDGE | 1/08 | 25,445 | 6.22 | 479 | 9 | 91 |
| | | 2/08 | 22,550 | 6.53 | 443 | 9 | 86 |
| | | 3/08 | 25,303 | 6.29 | 500 | 9 | 91 |
| | | 4/08 | 24,232 | 6.23 | 407 | 9 | 90 |
| | | 5/08 | 24,405 | 6.40 | 465 | 9 | 87 |
| | | 6/08 | 23,317 | 6.40 | 495 | 9 | 86 |
| | | 7/08 | 23,887 | 5.93 | 464 | 9 | 86 |
| | | 8/08 | 24,290 | 6.20 | 491 | 9 | 87 |
| | | 9/08 | 23,850 | 6.52 | 455 | 9 | 88 |
| | | 10/08 | 23,718 | 6.52 | 417 | 9 | 85 |
| | | 11/08 | 22,353 | 6.54 | 367 | 9 | 83 |
| | | 12/08 | 22,867 | 6.50 | 328 | 9 | 82 |
| | | | | 286,217 | | 5,311 | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-----------|--------------|-----------------|-----------|-------|----------------|---------------|--------------------------|
| BreitBurn | DOVER VALLEY | 1/08 | 6,604 | 8.41 | 91 | 3 | 71 |
| | | 2/08 | 6,197 | 8.62 | 81 | 3 | 71 |
| | | 3/08 | 6,240 | 8.46 | 91 | 3 | 67 |
| | | 4/08 | 6,216 | 8.42 | 76 | 3 | 69 |
| | | 5/08 | 6,223 | 8.54 | 108 | 3 | 67 |
| | | 6/08 | 6,555 | 8.53 | 152 | 3 | 73 |
| | | 7/08 | 6,489 | 8.22 | 147 | 3 | 70 |
| | | 8/08 | 6,456 | 8.40 | 140 | 3 | 69 |
| | | 9/08 | 6,379 | 8.61 | 121 | 3 | 71 |
| | | 10/08 | 6,223 | 8.61 | 123 | 3 | 67 |
| | | 11/08 | 5,899 | 8.63 | 109 | 3 | 66 |
| | | 12/08 | 5,887 | 8.60 | 107 | 3 | 63 |
| | | | | | 75,368 | | 1,346 |
| BreitBurn | ECHO LAKE | 1/08 | 11,100 | 13.70 | 0 | 8 | 45 |
| | | 2/08 | 10,162 | 13.29 | 879 | 8 | 44 |
| | | 3/08 | 11,394 | 14.54 | 0 | 8 | 46 |
| | | 4/08 | 11,445 | 13.58 | 0 | 8 | 48 |
| | | 5/08 | 11,830 | 13.42 | 0 | 8 | 48 |
| | | 6/08 | 11,365 | 13.44 | 0 | 8 | 47 |
| | | 7/08 | 11,597 | 13.66 | 0 | 8 | 47 |
| | | 8/08 | 11,750 | 13.61 | 0 | 8 | 47 |
| | | 9/08 | 11,382 | 13.60 | 0 | 8 | 47 |
| | | 10/08 | 11,487 | 13.73 | 0 | 8 | 46 |
| | | 11/08 | 10,853 | 13.50 | 0 | 8 | 45 |
| | | 12/08 | 10,988 | 13.59 | 0 | 8 | 44 |
| | | | | | 135,353 | | 879 |
| BreitBurn | FLETCH | 1/08 | 22,382 | 18.03 | 1,391 | 24 | 30 |
| | | 2/08 | 16,172 | 18.03 | 1,016 | 24 | 23 |
| | | 3/08 | 21,565 | 18.03 | 1,078 | 24 | 29 |
| | | 4/08 | 23,136 | 18.03 | 1,184 | 24 | 32 |
| | | 5/08 | 23,232 | 18.03 | 1,062 | 24 | 31 |
| | | 6/08 | 21,287 | 16.14 | 915 | 24 | 30 |
| | | 7/08 | 19,784 | 16.14 | 956 | 24 | 27 |
| | | 8/08 | 21,272 | 16.14 | 960 | 24 | 29 |
| | | 9/08 | 21,330 | 16.14 | 904 | 24 | 30 |
| | | 10/08 | 20,041 | 16.14 | 954 | 24 | 27 |
| | | 11/08 | 23,935 | 16.29 | 944 | 24 | 33 |
| | | 12/08 | 23,953 | 17.46 | 1,000 | 24 | 32 |
| | | | | | 258,089 | | 12,364 |
| BreitBurn | FLETCH 35 | 1/08 | 342 | 18.03 | 21 | 1 | 11 |
| | | 2/08 | 213 | 18.03 | 13 | 1 | 7 |
| | | 3/08 | 212 | 18.03 | 11 | 1 | 7 |
| | | 4/08 | 302 | 18.03 | 15 | 1 | 10 |
| | | 5/08 | 283 | 18.03 | 13 | 1 | 9 |
| | | 6/08 | 290 | 16.14 | 12 | 1 | 10 |
| | | 7/08 | 461 | 16.14 | 22 | 1 | 15 |
| | | 8/08 | 553 | 16.14 | 25 | 1 | 18 |
| | | 9/08 | 225 | 16.14 | 10 | 1 | 8 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-----------|-------------------|-----------------|----------------|-------|------------------|---------------|--------------------------|
| BreitBurn | FLETCH 35 | 10/08 | 199 | 16.14 | 9 | 1 | 6 |
| | | 11/08 | 348 | 16.29 | 14 | 1 | 12 |
| | | 12/08 | 281 | 17.46 | 12 | 1 | 9 |
| | | | 3,709 | | 177 | | |
| BreitBurn | FONTINALIS CLUB | 1/08 | 58,753 | 6.22 | 157,517 | 57 | 33 |
| | | 2/08 | 56,355 | 6.53 | 146,137 | 57 | 34 |
| | | 3/08 | 58,886 | 6.29 | 168,833 | 57 | 33 |
| | | 4/08 | 55,420 | 6.23 | 153,428 | 57 | 32 |
| | | 5/08 | 58,284 | 6.40 | 167,325 | 57 | 33 |
| | | 6/08 | 57,846 | 6.40 | 197,248 | 57 | 34 |
| | | 7/08 | 59,012 | 5.93 | 188,386 | 57 | 33 |
| | | 8/08 | 56,950 | 6.20 | 187,007 | 57 | 32 |
| | | 9/08 | 53,343 | 6.52 | 185,097 | 57 | 31 |
| | | 10/08 | 56,898 | 6.52 | 178,092 | 57 | 32 |
| | | 11/08 | 54,782 | 6.54 | 164,512 | 57 | 32 |
| | | 12/08 | 54,522 | 6.50 | 160,966 | 57 | 31 |
| | | | 681,051 | | 2,054,548 | | |
| BreitBurn | FREDERIC IX | 1/08 | 1,975 | 12.11 | 3,788 | 5 | 13 |
| | | 2/08 | 3,586 | 12.26 | 7,674 | 5 | 25 |
| | | 3/08 | 1,915 | 12.12 | 4,634 | 5 | 12 |
| | | 4/08 | 1,719 | 12.14 | 3,257 | 5 | 11 |
| | | 5/08 | 1,952 | 12.14 | 3,091 | 5 | 13 |
| | | 6/08 | 1,899 | 12.22 | 3,332 | 5 | 13 |
| | | 7/08 | 1,928 | 12.68 | 3,511 | 5 | 12 |
| | | 8/08 | 1,861 | 12.34 | 3,656 | 5 | 12 |
| | | 9/08 | 1,846 | 12.21 | 3,481 | 5 | 12 |
| | | 10/08 | 1,787 | 12.33 | 2,837 | 5 | 12 |
| | | 11/08 | 1,856 | 12.73 | 3,889 | 5 | 12 |
| | | 12/08 | 1,869 | 12.22 | 3,462 | 5 | 12 |
| | | | 24,193 | | 46,612 | | |
| BreitBurn | FREDERIC X | 1/08 | 3,437 | 12.11 | 9,094 | 8 | 14 |
| | | 2/08 | 3,026 | 12.11 | 9,472 | 8 | 13 |
| | | 3/08 | 3,588 | 12.12 | 10,950 | 8 | 14 |
| | | 4/08 | 3,352 | 12.14 | 10,278 | 8 | 14 |
| | | 5/08 | 3,859 | 12.14 | 9,739 | 8 | 16 |
| | | 6/08 | 4,662 | 12.22 | 12,681 | 8 | 19 |
| | | 7/08 | 4,492 | 12.68 | 12,024 | 8 | 18 |
| | | 8/08 | 4,081 | 12.34 | 12,178 | 8 | 16 |
| | | 9/08 | 4,124 | 11.75 | 12,836 | 8 | 17 |
| | | 10/08 | 4,222 | 11.85 | 11,208 | 8 | 17 |
| | | 11/08 | 3,779 | 12.21 | 7,620 | 8 | 16 |
| | | 12/08 | 3,954 | 11.76 | 9,121 | 8 | 16 |
| | | | 46,576 | | 127,201 | | |
| BreitBurn | GREEN RIVER SOUTH | 1/08 | 108,703 | 11.53 | 7,227 | 60 | 58 |
| | | 2/08 | 101,364 | 11.53 | 4,621 | 60 | 58 |
| | | 3/08 | 110,106 | 11.50 | 5,378 | 60 | 59 |
| | | 4/08 | 104,187 | 11.50 | 4,664 | 60 | 58 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|-----------|-------------------|-----------------|------------------|-------|------------------|---------------|--------------------------|----|----|
| BreitBurn | GREEN RIVER SOUTH | 5/08 | 106,402 | 11.50 | 6,615 | 60 | 57 | | |
| | | 6/08 | 97,193 | 11.26 | 5,103 | 60 | 54 | | |
| | | 7/08 | 106,133 | 11.26 | 7,462 | 60 | 57 | | |
| | | 8/08 | 105,315 | 11.26 | 4,813 | 60 | 57 | | |
| | | 9/08 | 102,682 | 11.27 | 10,004 | 63 | 54 | | |
| | | 10/08 | 107,280 | 11.27 | 7,018 | 63 | 55 | | |
| | | 11/08 | 47,069 | 11.69 | 5,223 | 63 | 25 | | |
| | | 12/08 | 161,961 | 11.61 | 6,456 | 63 | 83 | | |
| | | | | | 1,258,395 | | 74,584 | | |
| | | BreitBurn | GREEN RIVER WEST | 1/08 | 67,037 | 9.51 | 9,939 | 43 | 50 |
| 2/08 | 62,967 | | | 9.51 | 9,050 | 43 | 50 | | |
| 3/08 | 65,885 | | | 9.43 | 9,312 | 43 | 49 | | |
| 4/08 | 62,611 | | | 9.43 | 8,282 | 43 | 49 | | |
| 5/08 | 63,547 | | | 9.43 | 9,904 | 43 | 48 | | |
| 6/08 | 59,695 | | | 9.69 | 8,099 | 43 | 46 | | |
| 7/08 | 64,660 | | | 9.69 | 15,419 | 43 | 48 | | |
| 8/08 | 65,609 | | | 9.69 | 15,150 | 43 | 49 | | |
| 9/08 | 62,707 | | | 9.69 | 14,054 | 43 | 49 | | |
| 10/08 | 65,094 | | | 9.69 | 16,519 | 43 | 49 | | |
| 11/08 | 61,314 | | | 9.75 | 9,611 | 43 | 48 | | |
| 12/08 | 66,753 | | | 9.70 | 7,401 | 43 | 50 | | |
| | | | 767,879 | | 132,740 | | | | |
| BreitBurn | HAYES 10 | 1/08 | 18,014 | 20.24 | 1,583 | 28 | 21 | | |
| | | 2/08 | 17,754 | 20.24 | 2,431 | 28 | 22 | | |
| | | 3/08 | 19,058 | 19.80 | 2,766 | 28 | 22 | | |
| | | 4/08 | 18,558 | 19.80 | 2,116 | 28 | 22 | | |
| | | 5/08 | 20,359 | 19.80 | 2,977 | 28 | 23 | | |
| | | 6/08 | 20,093 | 21.16 | 2,900 | 28 | 24 | | |
| | | 7/08 | 20,863 | 21.16 | 2,942 | 28 | 24 | | |
| | | 8/08 | 20,432 | 21.16 | 2,823 | 28 | 24 | | |
| | | 9/08 | 19,151 | 20.60 | 2,309 | 28 | 23 | | |
| | | 10/08 | 20,863 | 20.60 | 1,957 | 28 | 24 | | |
| | | 11/08 | 19,871 | 20.60 | 2,007 | 28 | 24 | | |
| | | 12/08 | 18,582 | 20.44 | 1,920 | 28 | 21 | | |
| | | | 233,598 | | 28,731 | | | | |
| BreitBurn | HAYES 15 | 1/08 | 651 | 15.38 | 428 | 1 | 21 | | |
| | | 2/08 | 560 | 15.38 | 533 | 1 | 19 | | |
| | | 3/08 | 703 | 15.38 | 349 | 1 | 23 | | |
| | | 4/08 | 653 | 15.38 | 205 | 1 | 22 | | |
| | | 5/08 | 669 | 15.51 | 375 | 1 | 22 | | |
| | | 6/08 | 683 | 15.96 | 275 | 1 | 23 | | |
| | | 7/08 | 667 | 15.96 | 5 | 1 | 22 | | |
| | | 8/08 | 643 | 15.96 | 557 | 1 | 21 | | |
| | | 9/08 | 665 | 15.96 | 349 | 1 | 22 | | |
| | | 10/08 | 673 | 15.96 | 318 | 1 | 22 | | |
| | | 11/08 | 640 | 15.26 | 92 | 1 | 21 | | |
| | | 12/08 | 581 | 14.97 | 1 | 1 | 19 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-----------|-----------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| | | | 7,788 | | 3,487 | | |
| BreitBurn | HAYES 7 | 1/08 | 6,474 | 14.76 | 224 | 3 | 70 |
| | | 2/08 | 5,980 | 14.76 | 199 | 3 | 69 |
| | | 3/08 | 6,133 | 14.85 | 216 | 3 | 66 |
| | | 4/08 | 5,865 | 14.85 | 187 | 3 | 65 |
| | | 5/08 | 6,100 | 14.85 | 530 | 3 | 66 |
| | | 6/08 | 5,647 | 14.85 | 2,242 | 3 | 63 |
| | | 7/08 | 6,001 | 14.85 | 10,822 | 3 | 65 |
| | | 8/08 | 4,786 | 14.85 | 1,033 | 3 | 51 |
| | | 9/08 | 5,375 | 14.63 | 690 | 3 | 60 |
| | | 10/08 | 6,186 | 14.63 | 209 | 3 | 67 |
| | | 11/08 | 5,029 | 14.63 | 148 | 3 | 56 |
| | | 12/08 | 5,200 | 15.09 | 123 | 3 | 56 |
| | | | 68,776 | | 16,623 | | |
| BreitBurn | KNIGHT VIENNA 4 | 1/08 | 15,211 | 21.45 | 5,321 | 21 | 23 |
| | | 2/08 | 12,915 | 21.45 | 5,378 | 21 | 21 |
| | | 3/08 | 14,513 | 21.45 | 7,010 | 21 | 22 |
| | | 4/08 | 14,451 | 21.45 | 6,985 | 21 | 23 |
| | | 5/08 | 15,403 | 21.45 | 7,397 | 21 | 24 |
| | | 6/08 | 14,926 | 21.06 | 12,160 | 21 | 24 |
| | | 7/08 | 14,968 | 21.06 | 16,745 | 21 | 23 |
| | | 8/08 | 14,689 | 21.06 | 15,531 | 21 | 23 |
| | | 9/08 | 14,003 | 21.06 | 17,394 | 21 | 22 |
| | | 10/08 | 14,968 | 21.06 | 16,540 | 21 | 23 |
| | | 11/08 | 14,672 | 23.79 | 18,072 | 21 | 23 |
| | | 12/08 | 14,783 | 21.48 | 11,567 | 22 | 22 |
| | | | 175,502 | | 140,100 | | |
| BreitBurn | LAKE 19 | 1/08 | 2,674 | 8.37 | 0 | 1 | 86 |
| | | 2/08 | 2,727 | 8.37 | 0 | 1 | 94 |
| | | 3/08 | 2,909 | 8.37 | 0 | 1 | 94 |
| | | 4/08 | 2,601 | 8.37 | 0 | 1 | 87 |
| | | 5/08 | 2,838 | 8.37 | 0 | 1 | 92 |
| | | 6/08 | 2,470 | 8.37 | 0 | 1 | 82 |
| | | 7/08 | 2,294 | 8.37 | 0 | 1 | 74 |
| | | 8/08 | 1,526 | 8.37 | 0 | 1 | 49 |
| | | 9/08 | 2,327 | 8.37 | 0 | 1 | 78 |
| | | 10/08 | 2,331 | 8.37 | 0 | 1 | 75 |
| | | 11/08 | 2,444 | 8.45 | 0 | 1 | 81 |
| | | 12/08 | 2,444 | 8.51 | 0 | 1 | 79 |
| | | | 29,585 | | 0 | | |
| BreitBurn | LAKE MANUKA | 1/08 | 6,854 | 18.24 | 1,465 | 3 | 74 |
| | | 2/08 | 6,299 | 18.29 | 1,445 | 3 | 72 |
| | | 3/08 | 6,284 | 18.30 | 555 | 3 | 68 |
| | | 4/08 | 6,710 | 18.22 | 566 | 3 | 75 |
| | | 5/08 | 6,075 | 18.07 | 773 | 3 | 65 |
| | | 6/08 | 6,874 | 18.45 | 1,655 | 3 | 76 |
| | | 7/08 | 6,780 | 18.88 | 10 | 3 | 73 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-----------|------------------|-----------------|-----------|-------|----------------|---------------|--------------------------|
| BreitBurn | LAKE MANUKA | 8/08 | 6,319 | 18.75 | 888 | 3 | 68 |
| | | 9/08 | 6,430 | 18.07 | 730 | 3 | 71 |
| | | 10/08 | 6,853 | 18.97 | 1,188 | 3 | 74 |
| | | 11/08 | 6,503 | 19.08 | 859 | 3 | 72 |
| | | 12/08 | 7,057 | 19.04 | 8 | 3 | 76 |
| | | | | | 79,038 | | 10,142 |
| BreitBurn | LIBRATUS | 1/08 | 2,019 | 13.95 | 29 | 1 | 65 |
| | | 2/08 | 1,903 | 13.99 | 70 | 1 | 66 |
| | | 3/08 | 1,962 | 13.98 | 54 | 1 | 63 |
| | | 4/08 | 1,929 | 13.96 | 33 | 1 | 64 |
| | | 5/08 | 1,976 | 13.95 | 31 | 1 | 64 |
| | | 6/08 | 0 | 14.14 | 30 | 1 | 0 |
| | | 7/08 | 2,071 | 14.20 | 31 | 1 | 67 |
| | | 8/08 | 2,097 | 14.18 | 31 | 1 | 68 |
| | | 9/08 | 1,930 | 14.25 | 30 | 1 | 64 |
| | | 10/08 | 2,001 | 14.34 | 31 | 1 | 65 |
| | | 11/08 | 1,913 | 14.45 | 30 | 1 | 64 |
| | | 12/08 | 1,937 | 14.45 | 31 | 1 | 62 |
| | | | | | 21,738 | | 431 |
| BreitBurn | LIVINGSTON 19 | 1/08 | 86,488 | 12.04 | 12,608 | 45 | 62 |
| | | 2/08 | 80,560 | 12.03 | 8,793 | 45 | 62 |
| | | 3/08 | 86,769 | 12.04 | 9,487 | 45 | 62 |
| | | 4/08 | 49,575 | 12.39 | 9,473 | 45 | 37 |
| | | 5/08 | 89,959 | 12.24 | 10,222 | 45 | 64 |
| | | 6/08 | 87,184 | 12.57 | 9,584 | 45 | 65 |
| | | 7/08 | 86,938 | 12.58 | 9,546 | 45 | 62 |
| | | 8/08 | 90,016 | 12.52 | 9,335 | 45 | 65 |
| | | 9/08 | 85,954 | 12.70 | 8,938 | 45 | 64 |
| | | 10/08 | 86,727 | 12.69 | 9,213 | 45 | 62 |
| | | 11/08 | 81,850 | 12.41 | 8,451 | 45 | 61 |
| | | 12/08 | 80,028 | 12.78 | 8,146 | 45 | 57 |
| | | | | | 992,048 | | 113,796 |
| BreitBurn | LIVINGSTON 36 | 1/08 | 30,587 | 18.68 | 10,966 | 14 | 70 |
| | | 2/08 | 27,245 | 18.75 | 9,527 | 14 | 67 |
| | | 3/08 | 28,733 | 19.07 | 10,253 | 14 | 66 |
| | | 4/08 | 28,205 | 19.07 | 10,238 | 14 | 67 |
| | | 5/08 | 27,303 | 19.07 | 9,918 | 14 | 63 |
| | | 6/08 | 25,111 | 19.07 | 7,893 | 14 | 60 |
| | | 7/08 | 27,023 | 19.07 | 11,771 | 14 | 62 |
| | | 8/08 | 26,102 | 19.07 | 8,943 | 14 | 60 |
| | | 9/08 | 26,116 | 19.09 | 10,445 | 14 | 62 |
| | | 10/08 | 27,037 | 19.09 | 9,405 | 14 | 62 |
| | | 11/08 | 24,096 | 19.09 | 6,092 | 14 | 57 |
| | | 12/08 | 24,451 | 18.86 | 10,127 | 14 | 56 |
| | | | | | 322,009 | | 115,578 |
| BreitBurn | LIVINGSTON B3-20 | 1/08 | 1,093 | 10.05 | 46 | 1 | 35 |
| | | 2/08 | 956 | 9.99 | 31 | 1 | 33 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|-----------|------------------|-----------------|-------------------|-------|---------------|---------------|--------------------------|---|----|
| BreitBurn | LIVINGSTON B3-20 | 3/08 | 977 | 10.02 | 43 | 1 | 32 | | |
| | | 4/08 | 938 | 10.74 | 29 | 1 | 31 | | |
| | | 5/08 | 906 | 10.44 | 4 | 1 | 29 | | |
| | | 6/08 | 871 | 10.93 | 0 | 1 | 29 | | |
| | | 7/08 | 845 | 10.89 | 3 | 1 | 27 | | |
| | | 8/08 | 899 | 10.79 | 0 | 1 | 29 | | |
| | | 9/08 | 892 | 11.07 | 0 | 1 | 30 | | |
| | | 10/08 | 910 | 10.97 | 0 | 1 | 29 | | |
| | | 11/08 | 855 | 10.28 | 3 | 1 | 29 | | |
| | | 12/08 | 865 | 11.03 | 8 | 1 | 28 | | |
| | | | | | 11,007 | | 167 | | |
| | | BreitBurn | LONE PINE-MERCURY | 1/08 | 7,120 | 18.24 | 0 | 5 | 46 |
| | | | | 2/08 | 6,663 | 18.29 | 0 | 5 | 46 |
| 3/08 | 292 | | | 18.30 | 63 | 5 | 2 | | |
| 4/08 | 793 | | | 18.22 | 1,692 | 5 | 5 | | |
| 5/08 | 612 | | | 18.07 | 620 | 5 | 4 | | |
| 6/08 | 564 | | | 18.45 | 7 | 5 | 4 | | |
| 7/08 | 519 | | | 18.88 | 0 | 5 | 3 | | |
| 8/08 | 371 | | | 18.75 | 0 | 5 | 2 | | |
| 9/08 | 39 | | | 18.07 | 175 | 5 | 0 | | |
| 10/08 | 96 | | | 18.97 | 0 | 5 | 1 | | |
| 11/08 | 481 | | | 19.08 | 213 | 5 | 3 | | |
| 12/08 | 7,249 | | | 19.04 | 11 | 5 | 47 | | |
| | | | | | 24,799 | | 2,781 | | |
| BreitBurn | LOUD 16-17 | 1/08 | 5,890 | 22.89 | 155 | 4 | 47 | | |
| | | 2/08 | 5,710 | 22.89 | 138 | 4 | 49 | | |
| | | 3/08 | 6,071 | 22.89 | 177 | 4 | 49 | | |
| | | 4/08 | 6,272 | 22.89 | 130 | 4 | 52 | | |
| | | 5/08 | 6,061 | 22.89 | 124 | 4 | 49 | | |
| | | 6/08 | 5,730 | 23.56 | 120 | 4 | 48 | | |
| | | 7/08 | 6,134 | 23.56 | 124 | 4 | 49 | | |
| | | 8/08 | 6,135 | 23.56 | 124 | 4 | 49 | | |
| | | 9/08 | 5,535 | 23.56 | 120 | 4 | 46 | | |
| | | 10/08 | 6,133 | 23.56 | 124 | 4 | 49 | | |
| | | 11/08 | 5,587 | 23.57 | 120 | 4 | 47 | | |
| | | 12/08 | 5,469 | 23.97 | 124 | 4 | 44 | | |
| | | | | | 70,727 | | 1,580 | | |
| BreitBurn | MANCELONA 23 | 10/08 | 170 | 11.98 | 526 | 3 | 2 | | |
| | | 11/08 | 1,137 | 12.19 | 1,241 | 3 | 13 | | |
| | | 12/08 | 1,290 | 11.41 | 580 | 3 | 14 | | |
| | | | 2,597 | | 2,347 | | | | |
| BreitBurn | MANCELONA 24-25 | 10/08 | 727 | 12.19 | 1,368 | 4 | 6 | | |
| | | 11/08 | 2,822 | 12.19 | 2,239 | 4 | 24 | | |
| | | 12/08 | 3,118 | 11.41 | 1,381 | 4 | 25 | | |
| | | | 6,667 | | 4,988 | | | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-----------|-----------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| BreitBurn | MANCELONA 26-27 | 9/08 | 915 | 12.19 | 1,550 | 1 | 31 |
| | | 10/08 | 1,894 | 11.98 | 1,829 | 5 | 12 |
| | | 11/08 | 4,973 | 12.19 | 3,261 | 6 | 28 |
| | | 12/08 | 5,055 | 11.41 | 3,116 | 6 | 27 |
| | | | 12,837 | | 9,756 | | |
| BreitBurn | MANCELONA 30 | 1/08 | 2,283 | 10.93 | 500 | 3 | 25 |
| | | 2/08 | 2,075 | 10.93 | 366 | 3 | 24 |
| | | 3/08 | 2,285 | 11.04 | 423 | 3 | 25 |
| | | 4/08 | 2,194 | 11.04 | 383 | 3 | 24 |
| | | 5/08 | 2,110 | 11.04 | 405 | 3 | 23 |
| | | 6/08 | 2,235 | 11.20 | 404 | 3 | 25 |
| | | 7/08 | 2,188 | 11.20 | 5 | 3 | 24 |
| | | 8/08 | 2,338 | 11.20 | 24 | 3 | 25 |
| | | 9/08 | 2,169 | 11.20 | 7 | 3 | 24 |
| | | 10/08 | 2,246 | 11.20 | 30 | 3 | 24 |
| | | 11/08 | 1,961 | 11.16 | 17 | 3 | 22 |
| | | 12/08 | 2,276 | 9.53 | 46 | 3 | 24 |
| | | | 26,360 | | 2,610 | | |
| BreitBurn | MANCELONA EAST | 1/08 | 34,808 | 10.93 | 6,199 | 35 | 32 |
| | | 2/08 | 31,639 | 10.93 | 6,297 | 35 | 31 |
| | | 3/08 | 33,021 | 11.04 | 6,006 | 35 | 30 |
| | | 4/08 | 32,375 | 11.04 | 5,989 | 35 | 31 |
| | | 5/08 | 32,238 | 11.04 | 6,340 | 35 | 30 |
| | | 6/08 | 32,605 | 11.20 | 5,997 | 35 | 31 |
| | | 7/08 | 33,493 | 11.20 | 87 | 35 | 31 |
| | | 8/08 | 32,990 | 11.20 | 409 | 35 | 30 |
| | | 9/08 | 31,770 | 11.20 | 137 | 35 | 30 |
| | | 10/08 | 32,363 | 11.20 | 576 | 35 | 30 |
| | | 11/08 | 30,071 | 11.16 | 309 | 35 | 29 |
| | | 12/08 | 33,304 | 9.53 | 1,124 | 35 | 31 |
| | | | 390,677 | | 39,470 | | |
| BreitBurn | MANCELONA EAST Antrim | 1/08 | 9,315 | 11.36 | 1,354 | 11 | 27 |
| | | 2/08 | 8,508 | 11.36 | 1,351 | 11 | 27 |
| | | 3/08 | 8,971 | 11.36 | 1,292 | 11 | 26 |
| | | 4/08 | 8,492 | 11.36 | 1,123 | 11 | 26 |
| | | 5/08 | 8,805 | 11.36 | 1,146 | 11 | 26 |
| | | 6/08 | 9,999 | 9.30 | 1,565 | 11 | 30 |
| | | 7/08 | 10,172 | 11.36 | 1,942 | 11 | 30 |
| | | 8/08 | 10,447 | 11.36 | 1,559 | 11 | 31 |
| | | 9/08 | 9,565 | 11.36 | 1,259 | 11 | 29 |
| | | 10/08 | 7,814 | 11.36 | 1,005 | 11 | 23 |
| | | 11/08 | 8,595 | 11.36 | 1,132 | 11 | 26 |
| | | 12/08 | 8,711 | 11.36 | 567 | 11 | 26 |
| | | | 109,394 | | 15,295 | | |
| BreitBurn | MANCELONA WEST | 1/08 | 36,595 | 10.93 | 8,574 | 33 | 36 |
| | | 2/08 | 33,348 | 10.93 | 8,335 | 33 | 35 |
| | | 3/08 | 34,388 | 11.04 | 7,564 | 33 | 34 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-----------|------------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| BreitBurn | MANCELONA WEST | 4/08 | 34,182 | 11.04 | 7,781 | 33 | 35 |
| | | 5/08 | 34,510 | 11.04 | 7,066 | 33 | 34 |
| | | 6/08 | 33,209 | 11.20 | 5,361 | 33 | 34 |
| | | 7/08 | 34,173 | 11.20 | 77 | 33 | 33 |
| | | 8/08 | 34,441 | 11.20 | 342 | 33 | 34 |
| | | 9/08 | 31,864 | 11.20 | 109 | 33 | 32 |
| | | 10/08 | 34,290 | 11.20 | 456 | 33 | 34 |
| | | 11/08 | 32,346 | 11.16 | 271 | 33 | 33 |
| | | 12/08 | 34,543 | 9.53 | 775 | 33 | 34 |
| | | | | | 407,889 | | 46,711 |
| BreitBurn | MID CHARLTON PHASE 1 | 1/08 | 5,812 | 21.76 | 2,418 | 19 | 10 |
| | | 2/08 | 5,053 | 21.76 | 2,100 | 19 | 9 |
| | | 3/08 | 4,904 | 21.76 | 2,300 | 19 | 8 |
| | | 4/08 | 5,064 | 21.76 | 2,175 | 19 | 9 |
| | | 5/08 | 4,968 | 21.47 | 2,345 | 19 | 8 |
| | | 6/08 | 4,434 | 21.47 | 2,831 | 19 | 8 |
| | | 7/08 | 4,770 | 21.47 | 2,848 | 19 | 8 |
| | | 8/08 | 10,412 | 21.47 | 2,909 | 19 | 18 |
| | | 9/08 | 5,426 | 21.47 | 2,865 | 19 | 10 |
| | | 10/08 | 4,767 | 21.47 | 3,111 | 19 | 8 |
| | | 11/08 | 5,615 | 19.47 | 4,026 | 19 | 10 |
| | | 12/08 | 5,156 | 20.57 | 4,126 | 19 | 9 |
| | | | 66,381 | | 34,054 | | |
| BreitBurn | MID CHARLTON PHASE 2 | 1/08 | 12,251 | 12.21 | 12,209 | 28 | 14 |
| | | 2/08 | 11,085 | 12.21 | 14,430 | 28 | 14 |
| | | 3/08 | 11,229 | 12.21 | 15,537 | 28 | 13 |
| | | 4/08 | 11,526 | 12.21 | 6,418 | 28 | 14 |
| | | 5/08 | 12,494 | 12.21 | 6,530 | 28 | 14 |
| | | 6/08 | 11,565 | 12.21 | 6,026 | 26 | 15 |
| | | 7/08 | 12,148 | 12.21 | 6,943 | 26 | 15 |
| | | 8/08 | 13,245 | 12.21 | 7,513 | 26 | 16 |
| | | 9/08 | 11,913 | 0.00 | 6,644 | 26 | 15 |
| | | 10/08 | 12,147 | 0.00 | 7,014 | 26 | 15 |
| | | 11/08 | 10,786 | 0.00 | 6,308 | 26 | 14 |
| | | 12/08 | 9,375 | 0.00 | 5,985 | 26 | 12 |
| | | | 139,764 | | 101,557 | | |
| BreitBurn | MID CHARLTON SOUTH ADD | 1/08 | 4,342 | 24.30 | 337 | 10 | 14 |
| | | 2/08 | 3,862 | 24.30 | 351 | 10 | 13 |
| | | 3/08 | 4,003 | 24.30 | 357 | 10 | 13 |
| | | 4/08 | 3,955 | 24.30 | 343 | 10 | 13 |
| | | 5/08 | 3,939 | 24.30 | 338 | 10 | 13 |
| | | 6/08 | 3,284 | 23.69 | 320 | 10 | 11 |
| | | 7/08 | 3,358 | 23.69 | 363 | 10 | 11 |
| | | 8/08 | 4,496 | 23.69 | 374 | 10 | 14 |
| | | 9/08 | 3,748 | 23.69 | 399 | 10 | 12 |
| | | 10/08 | 3,355 | 23.69 | 392 | 10 | 11 |
| | | 11/08 | 3,590 | 23.90 | 394 | 10 | 12 |
| | | 12/08 | 3,359 | 22.50 | 384 | 10 | 11 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-----------|------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| | | | 45,291 | | 4,352 | | |
| BreitBurn | MIDDLE EARTH | 1/08 | 13,222 | 10.05 | 37,911 | 7 | 61 |
| | | 2/08 | 12,056 | 9.99 | 34,377 | 7 | 59 |
| | | 3/08 | 12,598 | 10.02 | 34,306 | 7 | 58 |
| | | 4/08 | 12,596 | 10.74 | 35,023 | 7 | 60 |
| | | 5/08 | 11,899 | 10.44 | 34,493 | 7 | 55 |
| | | 6/08 | 12,463 | 10.93 | 34,539 | 7 | 59 |
| | | 7/08 | 12,772 | 10.89 | 34,914 | 7 | 59 |
| | | 8/08 | 13,335 | 10.79 | 36,539 | 7 | 61 |
| | | 9/08 | 11,013 | 11.07 | 33,070 | 7 | 52 |
| | | 10/08 | 13,475 | 10.97 | 33,823 | 7 | 62 |
| | | 11/08 | 12,639 | 10.28 | 24,062 | 7 | 60 |
| | | 12/08 | 12,615 | 11.03 | 25,520 | 7 | 58 |
| | | | 150,683 | | 398,577 | | |
| BreitBurn | NEW CALEDONIA | 12/08 | 3,627 | 1.05 | 0 | 4 | 29 |
| | | | 3,627 | | 0 | | |
| BreitBurn | NEW CALEDONIA N | 12/08 | 846 | 0.00 | 0 | 2 | 14 |
| | | | 846 | | 0 | | |
| BreitBurn | NEW CALEDONIA NW | 12/08 | 4,274 | 0.00 | 0 | 3 | 46 |
| | | | 4,274 | | 0 | | |
| BreitBurn | NEW CALEDONIA W | 12/08 | 1,248 | 0.00 | 0 | 1 | 40 |
| | | | 1,248 | | 0 | | |
| BreitBurn | NORTH LIVINGSTON | 1/08 | 864 | 4.66 | 270 | 3 | 9 |
| | | 2/08 | 754 | 4.66 | 150 | 3 | 9 |
| | | 3/08 | 1,709 | 5.65 | 406 | 3 | 18 |
| | | 4/08 | 1,676 | 5.65 | 428 | 3 | 19 |
| | | 5/08 | 2,326 | 6.04 | 665 | 3 | 25 |
| | | 6/08 | 1,896 | 6.03 | 503 | 3 | 21 |
| | | 7/08 | 1,615 | 6.03 | 402 | 3 | 17 |
| | | 8/08 | 1,763 | 6.03 | 373 | 3 | 19 |
| | | 9/08 | 1,599 | 6.11 | 407 | 3 | 18 |
| | | 10/08 | 1,916 | 6.11 | 484 | 3 | 21 |
| | | 11/08 | 1,987 | 6.11 | 450 | 3 | 22 |
| | | 12/08 | 2,152 | 6.33 | 473 | 3 | 23 |
| | | | 20,257 | | 5,011 | | |
| BreitBurn | PICKERAL LAKE | 1/08 | 20,443 | 6.22 | 57,943 | 12 | 55 |
| | | 2/08 | 18,768 | 6.53 | 49,262 | 12 | 54 |
| | | 3/08 | 19,083 | 6.29 | 50,426 | 12 | 51 |
| | | 4/08 | 18,295 | 6.23 | 56,050 | 12 | 51 |
| | | 5/08 | 19,206 | 6.40 | 50,232 | 12 | 52 |
| | | 6/08 | 19,701 | 6.40 | 55,600 | 12 | 55 |
| | | 7/08 | 20,644 | 5.93 | 52,966 | 12 | 55 |
| | | 8/08 | 20,799 | 6.20 | 49,589 | 12 | 56 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-----------|------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| BreitBurn | PICKERAL LAKE | 9/08 | 19,449 | 6.52 | 48,046 | 12 | 54 |
| | | 10/08 | 19,052 | 6.52 | 36,200 | 12 | 51 |
| | | 11/08 | 18,112 | 6.54 | 59,399 | 12 | 50 |
| | | 12/08 | 18,232 | 6.50 | 54,686 | 12 | 49 |
| | | | 231,784 | | 620,399 | | |
| BreitBurn | POTTS LAKE | 1/08 | 22,223 | 13.23 | 3,420 | 9 | 80 |
| | | 2/08 | 20,136 | 13.23 | 3,513 | 9 | 77 |
| | | 3/08 | 22,220 | 13.23 | 3,459 | 9 | 80 |
| | | 4/08 | 20,660 | 13.01 | 3,464 | 9 | 77 |
| | | 5/08 | 22,681 | 13.01 | 3,802 | 9 | 81 |
| | | 6/08 | 20,434 | 12.65 | 2,979 | 9 | 76 |
| | | 7/08 | 24,348 | 12.65 | 2,960 | 9 | 87 |
| | | 8/08 | 23,712 | 12.65 | 3,445 | 9 | 85 |
| | | 9/08 | 23,853 | 13.04 | 3,563 | 9 | 88 |
| | | 10/08 | 24,347 | 13.04 | 3,501 | 9 | 87 |
| | | 11/08 | 22,558 | 14.07 | 2,996 | 9 | 84 |
| | | 12/08 | 22,288 | 14.07 | 2,860 | 9 | 80 |
| | | | 269,460 | | 39,962 | | |
| BreitBurn | SHELL DOVER | 1/08 | 13,415 | 16.26 | 7,443 | 21 | 21 |
| | | 2/08 | 12,581 | 16.26 | 6,620 | 21 | 21 |
| | | 3/08 | 13,496 | 16.26 | 6,850 | 21 | 21 |
| | | 4/08 | 13,106 | 16.26 | 6,933 | 21 | 21 |
| | | 5/08 | 13,382 | 16.26 | 7,343 | 21 | 21 |
| | | 6/08 | 13,990 | 16.74 | 9,952 | 22 | 21 |
| | | 7/08 | 13,344 | 16.74 | 8,406 | 21 | 20 |
| | | 8/08 | 13,882 | 16.74 | 7,725 | 21 | 21 |
| | | 9/08 | 13,828 | 16.74 | 6,602 | 21 | 22 |
| | | 10/08 | 13,341 | 16.74 | 5,855 | 21 | 20 |
| | | 11/08 | 13,329 | 16.86 | 6,125 | 21 | 21 |
| | | 12/08 | 13,686 | 16.36 | 5,531 | 21 | 21 |
| | | | 161,380 | | 85,385 | | |
| BreitBurn | SOUTH VANDERBILT | 1/08 | 4,256 | 6.22 | 17,190 | 5 | 27 |
| | | 2/08 | 4,226 | 6.53 | 16,078 | 5 | 29 |
| | | 3/08 | 4,138 | 6.29 | 17,527 | 5 | 27 |
| | | 4/08 | 4,176 | 6.23 | 15,502 | 5 | 28 |
| | | 5/08 | 3,947 | 6.40 | 17,043 | 5 | 25 |
| | | 6/08 | 3,818 | 6.40 | 18,941 | 5 | 25 |
| | | 7/08 | 3,974 | 5.93 | 17,666 | 5 | 26 |
| | | 8/08 | 3,934 | 6.20 | 18,149 | 5 | 25 |
| | | 9/08 | 3,876 | 6.52 | 17,641 | 5 | 26 |
| | | 10/08 | 3,899 | 6.52 | 15,941 | 5 | 25 |
| | | 11/08 | 3,687 | 6.54 | 14,449 | 5 | 25 |
| | | 12/08 | 3,806 | 6.50 | 13,373 | 5 | 25 |
| | | | 47,737 | | 199,500 | | |
| BreitBurn | ST CLINTON A2-7 | 1/08 | 3,961 | 16.64 | 643 | 1 | 128 |
| | | 2/08 | 3,721 | 16.64 | 686 | 1 | 128 |
| | | 3/08 | 4,294 | 16.64 | 708 | 1 | 139 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-----------|--------------------|-----------------|-----------|-------|---------------|---------------|--------------------------|
| BreitBurn | ST CLINTON A2-7 | 4/08 | 3,551 | 17.31 | 676 | 1 | 118 |
| | | 5/08 | 3,925 | 17.31 | 746 | 1 | 127 |
| | | 6/08 | 3,363 | 17.46 | 559 | 1 | 112 |
| | | 7/08 | 3,969 | 17.46 | 551 | 1 | 128 |
| | | 8/08 | 3,637 | 17.46 | 605 | 1 | 117 |
| | | 9/08 | 3,938 | 15.00 | 666 | 1 | 131 |
| | | 10/08 | 3,969 | 15.00 | 580 | 1 | 128 |
| | | 11/08 | 3,535 | 15.00 | 500 | 1 | 118 |
| | | 12/08 | 3,326 | 15.00 | 454 | 1 | 107 |
| | | | | | 45,189 | | 7,374 |
| BreitBurn | ST CLINTON A3-8 | 1/08 | 2,084 | 16.00 | 335 | 1 | 67 |
| | | 2/08 | 1,797 | 16.00 | 328 | 1 | 62 |
| | | 3/08 | 2,012 | 16.00 | 328 | 1 | 65 |
| | | 4/08 | 1,789 | 15.17 | 332 | 1 | 60 |
| | | 5/08 | 1,962 | 15.17 | 365 | 1 | 63 |
| | | 6/08 | 1,838 | 17.18 | 291 | 1 | 61 |
| | | 7/08 | 2,086 | 17.18 | 283 | 1 | 67 |
| | | 8/08 | 1,706 | 17.18 | 277 | 1 | 55 |
| | | 9/08 | 1,878 | 17.81 | 310 | 1 | 63 |
| | | 10/08 | 2,086 | 17.81 | 289 | 1 | 67 |
| | | 11/08 | 1,725 | 17.81 | 243 | 1 | 58 |
| | | 12/08 | 1,695 | 17.81 | 231 | 1 | 55 |
| | | | | | 22,658 | | 3,612 |
| BreitBurn | ST MANCELONA | 1/08 | 902 | 16.53 | 40 | 1 | 29 |
| | | 2/08 | 622 | 16.53 | 38 | 1 | 21 |
| | | 3/08 | 673 | 14.61 | 60 | 1 | 22 |
| | | 4/08 | 874 | 14.61 | 21 | 1 | 29 |
| | | 5/08 | 838 | 14.61 | 15 | 1 | 27 |
| | | 6/08 | 873 | 16.52 | 54 | 1 | 29 |
| | | 7/08 | 902 | 16.52 | 39 | 1 | 29 |
| | | 8/08 | 869 | 16.52 | 42 | 1 | 28 |
| | | 9/08 | 778 | 16.52 | 42 | 1 | 26 |
| | | 10/08 | 890 | 16.52 | 22 | 1 | 29 |
| | | 11/08 | 778 | 15.88 | 73 | 1 | 26 |
| | | 12/08 | 996 | 16.98 | 23 | 1 | 32 |
| | | | | | 9,995 | | 469 |
| BreitBurn | ST MANCELONA B4-27 | 1/08 | 1,843 | 11.77 | 399 | 1 | 59 |
| | | 2/08 | 1,737 | 11.77 | 392 | 1 | 60 |
| | | 3/08 | 1,802 | 11.34 | 371 | 1 | 58 |
| | | 4/08 | 1,801 | 11.34 | 414 | 1 | 60 |
| | | 5/08 | 1,813 | 11.34 | 406 | 1 | 58 |
| | | 6/08 | 1,719 | 11.98 | 282 | 1 | 57 |
| | | 7/08 | 1,660 | 11.98 | 342 | 1 | 54 |
| | | 8/08 | 1,538 | 11.98 | 267 | 1 | 50 |
| | | 9/08 | 1,587 | 11.98 | 190 | 1 | 53 |
| | | 10/08 | 1,239 | 11.98 | 231 | 1 | 40 |
| | | 11/08 | 1,267 | 12.19 | 204 | 1 | 42 |
| | | 12/08 | 1,331 | 11.41 | 170 | 1 | 43 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-----------|--------------------|-----------------|---------------|-------|--------------|---------------|--------------------------|
| | | | 19,337 | | 3,668 | | |
| BreitBurn | ST MANCELONA C1-24 | 1/08 | 909 | 15.78 | 61 | 1 | 29 |
| | | 2/08 | 820 | 15.78 | 49 | 1 | 28 |
| | | 3/08 | 891 | 15.83 | 159 | 1 | 29 |
| | | 4/08 | 906 | 15.83 | 123 | 1 | 30 |
| | | 5/08 | 913 | 15.83 | 52 | 1 | 29 |
| | | 6/08 | 894 | 15.94 | 37 | 1 | 30 |
| | | 7/08 | 851 | 15.94 | 37 | 1 | 27 |
| | | 8/08 | 843 | 15.94 | 28 | 1 | 27 |
| | | 9/08 | 794 | 15.94 | 34 | 1 | 26 |
| | | 10/08 | 728 | 15.94 | 89 | 1 | 23 |
| | | 11/08 | 777 | 15.94 | 88 | 1 | 26 |
| | | 12/08 | 969 | 16.63 | 41 | 1 | 31 |
| | | | 10,295 | | 798 | | |
| BreitBurn | STATE BAGLEY-HAYES | 1/08 | 6,195 | 13.95 | 257 | 4 | 50 |
| | | 2/08 | 5,673 | 13.99 | 231 | 4 | 49 |
| | | 3/08 | 6,086 | 13.98 | 255 | 4 | 49 |
| | | 4/08 | 6,062 | 13.96 | 270 | 4 | 51 |
| | | 5/08 | 6,016 | 13.95 | 268 | 4 | 49 |
| | | 6/08 | 5,903 | 14.14 | 261 | 4 | 49 |
| | | 7/08 | 5,851 | 14.20 | 297 | 4 | 47 |
| | | 8/08 | 5,744 | 14.18 | 253 | 4 | 46 |
| | | 9/08 | 5,662 | 14.25 | 271 | 4 | 47 |
| | | 10/08 | 5,936 | 14.34 | 243 | 4 | 48 |
| | | 11/08 | 5,663 | 14.45 | 260 | 4 | 47 |
| | | 12/08 | 5,700 | 14.45 | 251 | 4 | 46 |
| | | | 70,491 | | 3,117 | | |
| BreitBurn | STATE CLINTON 3 | 1/08 | 3,826 | 7.91 | 434 | 2 | 62 |
| | | 2/08 | 3,220 | 7.91 | 367 | 2 | 56 |
| | | 3/08 | 4,385 | 7.91 | 485 | 2 | 71 |
| | | 4/08 | 4,299 | 8.43 | 454 | 2 | 72 |
| | | 5/08 | 4,319 | 8.43 | 432 | 2 | 70 |
| | | 6/08 | 4,209 | 8.54 | 420 | 2 | 70 |
| | | 7/08 | 4,457 | 8.54 | 446 | 2 | 72 |
| | | 8/08 | 4,528 | 8.54 | 463 | 2 | 73 |
| | | 9/08 | 4,309 | 8.89 | 431 | 2 | 72 |
| | | 10/08 | 4,436 | 8.89 | 482 | 2 | 72 |
| | | 11/08 | 4,057 | 8.89 | 406 | 2 | 68 |
| | | 12/08 | 4,224 | 8.89 | 460 | 2 | 68 |
| | | | 50,269 | | 5,280 | | |
| BreitBurn | STATE DOVER D4-9 | 1/08 | 214 | 9.42 | 33 | 1 | 7 |
| | | 2/08 | 193 | 9.42 | 31 | 1 | 7 |
| | | 3/08 | 209 | 9.40 | 34 | 1 | 7 |
| | | 4/08 | 217 | 9.40 | 34 | 1 | 7 |
| | | 5/08 | 174 | 9.40 | 26 | 1 | 6 |
| | | 6/08 | 211 | 9.92 | 31 | 1 | 7 |
| | | 7/08 | 218 | 9.92 | 29 | 1 | 7 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-----------|-----------------------|-----------------|-----------|----------------|-------------|---------------|--------------------------|
| BreitBurn | STATE DOVER D4-9 | 8/08 | 217 | 9.92 | 31 | 1 | 7 |
| | | 9/08 | 226 | 10.15 | 33 | 1 | 8 |
| | | 10/08 | 218 | 10.15 | 43 | 1 | 7 |
| | | 11/08 | 349 | 10.15 | 41 | 1 | 12 |
| | | 12/08 | 308 | 10.50 | 42 | 1 | 10 |
| | | | | 2,754 | | 408 | |
| BreitBurn | STATE ELMER | 1/08 | 9,598 | 12.83 | 0 | 3 | 103 |
| | | 2/08 | 9,201 | 12.83 | 0 | 3 | 106 |
| | | 3/08 | 9,815 | 12.83 | 0 | 3 | 106 |
| | | 4/08 | 8,857 | 13.00 | 0 | 3 | 98 |
| | | 5/08 | 9,401 | 13.00 | 0 | 3 | 101 |
| | | 6/08 | 8,377 | 12.52 | 0 | 3 | 93 |
| | | 7/08 | 9,098 | 12.52 | 0 | 3 | 98 |
| | | 8/08 | 8,493 | 12.52 | 0 | 3 | 91 |
| | | 9/08 | 9,033 | 12.52 | 0 | 3 | 100 |
| | | 10/08 | 9,098 | 12.52 | 0 | 3 | 98 |
| | | 11/08 | 9,079 | 13.68 | 0 | 3 | 101 |
| | | 12/08 | 9,265 | 13.68 | 0 | 3 | 100 |
| | | | | 109,315 | | 0 | |
| BreitBurn | STATE HAYES 11 | 1/08 | 759 | 14.68 | 38 | 1 | 24 |
| | | 2/08 | 742 | 14.68 | 39 | 1 | 26 |
| | | 3/08 | 781 | 14.68 | 31 | 1 | 25 |
| | | 4/08 | 785 | 14.68 | 30 | 1 | 26 |
| | | 5/08 | 800 | 14.68 | 31 | 1 | 26 |
| | | 6/08 | 793 | 14.68 | 30 | 1 | 26 |
| | | 7/08 | 826 | 14.68 | 31 | 1 | 27 |
| | | 8/08 | 862 | 14.68 | 33 | 1 | 28 |
| | | 9/08 | 798 | 14.68 | 34 | 1 | 27 |
| | | 10/08 | 853 | 14.68 | 53 | 1 | 28 |
| | | 11/08 | 819 | 14.68 | 31 | 1 | 27 |
| | | 12/08 | 849 | 14.68 | 31 | 1 | 27 |
| | | | | 9,667 | | 412 | |
| BreitBurn | STATE RUST | 1/08 | 7,537 | 13.31 | 957 | 5 | 49 |
| | | 2/08 | 6,864 | 13.31 | 876 | 5 | 47 |
| | | 3/08 | 7,586 | 13.31 | 938 | 5 | 49 |
| | | 4/08 | 7,184 | 13.63 | 851 | 5 | 48 |
| | | 5/08 | 6,661 | 13.63 | 890 | 5 | 43 |
| | | 6/08 | 6,623 | 13.14 | 768 | 5 | 44 |
| | | 7/08 | 7,610 | 13.14 | 858 | 5 | 49 |
| | | 8/08 | 7,412 | 13.14 | 853 | 5 | 48 |
| | | 9/08 | 6,835 | 13.50 | 782 | 5 | 46 |
| | | 10/08 | 7,592 | 13.50 | 832 | 5 | 49 |
| | | 11/08 | 6,764 | 13.50 | 752 | 5 | 45 |
| | | 12/08 | 6,186 | 13.50 | 754 | 5 | 40 |
| | | | | 84,854 | | 10,111 | |
| BreitBurn | STURGEON VALLEY RANCH | 1/08 | 30,044 | 6.17 | 3,653 | 15 | 65 |
| | | 2/08 | 27,746 | 6.46 | 3,395 | 15 | 64 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|-----------|-----------------------|-----------------|-------------------|----------------|----------------|---------------|--------------------------|----|----|
| BreitBurn | STURGEON VALLEY RANCH | 3/08 | 28,196 | 6.24 | 4,060 | 15 | 61 | | |
| | | 4/08 | 27,492 | 6.18 | 3,902 | 15 | 61 | | |
| | | 5/08 | 26,954 | 6.34 | 4,122 | 15 | 58 | | |
| | | 6/08 | 26,012 | 6.34 | 4,647 | 15 | 58 | | |
| | | 7/08 | 26,835 | 5.90 | 4,458 | 15 | 58 | | |
| | | 8/08 | 27,099 | 6.15 | 4,670 | 15 | 58 | | |
| | | 9/08 | 27,244 | 6.45 | 4,650 | 15 | 61 | | |
| | | 10/08 | 27,379 | 6.45 | 4,220 | 15 | 59 | | |
| | | 11/08 | 26,028 | 6.47 | 3,739 | 15 | 58 | | |
| | | 12/08 | 26,114 | 6.43 | 3,495 | 15 | 56 | | |
| | | | | | 327,143 | | 49,011 | | |
| | | BreitBurn | USA ELMER CLINTON | 1/08 | 17,742 | 12.27 | 2,527 | 11 | 52 |
| | | | | 2/08 | 16,333 | 12.27 | 2,634 | 11 | 51 |
| 3/08 | 19,348 | | | 12.27 | 2,774 | 11 | 57 | | |
| 4/08 | 16,798 | | | 12.44 | 2,706 | 11 | 51 | | |
| 5/08 | 18,169 | | | 12.44 | 2,927 | 11 | 53 | | |
| 6/08 | 16,921 | | | 12.03 | 2,366 | 11 | 51 | | |
| 7/08 | 16,487 | | | 12.03 | 1,922 | 11 | 48 | | |
| 8/08 | 15,666 | | | 12.03 | 2,182 | 11 | 46 | | |
| 9/08 | 16,742 | | | 12.05 | 2,404 | 11 | 51 | | |
| 10/08 | 16,487 | | | 12.05 | 2,185 | 11 | 48 | | |
| 11/08 | 16,469 | | | 13.11 | 2,010 | 11 | 50 | | |
| 12/08 | 16,881 | | | 13.11 | 1,993 | 11 | 49 | | |
| | | | | 204,043 | | 28,630 | | | |
| BreitBurn | VIENNA 6 | 1/08 | 1,206 | 18.43 | 387 | 2 | 19 | | |
| | | 2/08 | 1,105 | 18.43 | 423 | 2 | 19 | | |
| | | 3/08 | 1,203 | 18.37 | 533 | 2 | 19 | | |
| | | 4/08 | 1,212 | 18.37 | 541 | 2 | 20 | | |
| | | 5/08 | 1,143 | 18.37 | 507 | 2 | 18 | | |
| | | 6/08 | 1,082 | 19.29 | 815 | 2 | 18 | | |
| | | 7/08 | 1,045 | 19.29 | 1,080 | 2 | 17 | | |
| | | 8/08 | 1,073 | 19.29 | 1,048 | 2 | 17 | | |
| | | 9/08 | 966 | 19.09 | 1,109 | 2 | 16 | | |
| | | 10/08 | 1,045 | 19.09 | 1,099 | 2 | 17 | | |
| | | 11/08 | 990 | 19.09 | 1,116 | 2 | 17 | | |
| | | 12/08 | 1,080 | 19.09 | 772 | 2 | 17 | | |
| | | | | | 13,150 | | 9,430 | | |
| BreitBurn | WEQUAS | 1/08 | 1,257 | 18.24 | 239 | 1 | 41 | | |
| | | 2/08 | 1,201 | 18.29 | 194 | 1 | 41 | | |
| | | 3/08 | 1,142 | 18.30 | 55 | 1 | 37 | | |
| | | 4/08 | 907 | 18.22 | 41 | 1 | 30 | | |
| | | 5/08 | 1,189 | 18.07 | 119 | 1 | 38 | | |
| | | 6/08 | 1,506 | 18.45 | 46 | 1 | 50 | | |
| | | 7/08 | 1,274 | 18.88 | 1 | 1 | 41 | | |
| | | 8/08 | 1,290 | 18.75 | 145 | 1 | 42 | | |
| | | 9/08 | 1,311 | 18.07 | 124 | 1 | 44 | | |
| | | 10/08 | 1,131 | 18.97 | 256 | 1 | 36 | | |
| | | 11/08 | 1,107 | 19.08 | 182 | 1 | 37 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--|--------------|-----------------|-------------------|-------|------------------|---------------|--------------------------|
| BreitBurn | WEQUAS | 12/08 | 1,057 | 19.04 | 1 | 1 | 34 |
| | | | 14,372 | | 1,403 | | |
| BreitBurn | WILDCARD | 1/08 | 23,175 | 22.97 | 796 | 20 | 37 |
| | | 2/08 | 21,282 | 22.97 | 742 | 21 | 35 |
| | | 3/08 | 22,701 | 22.97 | 727 | 21 | 35 |
| | | 4/08 | 22,747 | 22.97 | 735 | 21 | 36 |
| | | 5/08 | 23,335 | 22.97 | 760 | 21 | 36 |
| | | 6/08 | 21,795 | 23.12 | 740 | 21 | 35 |
| | | 7/08 | 22,157 | 23.12 | 727 | 20 | 36 |
| | | 8/08 | 21,633 | 23.12 | 739 | 20 | 35 |
| | | 9/08 | 21,588 | 23.12 | 710 | 20 | 36 |
| | | 10/08 | 22,148 | 23.12 | 765 | 20 | 36 |
| | | 11/08 | 21,684 | 23.12 | 724 | 20 | 36 |
| | | 12/08 | 22,292 | 23.27 | 728 | 20 | 36 |
| | | | 266,537 | | 8,893 | | |
| BreitBurn | WINTER | 1/08 | 5,372 | 18.48 | 666 | 17 | 10 |
| | | 2/08 | 4,977 | 18.48 | 636 | 17 | 10 |
| | | 3/08 | 5,606 | 18.58 | 1,009 | 17 | 11 |
| | | 4/08 | 5,490 | 18.58 | 998 | 17 | 11 |
| | | 5/08 | 5,562 | 18.58 | 1,033 | 17 | 11 |
| | | 6/08 | 5,308 | 18.56 | 957 | 17 | 10 |
| | | 7/08 | 5,434 | 18.56 | 951 | 17 | 10 |
| | | 8/08 | 5,195 | 18.56 | 989 | 17 | 10 |
| | | 9/08 | 5,006 | 18.75 | 911 | 17 | 10 |
| | | 10/08 | 5,434 | 18.75 | 1,089 | 17 | 10 |
| | | 11/08 | 4,894 | 18.75 | 1,004 | 17 | 10 |
| | | 12/08 | 4,560 | 18.76 | 975 | 17 | 9 |
| | | | 62,838 | | 11,218 | | |
| BreitBurn - REPORTER TOTALS: | | | 10,702,420 | | 4,851,128 | | |
| CHANDLER ENERGY, | GRAND CANYON | 1/08 | 26,896 | 4.00 | 42,176 | 26 | 33 |
| | | | 26,896 | | 42,176 | | |
| CHANDLER ENERGY, LLC - REPORTER TOTALS: | | | 26,896 | | 42,176 | | |
| DELTA | AVERY 24 | 1/08 | 21,728 | 24.00 | 233 | 16 | 44 |
| | | 2/08 | 23,288 | 24.00 | 279 | 16 | 50 |
| | | 3/08 | 23,688 | 25.00 | 278 | 16 | 48 |
| | | 4/08 | 22,896 | 25.00 | 305 | 16 | 48 |
| | | 5/08 | 23,245 | 25.00 | 243 | 16 | 47 |
| | | 6/08 | 23,188 | 25.00 | 255 | 16 | 48 |
| | | 7/08 | 23,713 | 24.00 | 257 | 16 | 48 |
| | | 8/08 | 23,586 | 25.00 | 233 | 16 | 48 |
| | | 9/08 | 23,288 | 25.00 | 225 | 16 | 49 |
| | | 10/08 | 21,737 | 25.00 | 234 | 16 | 44 |
| | | 11/08 | 21,894 | 26.00 | 222 | 16 | 46 |
| | | 12/08 | 19,784 | 26.00 | 246 | 16 | 40 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|--------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| | | | 272,035 | | 3,010 | | |
| DELTA | AVERY 31 | 1/08 | 37,422 | 24.00 | 219 | 29 | 42 |
| | | 2/08 | 33,939 | 24.00 | 150 | 29 | 40 |
| | | 3/08 | 37,513 | 25.00 | 188 | 29 | 42 |
| | | 4/08 | 35,786 | 25.00 | 196 | 29 | 41 |
| | | 5/08 | 36,570 | 25.00 | 114 | 29 | 41 |
| | | 6/08 | 35,236 | 25.00 | 108 | 29 | 41 |
| | | 7/08 | 36,986 | 24.00 | 66 | 29 | 41 |
| | | 8/08 | 35,034 | 25.00 | 152 | 29 | 39 |
| | | 9/08 | 34,437 | 25.00 | 150 | 29 | 40 |
| | | 10/08 | 36,191 | 25.00 | 173 | 29 | 40 |
| | | 11/08 | 33,238 | 26.00 | 248 | 29 | 38 |
| | | 12/08 | 30,030 | 26.00 | 240 | 29 | 33 |
| | | | 422,382 | | 2,004 | | |
| DELTA | AXFORD | 1/08 | 35,489 | 10.00 | 2,368 | 40 | 29 |
| | | 2/08 | 31,442 | 10.00 | 2,765 | 40 | 27 |
| | | 3/08 | 30,122 | 10.00 | 2,207 | 40 | 24 |
| | | 4/08 | 29,841 | 10.00 | 2,569 | 40 | 25 |
| | | 5/08 | 31,556 | 10.00 | 3,754 | 40 | 25 |
| | | 6/08 | 32,879 | 10.00 | 3,001 | 40 | 27 |
| | | 7/08 | 32,516 | 10.00 | 2,832 | 40 | 26 |
| | | 8/08 | 34,443 | 11.00 | 2,358 | 40 | 28 |
| | | 9/08 | 33,402 | 11.00 | 2,463 | 40 | 28 |
| | | 10/08 | 32,955 | 11.00 | 3,166 | 40 | 27 |
| | | 11/08 | 29,629 | 11.00 | 3,304 | 40 | 25 |
| | | 12/08 | 29,036 | 11.00 | 2,926 | 40 | 23 |
| | | | 383,310 | | 33,713 | | |
| DELTA | BENSINGER | 1/08 | 9,667 | 13.00 | 563 | 3 | 104 |
| | | 2/08 | 8,644 | 12.00 | 528 | 3 | 99 |
| | | 3/08 | 10,268 | 12.00 | 563 | 3 | 110 |
| | | 4/08 | 11,478 | 12.00 | 545 | 3 | 128 |
| | | 5/08 | 11,704 | 13.00 | 564 | 3 | 126 |
| | | 6/08 | 11,331 | 13.00 | 546 | 3 | 126 |
| | | 7/08 | 11,954 | 13.00 | 563 | 3 | 129 |
| | | 8/08 | 11,936 | 12.00 | 563 | 3 | 128 |
| | | 9/08 | 12,709 | 12.00 | 555 | 3 | 141 |
| | | 10/08 | 12,710 | 14.00 | 583 | 3 | 137 |
| | | 11/08 | 12,223 | 13.00 | 545 | 3 | 136 |
| | | 12/08 | 11,557 | 14.00 | 561 | 3 | 124 |
| | | | 136,181 | | 6,679 | | |
| DELTA | BOUGHNER | 1/08 | 12,790 | 17.00 | 1,469 | 15 | 27 |
| | | 2/08 | 11,433 | 17.00 | 1,339 | 15 | 26 |
| | | 3/08 | 11,760 | 17.00 | 1,325 | 15 | 25 |
| | | 4/08 | 11,303 | 17.00 | 1,014 | 15 | 25 |
| | | 5/08 | 12,350 | 17.00 | 1,701 | 15 | 27 |
| | | 6/08 | 12,218 | 17.00 | 1,303 | 15 | 27 |
| | | 7/08 | 12,483 | 17.00 | 1,199 | 15 | 27 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-----------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| DELTA | BOUGHNER | 8/08 | 11,906 | 17.00 | 1,140 | 15 | 26 |
| | | 9/08 | 11,611 | 17.00 | 1,156 | 15 | 26 |
| | | 10/08 | 11,523 | 17.00 | 1,183 | 15 | 25 |
| | | 11/08 | 11,375 | 17.00 | 1,214 | 15 | 25 |
| | | 12/08 | 11,250 | 18.00 | 1,232 | 15 | 24 |
| | | | | | 142,002 | | 15,275 |
| DELTA | BRILEY 17 | 1/08 | 20,104 | 15.00 | 206 | 17 | 38 |
| | | 2/08 | 20,339 | 14.00 | 195 | 17 | 41 |
| | | 3/08 | 22,120 | 14.00 | 219 | 17 | 42 |
| | | 4/08 | 21,701 | 15.00 | 193 | 17 | 43 |
| | | 5/08 | 21,703 | 15.00 | 185 | 17 | 41 |
| | | 6/08 | 18,820 | 15.00 | 158 | 17 | 37 |
| | | 7/08 | 18,912 | 15.00 | 144 | 17 | 36 |
| | | 8/08 | 19,895 | 15.00 | 139 | 17 | 38 |
| | | 9/08 | 18,870 | 16.00 | 96 | 17 | 37 |
| | | 10/08 | 17,908 | 16.00 | 109 | 17 | 34 |
| | | 11/08 | 17,125 | 17.00 | 121 | 17 | 34 |
| | | 12/08 | 16,115 | 16.00 | 100 | 17 | 31 |
| | | | 233,612 | | 1,865 | | |
| DELTA | BRILEY 20 | 1/08 | 3,414 | 15.00 | 462 | 1 | 110 |
| | | 2/08 | 3,121 | 14.00 | 431 | 1 | 108 |
| | | 3/08 | 3,080 | 14.00 | 462 | 1 | 99 |
| | | 4/08 | 2,752 | 15.00 | 447 | 1 | 92 |
| | | 5/08 | 2,703 | 15.00 | 464 | 1 | 87 |
| | | 6/08 | 2,516 | 15.00 | 447 | 1 | 84 |
| | | 7/08 | 1,874 | 15.00 | 463 | 1 | 60 |
| | | 8/08 | 2,352 | 15.00 | 458 | 1 | 76 |
| | | 9/08 | 1,856 | 16.00 | 391 | 1 | 62 |
| | | 10/08 | 2,369 | 16.00 | 436 | 1 | 76 |
| | | 11/08 | 1,947 | 17.00 | 357 | 1 | 65 |
| | | 12/08 | 1,609 | 6.00 | 368 | 1 | 52 |
| | | | 29,593 | | 5,186 | | |
| DELTA | BRILEY 33 | 1/08 | 9,448 | 15.00 | 286 | 10 | 30 |
| | | 2/08 | 8,963 | 14.00 | 229 | 10 | 31 |
| | | 3/08 | 9,965 | 14.00 | 255 | 10 | 32 |
| | | 4/08 | 9,592 | 15.00 | 216 | 10 | 32 |
| | | 5/08 | 9,661 | 15.00 | 191 | 10 | 31 |
| | | 6/08 | 9,632 | 15.00 | 249 | 10 | 32 |
| | | 7/08 | 9,668 | 15.00 | 177 | 10 | 31 |
| | | 8/08 | 9,530 | 15.00 | 186 | 10 | 31 |
| | | 9/08 | 9,148 | 16.00 | 183 | 10 | 30 |
| | | 10/08 | 9,028 | 16.00 | 215 | 10 | 29 |
| | | 11/08 | 8,761 | 17.00 | 205 | 10 | 29 |
| | | 12/08 | 9,284 | 16.00 | 215 | 10 | 30 |
| | | | 112,680 | | 2,607 | | |
| DELTA | DELTA BRILEY 19 | 1/08 | 20,960 | 15.00 | 2,893 | 24 | 28 |
| | | 2/08 | 18,938 | 14.00 | 2,571 | 24 | 27 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|-----------------|-----------------|-----------------|-------|----------------|---------------|--------------------------|----|----|
| DELTA | DELTA BRILEY 19 | 3/08 | 19,655 | 14.00 | 2,813 | 24 | 26 | | |
| | | 4/08 | 19,943 | 15.00 | 2,645 | 24 | 28 | | |
| | | 5/08 | 20,728 | 15.00 | 2,677 | 24 | 28 | | |
| | | 6/08 | 21,233 | 15.00 | 2,643 | 24 | 29 | | |
| | | 7/08 | 20,828 | 15.00 | 2,888 | 24 | 28 | | |
| | | 8/08 | 19,953 | 15.00 | 2,464 | 24 | 27 | | |
| | | 9/08 | 19,402 | 16.00 | 2,247 | 24 | 27 | | |
| | | 10/08 | 19,396 | 16.00 | 2,373 | 24 | 26 | | |
| | | 11/08 | 18,249 | 17.00 | 1,943 | 24 | 25 | | |
| | | 12/08 | 15,350 | 16.00 | 2,438 | 24 | 21 | | |
| | | | | | 234,635 | | 30,595 | | |
| | | DELTA | DELTA BRILEY 29 | 1/08 | 40,446 | 15.00 | 1,969 | 31 | 42 |
| | | | | 2/08 | 37,203 | 14.00 | 1,664 | 31 | 41 |
| 3/08 | 41,964 | | | 14.00 | 1,550 | 31 | 44 | | |
| 4/08 | 43,174 | | | 15.00 | 1,716 | 31 | 46 | | |
| 5/08 | 43,157 | | | 15.00 | 1,519 | 31 | 45 | | |
| 6/08 | 42,440 | | | 15.00 | 1,490 | 31 | 46 | | |
| 7/08 | 43,364 | | | 15.00 | 1,780 | 31 | 45 | | |
| 8/08 | 43,258 | | | 15.00 | 1,190 | 31 | 45 | | |
| 9/08 | 43,399 | | | 16.00 | 1,732 | 31 | 47 | | |
| 10/08 | 44,155 | | | 16.00 | 1,960 | 31 | 46 | | |
| 11/08 | 40,497 | | | 17.00 | 1,894 | 31 | 44 | | |
| 12/08 | 36,533 | | | 16.00 | 2,159 | 31 | 38 | | |
| | | | | | 499,590 | | 20,623 | | |
| DELTA | DELTA BRILEY 31 | 1/08 | 19,396 | 15.00 | 411 | 18 | 35 | | |
| | | 2/08 | 19,902 | 14.00 | 478 | 18 | 38 | | |
| | | 3/08 | 21,070 | 14.00 | 615 | 18 | 38 | | |
| | | 4/08 | 20,893 | 15.00 | 557 | 18 | 39 | | |
| | | 5/08 | 21,167 | 15.00 | 552 | 18 | 38 | | |
| | | 6/08 | 21,377 | 15.00 | 743 | 18 | 40 | | |
| | | 7/08 | 21,719 | 15.00 | 731 | 18 | 39 | | |
| | | 8/08 | 21,120 | 15.00 | 643 | 18 | 38 | | |
| | | 9/08 | 20,165 | 16.00 | 614 | 18 | 37 | | |
| | | 10/08 | 20,923 | 16.00 | 695 | 18 | 37 | | |
| | | 11/08 | 19,571 | 17.00 | 549 | 18 | 36 | | |
| | | 12/08 | 19,247 | 16.00 | 385 | 18 | 34 | | |
| | | | | | 246,550 | | 6,973 | | |
| DELTA | DOVER 14 | 1/08 | 7,171 | 13.00 | 2,267 | 8 | 29 | | |
| | | 2/08 | 6,541 | 12.00 | 2,363 | 8 | 28 | | |
| | | 3/08 | 7,653 | 12.00 | 2,777 | 8 | 31 | | |
| | | 4/08 | 7,327 | 12.00 | 2,287 | 8 | 31 | | |
| | | 5/08 | 7,268 | 13.00 | 2,537 | 8 | 29 | | |
| | | 6/08 | 9,954 | 13.00 | 2,287 | 8 | 41 | | |
| | | 7/08 | 10,308 | 13.00 | 2,343 | 8 | 42 | | |
| | | 8/08 | 9,277 | 12.00 | 2,442 | 8 | 37 | | |
| | | 9/08 | 9,293 | 13.00 | 2,044 | 8 | 39 | | |
| | | 10/08 | 10,140 | 14.00 | 2,359 | 8 | 41 | | |
| | | 11/08 | 9,458 | 13.00 | 2,486 | 8 | 39 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|--------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| DELTA | DOVER 14 | 12/08 | 8,125 | 14.00 | 2,342 | 8 | 33 |
| | | | 102,515 | | 28,534 | | |
| DELTA | DOVER 33 | 1/08 | 4,235 | 17.00 | 240 | 3 | 46 |
| | | 2/08 | 3,904 | 17.00 | 225 | 3 | 45 |
| | | 3/08 | 4,332 | 17.00 | 240 | 3 | 47 |
| | | 4/08 | 4,208 | 17.00 | 233 | 3 | 47 |
| | | 5/08 | 4,543 | 17.00 | 233 | 3 | 49 |
| | | 6/08 | 4,411 | 17.00 | 233 | 3 | 49 |
| | | 7/08 | 4,301 | 17.00 | 241 | 3 | 46 |
| | | 8/08 | 4,426 | 17.00 | 241 | 3 | 48 |
| | | 9/08 | 4,265 | 17.00 | 222 | 3 | 47 |
| | | 10/08 | 4,113 | 17.00 | 241 | 3 | 44 |
| | | 11/08 | 3,995 | 17.00 | 2,645 | 3 | 44 |
| | | 12/08 | 3,975 | 18.00 | 240 | 3 | 43 |
| | | | 50,708 | | 5,234 | | |
| DELTA | ELMER 17A | 1/08 | 616 | 5.00 | 116 | 12 | 2 |
| | | 2/08 | 599 | 6.00 | 108 | 12 | 2 |
| | | 3/08 | 597 | 6.00 | 116 | 12 | 2 |
| | | 4/08 | 585 | 6.00 | 112 | 12 | 2 |
| | | 5/08 | 628 | 6.00 | 116 | 12 | 2 |
| | | 6/08 | 608 | 6.00 | 112 | 12 | 2 |
| | | 7/08 | 643 | 6.00 | 116 | 12 | 2 |
| | | 8/08 | 639 | 6.00 | 116 | 12 | 2 |
| | | 9/08 | 597 | 6.00 | 112 | 12 | 2 |
| | | 10/08 | 626 | 6.00 | 116 | 12 | 2 |
| | | 11/08 | 607 | 6.00 | 112 | 12 | 2 |
| | | 12/08 | 604 | 6.00 | 116 | 12 | 2 |
| | | | 7,349 | | 1,368 | | |
| DELTA | ELMER 17B | 1/08 | 8,841 | 5.00 | 3,230 | 9 | 32 |
| | | 2/08 | 8,107 | 6.00 | 3,043 | 9 | 31 |
| | | 3/08 | 9,066 | 6.00 | 3,553 | 9 | 32 |
| | | 4/08 | 8,715 | 6.00 | 2,853 | 9 | 32 |
| | | 5/08 | 8,976 | 6.00 | 2,597 | 9 | 32 |
| | | 6/08 | 8,376 | 6.00 | 2,957 | 9 | 31 |
| | | 7/08 | 8,656 | 6.00 | 2,863 | 9 | 31 |
| | | 8/08 | 8,474 | 6.00 | 2,748 | 9 | 30 |
| | | 9/08 | 8,358 | 6.00 | 1,942 | 9 | 31 |
| | | 10/08 | 8,937 | 6.00 | 1,372 | 9 | 32 |
| | | 11/08 | 8,407 | 6.00 | 1,165 | 9 | 31 |
| | | 12/08 | 8,758 | 6.00 | 1,123 | 9 | 31 |
| | | | 103,671 | | 29,446 | | |
| DELTA | ELMER 26 | 1/08 | 17,328 | 5.00 | 5,100 | 23 | 24 |
| | | 2/08 | 15,323 | 6.00 | 4,755 | 23 | 23 |
| | | 3/08 | 16,222 | 6.00 | 5,138 | 23 | 23 |
| | | 4/08 | 16,378 | 6.00 | 5,228 | 23 | 24 |
| | | 5/08 | 17,092 | 6.00 | 5,362 | 23 | 24 |
| | | 6/08 | 16,593 | 6.00 | 4,986 | 23 | 24 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|----------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| DELTA | ELMER 26 | 7/08 | 17,269 | 6.00 | 5,711 | 23 | 24 |
| | | 8/08 | 17,887 | 6.00 | 5,819 | 23 | 25 |
| | | 9/08 | 16,116 | 6.00 | 4,466 | 23 | 23 |
| | | 10/08 | 17,545 | 6.00 | 6,061 | 23 | 25 |
| | | 11/08 | 16,419 | 6.00 | 5,355 | 23 | 24 |
| | | 12/08 | 16,381 | 6.00 | 5,319 | 23 | 23 |
| | | | | | 200,553 | | 63,300 |
| DELTA | GARDNER 32 | 1/08 | 11,914 | 14.00 | 6,086 | 28 | 14 |
| | | 2/08 | 11,432 | 14.00 | 6,930 | 28 | 14 |
| | | 3/08 | 12,164 | 14.00 | 6,514 | 28 | 14 |
| | | 4/08 | 13,043 | 13.00 | 6,161 | 28 | 16 |
| | | 5/08 | 13,971 | 14.00 | 6,430 | 28 | 16 |
| | | 6/08 | 12,739 | 14.00 | 6,042 | 28 | 15 |
| | | 7/08 | 13,334 | 14.00 | 6,567 | 28 | 15 |
| | | 8/08 | 13,380 | 15.00 | 6,857 | 28 | 15 |
| | | 9/08 | 13,091 | 14.00 | 6,946 | 28 | 16 |
| | | 10/08 | 13,296 | 14.00 | 7,221 | 28 | 15 |
| | | 11/08 | 12,751 | 15.00 | 7,013 | 28 | 15 |
| | | 12/08 | 12,563 | 15.00 | 7,542 | 28 | 14 |
| | | | 153,678 | | 80,309 | | |
| DELTA | KUBACKI | 1/08 | 7,296 | 13.00 | 4,904 | 19 | 12 |
| | | 2/08 | 7,107 | 12.00 | 5,115 | 19 | 13 |
| | | 3/08 | 7,951 | 12.00 | 6,209 | 19 | 13 |
| | | 4/08 | 8,084 | 12.00 | 5,643 | 19 | 14 |
| | | 5/08 | 8,377 | 13.00 | 5,749 | 19 | 14 |
| | | 6/08 | 7,419 | 13.00 | 4,689 | 19 | 13 |
| | | 7/08 | 7,489 | 13.00 | 4,364 | 19 | 13 |
| | | 8/08 | 7,222 | 12.00 | 6,809 | 19 | 12 |
| | | 9/08 | 7,031 | 12.00 | 5,190 | 19 | 12 |
| | | 10/08 | 8,552 | 14.00 | 6,119 | 19 | 15 |
| | | 11/08 | 7,886 | 13.00 | 3,982 | 19 | 14 |
| | | 12/08 | 7,673 | 14.00 | 5,451 | 19 | 13 |
| | | | 92,087 | | 64,224 | | |
| DELTA | LAKE 15 | 1/08 | 37,521 | 23.00 | 834 | 20 | 61 |
| | | 2/08 | 35,316 | 23.00 | 954 | 20 | 61 |
| | | 3/08 | 37,717 | 23.00 | 915 | 20 | 61 |
| | | 4/08 | 35,891 | 23.00 | 766 | 20 | 60 |
| | | 5/08 | 37,091 | 23.00 | 764 | 20 | 60 |
| | | 6/08 | 36,015 | 23.00 | 976 | 20 | 60 |
| | | 7/08 | 36,872 | 23.00 | 959 | 20 | 59 |
| | | 8/08 | 36,450 | 23.00 | 1,072 | 20 | 59 |
| | | 9/08 | 35,679 | 23.00 | 741 | 20 | 59 |
| | | 10/08 | 36,521 | 23.00 | 670 | 20 | 59 |
| | | 11/08 | 35,126 | 24.00 | 689 | 20 | 59 |
| | | 12/08 | 32,157 | 24.00 | 635 | 20 | 52 |
| | | | 432,356 | | 9,975 | | |
| DELTA | MONTMORENCY 34 | 1/08 | 14,070 | 2.00 | 40,393 | 7 | 65 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|----------------|-----------------|------------|-------|----------------|---------------|--------------------------|---|----|
| DELTA | MONTMORENCY 34 | 2/08 | 11,732 | 2.00 | 36,161 | 7 | 58 | | |
| | | 3/08 | 13,875 | 2.00 | 40,995 | 7 | 64 | | |
| | | 4/08 | 11,909 | 2.00 | 36,509 | 7 | 57 | | |
| | | 5/08 | 14,423 | 2.00 | 23,315 | 7 | 66 | | |
| | | 6/08 | 13,542 | 2.00 | 41,364 | 7 | 64 | | |
| | | 7/08 | 13,338 | 2.00 | 42,672 | 7 | 61 | | |
| | | 8/08 | 13,777 | 2.00 | 42,672 | 7 | 63 | | |
| | | 9/08 | 13,962 | 2.00 | 39,121 | 7 | 66 | | |
| | | 10/08 | 14,470 | 2.00 | 38,990 | 7 | 67 | | |
| | | 11/08 | 12,777 | 2.00 | 34,715 | 7 | 61 | | |
| | | 12/08 | 12,728 | 2.00 | 34,572 | 7 | 59 | | |
| | | | | | 160,603 | | 451,479 | | |
| | | DELTA | MT RAYNIER | 1/08 | 3,116 | 15.00 | 13 | 4 | 25 |
| 2/08 | 3,462 | | | 14.00 | 0 | 4 | 30 | | |
| 3/08 | 5,027 | | | 14.00 | 128 | 4 | 41 | | |
| 4/08 | 4,572 | | | 15.00 | 58 | 4 | 38 | | |
| 5/08 | 4,520 | | | 15.00 | 60 | 4 | 36 | | |
| 6/08 | 5,512 | | | 15.00 | 145 | 4 | 46 | | |
| 7/08 | 5,795 | | | 15.00 | 123 | 4 | 47 | | |
| 8/08 | 5,576 | | | 15.00 | 97 | 4 | 45 | | |
| 9/08 | 5,116 | | | 16.00 | 194 | 4 | 43 | | |
| 10/08 | 5,166 | | | 16.00 | 83 | 4 | 42 | | |
| 11/08 | 4,629 | | | 17.00 | 222 | 4 | 39 | | |
| 12/08 | 3,982 | | | 16.00 | 0 | 4 | 32 | | |
| | | | | | 56,473 | | 1,123 | | |
| DELTA | NIMBY | 1/08 | 6,595 | 10.00 | 4,996 | 13 | 16 | | |
| | | 2/08 | 5,944 | 10.00 | 5,152 | 13 | 16 | | |
| | | 3/08 | 9,468 | 10.00 | 7,375 | 13 | 23 | | |
| | | 4/08 | 9,697 | 10.00 | 6,330 | 13 | 25 | | |
| | | 5/08 | 8,741 | 10.00 | 6,121 | 13 | 22 | | |
| | | 6/08 | 8,838 | 10.00 | 6,091 | 13 | 23 | | |
| | | 7/08 | 9,017 | 10.00 | 6,248 | 13 | 22 | | |
| | | 8/08 | 7,700 | 11.00 | 4,904 | 13 | 19 | | |
| | | 9/08 | 6,436 | 11.00 | 4,295 | 13 | 17 | | |
| | | 10/08 | 6,495 | 11.00 | 5,236 | 13 | 16 | | |
| | | 11/08 | 4,946 | 11.00 | 4,693 | 13 | 13 | | |
| | | 12/08 | 5,195 | 11.00 | 4,373 | 13 | 13 | | |
| | | | | | 89,072 | | 65,814 | | |
| DELTA | SCHRADER | 1/08 | 17,390 | 13.00 | 5,611 | 32 | 18 | | |
| | | 2/08 | 19,901 | 12.00 | 4,725 | 32 | 21 | | |
| | | 3/08 | 20,231 | 12.00 | 5,237 | 32 | 20 | | |
| | | 4/08 | 18,134 | 12.00 | 5,199 | 32 | 19 | | |
| | | 5/08 | 18,497 | 13.00 | 5,475 | 32 | 19 | | |
| | | 6/08 | 15,109 | 13.00 | 4,845 | 32 | 16 | | |
| | | 7/08 | 15,994 | 13.00 | 5,282 | 32 | 16 | | |
| | | 8/08 | 16,281 | 12.00 | 5,131 | 32 | 16 | | |
| | | 9/08 | 13,602 | 12.00 | 4,986 | 32 | 14 | | |
| | | 10/08 | 13,917 | 14.00 | 4,716 | 32 | 14 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|---------------------------------|--------------|-----------------|------------------|-------|------------------|---------------|--------------------------|
| DELTA | SCHRADER | 11/08 | 15,109 | 13.00 | 4,681 | 32 | 16 |
| | | 12/08 | 15,091 | 14.00 | 5,094 | 32 | 15 |
| | | | 199,256 | | 60,982 | | |
| DELTA | TOWNLINE | 1/08 | 10,000 | 2.00 | 38,807 | 11 | 29 |
| | | 2/08 | 9,870 | 2.00 | 34,738 | 11 | 31 |
| | | 3/08 | 8,754 | 2.00 | 39,384 | 11 | 26 |
| | | 4/08 | 7,933 | 2.00 | 35,075 | 11 | 24 |
| | | 5/08 | 7,848 | 2.00 | 22,405 | 11 | 23 |
| | | 6/08 | 8,249 | 2.00 | 39,741 | 11 | 25 |
| | | 7/08 | 9,870 | 2.00 | 40,998 | 11 | 29 |
| | | 8/08 | 7,804 | 2.00 | 80,813 | 11 | 23 |
| | | 9/08 | 6,655 | 2.00 | 37,587 | 11 | 20 |
| | | 10/08 | 7,162 | 2.00 | 37,463 | 11 | 21 |
| | | 11/08 | 7,506 | 2.00 | 33,355 | 11 | 23 |
| | | 12/08 | 6,241 | 2.00 | 33,219 | 11 | 18 |
| | | | 97,892 | | 473,585 | | |
| DELTA | VIENNA 13 | 1/08 | 5,632 | 15.00 | 557 | 11 | 17 |
| | | 2/08 | 4,752 | 14.00 | 584 | 11 | 15 |
| | | 3/08 | 5,174 | 14.00 | 633 | 11 | 15 |
| | | 4/08 | 4,823 | 15.00 | 531 | 11 | 15 |
| | | 5/08 | 5,131 | 15.00 | 559 | 11 | 15 |
| | | 6/08 | 4,510 | 15.00 | 498 | 11 | 14 |
| | | 7/08 | 5,228 | 15.00 | 555 | 11 | 15 |
| | | 8/08 | 5,782 | 15.00 | 587 | 11 | 17 |
| | | 9/08 | 5,738 | 16.00 | 578 | 11 | 17 |
| | | 10/08 | 5,248 | 16.00 | 613 | 11 | 15 |
| | | 11/08 | 4,852 | 17.00 | 637 | 11 | 15 |
| | | 12/08 | 4,645 | 16.00 | 1,085 | 11 | 14 |
| | | | 61,515 | | 7,417 | | |
| DELTA | VIENNA/WALTZ | 1/08 | 6,366 | 2.00 | 14,546 | 8 | 26 |
| | | 2/08 | 4,386 | 2.00 | 15,313 | 8 | 19 |
| | | 3/08 | 5,700 | 2.00 | 20,705 | 8 | 23 |
| | | 4/08 | 6,748 | 2.00 | 18,738 | 8 | 28 |
| | | 5/08 | 6,913 | 2.00 | 27,610 | 8 | 28 |
| | | 6/08 | 6,868 | 2.00 | 29,798 | 8 | 29 |
| | | 7/08 | 6,252 | 2.00 | 29,512 | 8 | 25 |
| | | 8/08 | 7,470 | 2.00 | 28,102 | 8 | 30 |
| | | 9/08 | 7,017 | 2.00 | 27,043 | 8 | 29 |
| | | 10/08 | 6,741 | 2.00 | 23,292 | 8 | 27 |
| | | 11/08 | 5,540 | 2.00 | 14,971 | 8 | 23 |
| | | 12/08 | 5,658 | 2.00 | 14,846 | 8 | 23 |
| | | | 75,659 | | 264,476 | | |
| DELTA - REPORTER TOTALS: | | | 4,595,957 | | 1,735,796 | | |
| DEVONIAN ENERGY | CHARLTON 32 | 1/08 | 6,153 | 23.89 | 29 | 11 | 18 |
| | | 2/08 | 5,720 | 23.89 | 55 | 11 | 18 |
| | | 3/08 | 6,363 | 23.89 | 118 | 11 | 19 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|---|---------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| DEVONIAN ENERGY | CHARLTON 32 | 4/08 | 6,147 | 23.71 | 156 | 11 | 19 |
| | | 5/08 | 6,395 | 23.71 | 226 | 11 | 19 |
| | | 6/08 | 6,152 | 21.40 | 219 | 11 | 19 |
| | | 7/08 | 6,209 | 21.40 | 248 | 11 | 18 |
| | | 8/08 | 6,150 | 21.40 | 273 | 21 | 9 |
| | | 9/08 | 5,419 | 21.40 | 138 | 21 | 9 |
| | | 10/08 | 5,177 | 24.00 | 244 | 21 | 8 |
| | | 11/08 | 6,158 | 24.00 | 219 | 21 | 10 |
| | | 12/08 | 5,017 | 24.00 | 203 | 21 | 8 |
| | | | | | 71,060 | | 2,128 |
| DEVONIAN ENERGY | J A BOTT | 1/08 | 10,274 | 27.88 | 71 | 18 | 18 |
| | | 2/08 | 8,924 | 28.28 | 73 | 18 | 17 |
| | | 3/08 | 10,194 | 28.23 | 202 | 18 | 18 |
| | | 4/08 | 9,772 | 27.81 | 112 | 18 | 18 |
| | | 5/08 | 9,821 | 28.14 | 33 | 18 | 18 |
| | | 6/08 | 9,539 | 27.95 | 26 | 18 | 18 |
| | | 7/08 | 9,777 | 27.83 | 37 | 18 | 18 |
| | | 8/08 | 9,923 | 27.96 | 13 | 18 | 18 |
| | | 9/08 | 9,501 | 28.11 | 15 | 18 | 18 |
| | | 10/08 | 9,867 | 27.88 | 23 | 18 | 18 |
| | | 11/08 | 9,791 | 27.88 | 61 | 18 | 18 |
| | | 12/08 | 10,065 | 27.88 | 208 | 18 | 18 |
| | | | 117,448 | | 874 | | |
| DEVONIAN ENERGY - REPORTER TOTALS: | | | 188,508 | | 3,002 | | |
| DYNAMIC DEVELOPM | NYSTROM C1-14 | 1/08 | 602 | 16.00 | 140 | 1 | 19 |
| | | 2/08 | 658 | 16.00 | 0 | 1 | 23 |
| | | 3/08 | 564 | 16.00 | 306 | 1 | 18 |
| | | 4/08 | 637 | 16.00 | 266 | 1 | 21 |
| | | 5/08 | 601 | 16.00 | 243 | 1 | 19 |
| | | 6/08 | 519 | 16.00 | 219 | 1 | 17 |
| | | 7/08 | 353 | 16.00 | 48 | 1 | 11 |
| | | 8/08 | 21 | 16.00 | 0 | 1 | 1 |
| | | 9/08 | 0 | 16.00 | 0 | 0 | 0 |
| | | 10/08 | 0 | 16.00 | 0 | 0 | 0 |
| | | 11/08 | 336 | 16.00 | 332 | 1 | 11 |
| | | 12/08 | 577 | 16.00 | 291 | 1 | 19 |
| | | | 4,868 | | 1,845 | | |
| DYNAMIC DEVELOPMENT - REPORTER TOTALS: | | | 4,868 | | 1,845 | | |
| ENERVEST OPERATIN | ASE 1 HAYES | 1/08 | 5,678 | 19.95 | 1,561 | 13 | 14 |
| | | 2/08 | 5,503 | 19.41 | 1,497 | 13 | 15 |
| | | 3/08 | 5,624 | 19.60 | 1,563 | 13 | 14 |
| | | 4/08 | 5,538 | 19.24 | 2,115 | 13 | 14 |
| | | 5/08 | 5,692 | 18.81 | 1,573 | 13 | 14 |
| | | 6/08 | 5,511 | 19.26 | 1,390 | 13 | 14 |
| | | 7/08 | 5,677 | 19.21 | 1,453 | 13 | 14 |
| | | 8/08 | 5,731 | 19.20 | 1,459 | 13 | 14 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-------------------|--------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| ENERVEST OPERATIN | ASE 1 HAYES | 9/08 | 5,556 | 19.25 | 1,476 | 13 | 14 |
| | | 10/08 | 5,740 | 19.49 | 1,524 | 13 | 14 |
| | | 11/08 | 5,473 | 20.27 | 1,438 | 13 | 14 |
| | | 12/08 | 5,699 | 20.27 | 1,381 | 13 | 14 |
| | | | 67,422 | | 18,430 | | |
| ENERVEST OPERATIN | ASE 2 | 1/08 | 9,140 | 25.36 | 872 | 10 | 29 |
| | | 2/08 | 8,259 | 25.36 | 822 | 10 | 28 |
| | | 3/08 | 9,063 | 25.36 | 1,114 | 10 | 29 |
| | | 4/08 | 8,805 | 26.08 | 1,273 | 10 | 29 |
| | | 5/08 | 9,266 | 26.08 | 1,318 | 10 | 30 |
| | | 6/08 | 8,893 | 26.08 | 374 | 10 | 30 |
| | | 7/08 | 9,059 | 26.08 | 378 | 10 | 29 |
| | | 8/08 | 9,120 | 26.08 | 356 | 10 | 29 |
| | | 9/08 | 9,134 | 26.08 | 223 | 10 | 30 |
| | | 10/08 | 9,073 | 25.59 | 205 | 10 | 29 |
| | | 11/08 | 9,617 | 25.59 | 223 | 10 | 32 |
| | | 12/08 | 8,698 | 25.59 | 283 | 10 | 28 |
| | | | 108,127 | | 7,441 | | |
| ENERVEST OPERATIN | ASE 3A-25 | 1/08 | 6,647 | 17.82 | 3,960 | 14 | 15 |
| | | 2/08 | 6,141 | 17.82 | 4,648 | 14 | 15 |
| | | 3/08 | 7,675 | 17.82 | 4,626 | 14 | 18 |
| | | 4/08 | 7,216 | 18.03 | 3,993 | 14 | 17 |
| | | 5/08 | 6,971 | 18.03 | 3,927 | 14 | 16 |
| | | 6/08 | 6,551 | 18.03 | 3,427 | 14 | 16 |
| | | 7/08 | 6,093 | 18.03 | 3,444 | 14 | 14 |
| | | 8/08 | 6,678 | 18.03 | 4,445 | 14 | 15 |
| | | 9/08 | 6,607 | 18.03 | 4,271 | 14 | 16 |
| | | 10/08 | 6,564 | 18.72 | 4,369 | 14 | 15 |
| | | 11/08 | 6,451 | 18.72 | 4,536 | 14 | 15 |
| | | 12/08 | 6,952 | 18.72 | 5,843 | 14 | 16 |
| | | | 80,546 | | 51,489 | | |
| ENERVEST OPERATIN | ASE 3A-36 | 1/08 | 559 | 18.18 | 333 | 2 | 9 |
| | | 2/08 | 343 | 18.18 | 260 | 2 | 6 |
| | | 3/08 | 417 | 15.71 | 251 | 2 | 7 |
| | | 4/08 | 538 | 19.22 | 298 | 2 | 9 |
| | | 5/08 | 674 | 19.22 | 380 | 2 | 11 |
| | | 6/08 | 946 | 19.22 | 495 | 2 | 16 |
| | | 7/08 | 686 | 19.22 | 388 | 2 | 11 |
| | | 8/08 | 870 | 19.22 | 579 | 2 | 14 |
| | | 9/08 | 839 | 19.22 | 542 | 2 | 14 |
| | | 10/08 | 851 | 19.38 | 566 | 2 | 14 |
| | | 11/08 | 820 | 19.38 | 577 | 2 | 14 |
| | | 12/08 | 875 | 19.38 | 735 | 2 | 14 |
| | | | 8,418 | | 5,404 | | |
| ENERVEST OPERATIN | ASE 3B WOLFE | 1/08 | 12,755 | 28.55 | 1,217 | 16 | 26 |
| | | 2/08 | 12,414 | 28.55 | 1,235 | 16 | 27 |
| | | 3/08 | 14,129 | 27.38 | 1,736 | 16 | 28 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|-------------------|--------------|-------------------|--------------------|-------|----------------|---------------|--------------------------|---|----|
| ENERVEST OPERATIN | ASE 3B WOLFE | 4/08 | 13,511 | 28.18 | 1,953 | 16 | 28 | | |
| | | 5/08 | 14,205 | 28.18 | 2,020 | 16 | 29 | | |
| | | 6/08 | 13,221 | 28.18 | 556 | 16 | 28 | | |
| | | 7/08 | 13,510 | 28.18 | 564 | 16 | 27 | | |
| | | 8/08 | 13,671 | 28.18 | 533 | 16 | 28 | | |
| | | 9/08 | 13,563 | 28.18 | 332 | 16 | 28 | | |
| | | 10/08 | 12,461 | 27.85 | 282 | 16 | 25 | | |
| | | 11/08 | 11,380 | 27.85 | 263 | 16 | 24 | | |
| | | 12/08 | 13,453 | 27.85 | 438 | 16 | 27 | | |
| | | | | | 158,273 | | 11,129 | | |
| | | ENERVEST OPERATIN | ASE 3B WOLFE ET AL | 1/08 | 1,374 | 27.44 | 131 | 3 | 15 |
| | | | | 2/08 | 1,206 | 27.44 | 120 | 3 | 14 |
| | | | | 3/08 | 1,528 | 27.44 | 188 | 3 | 16 |
| 4/08 | 1,290 | | | 27.14 | 187 | 3 | 14 | | |
| 5/08 | 1,376 | | | 27.14 | 196 | 3 | 15 | | |
| 6/08 | 1,291 | | | 27.14 | 54 | 3 | 14 | | |
| 7/08 | 1,311 | | | 27.14 | 55 | 3 | 14 | | |
| 8/08 | 1,271 | | | 27.14 | 50 | 3 | 14 | | |
| 9/08 | 1,305 | | | 27.14 | 32 | 3 | 15 | | |
| 10/08 | 1,289 | | | 27.44 | 29 | 3 | 14 | | |
| 11/08 | 1,421 | | | 27.44 | 33 | 3 | 16 | | |
| 12/08 | 1,320 | | | 27.44 | 43 | 3 | 14 | | |
| | | | | | 15,982 | | 1,118 | | |
| ENERVEST OPERATIN | ASE 4-16 | 1/08 | 4,215 | 14.94 | 676 | 8 | 17 | | |
| | | 2/08 | 4,263 | 14.94 | 788 | 8 | 18 | | |
| | | 3/08 | 4,570 | 14.94 | 831 | 8 | 18 | | |
| | | 4/08 | 4,369 | 16.30 | 694 | 8 | 18 | | |
| | | 5/08 | 4,810 | 16.30 | 763 | 8 | 19 | | |
| | | 6/08 | 4,770 | 16.30 | 767 | 8 | 20 | | |
| | | 7/08 | 4,662 | 16.30 | 815 | 8 | 19 | | |
| | | 8/08 | 4,719 | 16.30 | 774 | 8 | 19 | | |
| | | 9/08 | 4,356 | 16.30 | 651 | 8 | 18 | | |
| | | 10/08 | 4,865 | 17.25 | 790 | 8 | 20 | | |
| | | 11/08 | 4,402 | 17.25 | 659 | 8 | 18 | | |
| | | 12/08 | 4,540 | 17.25 | 734 | 8 | 18 | | |
| | | | | | 54,541 | | 8,942 | | |
| ENERVEST OPERATIN | ASE 4-17 | 1/08 | 7,654 | 8.63 | 1,227 | 6 | 41 | | |
| | | 2/08 | 7,190 | 8.63 | 1,329 | 6 | 41 | | |
| | | 3/08 | 7,338 | 8.63 | 1,306 | 6 | 39 | | |
| | | 4/08 | 6,711 | 15.34 | 1,065 | 6 | 37 | | |
| | | 5/08 | 6,306 | 15.34 | 1,001 | 6 | 34 | | |
| | | 6/08 | 6,181 | 15.34 | 994 | 6 | 34 | | |
| | | 7/08 | 6,169 | 15.34 | 1,078 | 6 | 33 | | |
| | | 8/08 | 5,931 | 15.34 | 973 | 6 | 32 | | |
| | | 9/08 | 4,919 | 15.34 | 735 | 6 | 27 | | |
| | | 10/08 | 6,197 | 16.88 | 1,006 | 6 | 33 | | |
| | | 11/08 | 5,998 | 16.88 | 898 | 6 | 33 | | |
| | | 12/08 | 5,947 | 16.88 | 961 | 6 | 32 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-------------------|--------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| | | | 76,541 | | 12,573 | | |
| ENERVEST OPERATIN | ASE 4B | 1/08 | 13,596 | 13.40 | 2,180 | 10 | 44 |
| | | 2/08 | 12,778 | 13.40 | 2,362 | 10 | 44 |
| | | 3/08 | 13,232 | 13.40 | 2,355 | 10 | 43 |
| | | 4/08 | 13,230 | 13.54 | 2,100 | 10 | 44 |
| | | 5/08 | 14,167 | 13.54 | 2,248 | 10 | 46 |
| | | 6/08 | 13,752 | 13.54 | 2,212 | 10 | 46 |
| | | 7/08 | 14,353 | 13.54 | 2,509 | 10 | 46 |
| | | 8/08 | 14,083 | 13.54 | 2,310 | 10 | 45 |
| | | 9/08 | 13,271 | 13.54 | 1,982 | 10 | 44 |
| | | 10/08 | 14,669 | 13.71 | 2,381 | 10 | 47 |
| | | 11/08 | 14,320 | 13.71 | 2,145 | 10 | 48 |
| | | 12/08 | 14,337 | 13.71 | 2,318 | 10 | 46 |
| | | | 165,788 | | 27,102 | | |
| ENERVEST OPERATIN | ASE 4C | 1/08 | 927 | 18.45 | 149 | 1 | 30 |
| | | 2/08 | 919 | 18.45 | 170 | 1 | 32 |
| | | 3/08 | 962 | 18.45 | 171 | 1 | 31 |
| | | 4/08 | 1,033 | 17.42 | 164 | 1 | 34 |
| | | 5/08 | 1,158 | 17.42 | 184 | 1 | 37 |
| | | 6/08 | 1,184 | 17.42 | 190 | 1 | 39 |
| | | 7/08 | 1,144 | 17.42 | 200 | 1 | 37 |
| | | 8/08 | 1,156 | 17.42 | 190 | 1 | 37 |
| | | 9/08 | 1,008 | 17.42 | 151 | 1 | 34 |
| | | 10/08 | 1,139 | 18.81 | 185 | 1 | 37 |
| | | 11/08 | 1,061 | 18.81 | 159 | 1 | 35 |
| | | 12/08 | 1,070 | 18.81 | 173 | 1 | 35 |
| | | | 12,761 | | 2,086 | | |
| ENERVEST OPERATIN | ASE 4D | 1/08 | 600 | 14.74 | 96 | 1 | 19 |
| | | 2/08 | 598 | 14.74 | 111 | 1 | 21 |
| | | 3/08 | 596 | 14.74 | 106 | 1 | 19 |
| | | 4/08 | 600 | 14.44 | 95 | 1 | 20 |
| | | 5/08 | 666 | 14.44 | 106 | 1 | 21 |
| | | 6/08 | 673 | 14.44 | 108 | 1 | 22 |
| | | 7/08 | 695 | 14.44 | 121 | 1 | 22 |
| | | 8/08 | 680 | 14.44 | 112 | 1 | 22 |
| | | 9/08 | 539 | 14.44 | 81 | 1 | 18 |
| | | 10/08 | 697 | 14.91 | 113 | 1 | 22 |
| | | 11/08 | 592 | 14.91 | 104 | 1 | 20 |
| | | 12/08 | 713 | 14.91 | 115 | 1 | 23 |
| | | | 7,649 | | 1,268 | | |
| ENERVEST OPERATIN | ASE 5 | 1/08 | 16,767 | 22.14 | 1,431 | 19 | 28 |
| | | 2/08 | 15,288 | 22.14 | 1,228 | 19 | 28 |
| | | 3/08 | 24,334 | 22.14 | 859 | 19 | 41 |
| | | 4/08 | 16,998 | 23.87 | 1,388 | 19 | 30 |
| | | 5/08 | 17,260 | 23.87 | 1,961 | 19 | 29 |
| | | 6/08 | 16,214 | 23.87 | 3,005 | 19 | 28 |
| | | 7/08 | 16,741 | 23.87 | 3,379 | 19 | 28 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-------------------|--------------|-----------------|---------------|-------|----------------|---------------|--------------------------|
| ENERVEST OPERATIN | ASE 5 | 8/08 | 17,107 | 23.87 | 3,979 | 19 | 29 |
| | | 9/08 | 16,718 | 23.87 | 4,024 | 19 | 29 |
| | | 10/08 | 17,648 | 25.56 | 4,187 | 19 | 30 |
| | | 11/08 | 17,364 | 25.56 | 4,228 | 19 | 30 |
| | | 12/08 | 17,152 | 25.56 | 3,495 | 19 | 29 |
| | | | | | 209,591 | | 33,164 |
| ENERVEST OPERATIN | ASE 512 | 1/08 | 6,603 | 24.96 | 345 | 6 | 35 |
| | | 2/08 | 6,010 | 24.96 | 295 | 6 | 35 |
| | | 3/08 | 6,513 | 24.96 | 337 | 6 | 35 |
| | | 4/08 | 6,875 | 23.49 | 402 | 6 | 38 |
| | | 5/08 | 7,152 | 23.49 | 330 | 6 | 38 |
| | | 6/08 | 7,054 | 23.49 | 12 | 6 | 39 |
| | | 7/08 | 7,525 | 23.49 | 29 | 6 | 40 |
| | | 8/08 | 7,543 | 23.49 | 28 | 6 | 41 |
| | | 9/08 | 7,312 | 23.49 | 28 | 6 | 41 |
| | | 10/08 | 7,700 | 23.85 | 276 | 6 | 41 |
| | | 11/08 | 7,797 | 23.85 | 414 | 6 | 43 |
| | | 12/08 | 7,079 | 23.85 | 74 | 6 | 38 |
| | | | 85,163 | | 2,570 | | |
| ENERVEST OPERATIN | ASE 519 | 1/08 | 3,099 | 27.66 | 162 | 1 | 100 |
| | | 2/08 | 2,714 | 27.66 | 133 | 1 | 94 |
| | | 3/08 | 2,924 | 27.66 | 151 | 1 | 94 |
| | | 4/08 | 2,793 | 27.38 | 163 | 1 | 93 |
| | | 5/08 | 2,810 | 27.38 | 129 | 1 | 91 |
| | | 6/08 | 2,692 | 27.38 | 5 | 1 | 90 |
| | | 7/08 | 2,552 | 27.38 | 10 | 1 | 82 |
| | | 8/08 | 2,491 | 27.38 | 9 | 1 | 80 |
| | | 9/08 | 2,746 | 27.38 | 11 | 1 | 92 |
| | | 10/08 | 2,975 | 27.50 | 106 | 1 | 96 |
| | | 11/08 | 3,177 | 27.50 | 169 | 1 | 106 |
| | | 12/08 | 3,060 | 27.50 | 32 | 1 | 99 |
| | | | 34,033 | | 1,080 | | |
| ENERVEST OPERATIN | ASE 5B | 1/08 | 1,579 | 21.54 | 135 | 3 | 17 |
| | | 2/08 | 1,434 | 21.54 | 115 | 3 | 16 |
| | | 3/08 | 2,159 | 21.54 | 76 | 3 | 23 |
| | | 4/08 | 1,277 | 23.04 | 104 | 3 | 14 |
| | | 5/08 | 1,839 | 23.04 | 209 | 3 | 20 |
| | | 6/08 | 1,723 | 23.04 | 319 | 3 | 19 |
| | | 7/08 | 1,852 | 23.04 | 374 | 3 | 20 |
| | | 8/08 | 1,864 | 23.04 | 434 | 3 | 20 |
| | | 9/08 | 1,855 | 23.04 | 447 | 3 | 21 |
| | | 10/08 | 1,926 | 22.83 | 457 | 3 | 21 |
| | | 11/08 | 1,896 | 22.83 | 462 | 3 | 21 |
| | | 12/08 | 1,779 | 22.83 | 362 | 3 | 19 |
| | | | 21,183 | | 3,494 | | |
| ENERVEST OPERATIN | ASE 5C | 1/08 | 6,127 | 27.44 | 320 | 7 | 28 |
| | | 2/08 | 5,602 | 27.44 | 275 | 7 | 28 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|-------------------|--------------|-------------------|-----------|-------|----------------|---------------|--------------------------|----|----|
| ENERVEST OPERATIN | ASE 5C | 3/08 | 5,670 | 27.44 | 294 | 7 | 26 | | |
| | | 4/08 | 5,601 | 29.16 | 327 | 7 | 27 | | |
| | | 5/08 | 5,858 | 29.16 | 270 | 7 | 27 | | |
| | | 6/08 | 5,589 | 29.16 | 10 | 7 | 27 | | |
| | | 7/08 | 6,035 | 29.16 | 23 | 7 | 28 | | |
| | | 8/08 | 6,090 | 29.16 | 23 | 7 | 28 | | |
| | | 9/08 | 5,860 | 29.16 | 23 | 7 | 28 | | |
| | | 10/08 | 6,007 | 29.50 | 215 | 7 | 28 | | |
| | | 11/08 | 5,835 | 29.50 | 310 | 7 | 28 | | |
| | | 12/08 | 5,026 | 29.50 | 52 | 7 | 23 | | |
| | | | | | 69,300 | | 2,142 | | |
| | | ENERVEST OPERATIN | ASE 6 | 1/08 | 28,681 | 24.12 | 2,518 | 44 | 21 |
| | | | | 2/08 | 26,752 | 24.12 | 2,400 | 44 | 21 |
| 3/08 | 28,603 | | | 24.12 | 2,336 | 44 | 21 | | |
| 4/08 | 26,416 | | | 25.64 | 2,661 | 44 | 20 | | |
| 5/08 | 27,611 | | | 25.64 | 4,243 | 44 | 20 | | |
| 6/08 | 25,730 | | | 25.64 | 3,762 | 44 | 19 | | |
| 7/08 | 26,623 | | | 25.64 | 3,942 | 44 | 20 | | |
| 8/08 | 26,853 | | | 25.64 | 3,458 | 44 | 20 | | |
| 9/08 | 26,069 | | | 25.64 | 3,288 | 44 | 20 | | |
| 10/08 | 26,550 | | | 25.53 | 3,527 | 44 | 19 | | |
| 11/08 | 25,388 | | | 25.53 | 3,395 | 44 | 19 | | |
| 12/08 | 24,842 | | | 25.53 | 2,981 | 44 | 18 | | |
| | | | | | 320,118 | | 38,511 | | |
| ENERVEST OPERATIN | ASE 6B | 1/08 | 1,853 | 23.84 | 163 | 2 | 30 | | |
| | | 2/08 | 1,784 | 23.84 | 160 | 2 | 31 | | |
| | | 3/08 | 1,847 | 23.84 | 151 | 2 | 30 | | |
| | | 4/08 | 1,920 | 23.90 | 193 | 2 | 32 | | |
| | | 5/08 | 2,104 | 23.90 | 323 | 2 | 34 | | |
| | | 6/08 | 2,001 | 23.90 | 297 | 2 | 33 | | |
| | | 7/08 | 2,043 | 23.90 | 303 | 2 | 33 | | |
| | | 8/08 | 1,936 | 23.90 | 249 | 2 | 31 | | |
| | | 9/08 | 1,799 | 23.90 | 227 | 2 | 30 | | |
| | | 10/08 | 1,763 | 24.60 | 234 | 2 | 28 | | |
| | | 11/08 | 1,625 | 24.60 | 217 | 2 | 27 | | |
| | | 12/08 | 1,762 | 24.60 | 211 | 2 | 28 | | |
| | | | | | 22,437 | | 2,728 | | |
| ENERVEST OPERATIN | ASE 6C | 1/08 | 1,406 | 29.95 | 123 | 1 | 45 | | |
| | | 2/08 | 1,349 | 29.95 | 121 | 1 | 47 | | |
| | | 3/08 | 1,414 | 29.95 | 115 | 1 | 46 | | |
| | | 4/08 | 1,300 | 27.67 | 131 | 1 | 43 | | |
| | | 5/08 | 1,406 | 27.67 | 216 | 1 | 45 | | |
| | | 6/08 | 1,415 | 27.67 | 210 | 1 | 47 | | |
| | | 7/08 | 1,502 | 27.67 | 222 | 1 | 48 | | |
| | | 8/08 | 1,485 | 27.67 | 191 | 1 | 48 | | |
| | | 9/08 | 1,440 | 27.67 | 182 | 1 | 48 | | |
| | | 10/08 | 1,423 | 29.21 | 189 | 1 | 46 | | |
| | | 11/08 | 1,408 | 29.21 | 188 | 1 | 47 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-------------------|--------------|-----------------|---------------|-------|---------------|---------------|--------------------------|
| ENERVEST OPERATIN | ASE 6C | 12/08 | 1,366 | 29.21 | 164 | 1 | 44 |
| | | | 16,914 | | 2,052 | | |
| ENERVEST OPERATIN | ASE 7 | 1/08 | 5,063 | 17.31 | 1,481 | 7 | 23 |
| | | 2/08 | 4,565 | 17.31 | 1,290 | 7 | 22 |
| | | 3/08 | 4,717 | 17.31 | 1,329 | 7 | 22 |
| | | 4/08 | 4,076 | 25.87 | 1,116 | 7 | 19 |
| | | 5/08 | 4,533 | 27.07 | 1,235 | 7 | 21 |
| | | 6/08 | 4,449 | 27.07 | 1,158 | 7 | 21 |
| | | 7/08 | 4,565 | 27.07 | 970 | 7 | 21 |
| | | 8/08 | 4,564 | 27.07 | 372 | 7 | 21 |
| | | 9/08 | 4,541 | 27.07 | 1,211 | 7 | 22 |
| | | 10/08 | 5,025 | 27.19 | 1,767 | 7 | 23 |
| | | 11/08 | 4,741 | 27.19 | 1,356 | 7 | 23 |
| | | 12/08 | 5,356 | 27.19 | 1,293 | 7 | 25 |
| | | | 56,195 | | 14,578 | | |
| ENERVEST OPERATIN | ASE 7B | 1/08 | 3,078 | 26.20 | 901 | 4 | 25 |
| | | 2/08 | 2,938 | 26.20 | 830 | 4 | 25 |
| | | 3/08 | 3,239 | 26.20 | 912 | 4 | 26 |
| | | 4/08 | 3,614 | 25.06 | 989 | 4 | 30 |
| | | 5/08 | 3,584 | 25.06 | 977 | 4 | 29 |
| | | 6/08 | 3,278 | 25.06 | 853 | 4 | 27 |
| | | 7/08 | 3,494 | 25.06 | 742 | 4 | 28 |
| | | 8/08 | 3,377 | 25.06 | 276 | 4 | 27 |
| | | 9/08 | 3,561 | 25.06 | 950 | 4 | 30 |
| | | 10/08 | 3,977 | 24.54 | 1,399 | 4 | 32 |
| | | 11/08 | 3,934 | 24.54 | 1,126 | 4 | 33 |
| | | 12/08 | 4,282 | 24.54 | 1,033 | 4 | 35 |
| | | | 42,356 | | 10,988 | | |
| ENERVEST OPERATIN | ASE 7C | 1/08 | 4,200 | 19.49 | 489 | 7 | 19 |
| | | 2/08 | 3,902 | 18.78 | 455 | 7 | 19 |
| | | 3/08 | 3,994 | 19.49 | 487 | 7 | 18 |
| | | 4/08 | 3,797 | 19.42 | 476 | 7 | 18 |
| | | 5/08 | 3,846 | 19.37 | 463 | 7 | 18 |
| | | 6/08 | 3,738 | 19.12 | 414 | 7 | 18 |
| | | 7/08 | 3,803 | 19.39 | 456 | 7 | 18 |
| | | 8/08 | 3,776 | 19.00 | 504 | 7 | 17 |
| | | 9/08 | 3,647 | 19.02 | 469 | 7 | 17 |
| | | 10/08 | 3,939 | 19.20 | 531 | 7 | 18 |
| | | 11/08 | 3,955 | 19.20 | 554 | 7 | 19 |
| | | 12/08 | 4,098 | 20.21 | 634 | 7 | 19 |
| | | | 46,695 | | 5,932 | | |
| ENERVEST OPERATIN | ASE 8 | 1/08 | 15,104 | 14.16 | 80 | 7 | 70 |
| | | 2/08 | 14,165 | 14.05 | 86 | 7 | 70 |
| | | 3/08 | 15,158 | 14.05 | 87 | 7 | 70 |
| | | 4/08 | 14,584 | 14.13 | 87 | 7 | 69 |
| | | 5/08 | 15,401 | 14.13 | 89 | 7 | 71 |
| | | 6/08 | 14,640 | 14.42 | 91 | 7 | 70 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-------------------|--------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| ENERVEST OPERATIN | ASE 8 | 7/08 | 14,284 | 14.32 | 106 | 7 | 66 |
| | | 8/08 | 15,486 | 14.32 | 115 | 7 | 71 |
| | | 9/08 | 15,117 | 14.44 | 63 | 7 | 72 |
| | | 10/08 | 15,398 | 14.37 | 56 | 7 | 71 |
| | | 11/08 | 14,514 | 15.09 | 48 | 7 | 69 |
| | | 12/08 | 14,845 | 15.20 | 43 | 7 | 68 |
| | | | | | 178,696 | | 951 |
| ENERVEST OPERATIN | CHARLTON 14 | 1/08 | 10,027 | 26.30 | 1,026 | 13 | 25 |
| | | 2/08 | 9,463 | 26.30 | 946 | 13 | 25 |
| | | 3/08 | 8,801 | 26.30 | 937 | 13 | 22 |
| | | 4/08 | 8,874 | 27.16 | 859 | 13 | 23 |
| | | 5/08 | 9,271 | 27.16 | 840 | 13 | 23 |
| | | 6/08 | 8,763 | 27.16 | 975 | 13 | 22 |
| | | 7/08 | 8,920 | 27.16 | 873 | 13 | 22 |
| | | 8/08 | 8,808 | 27.16 | 789 | 13 | 22 |
| | | 9/08 | 8,824 | 27.16 | 805 | 13 | 23 |
| | | 10/08 | 8,628 | 27.74 | 728 | 13 | 21 |
| | | 11/08 | 8,569 | 27.74 | 643 | 13 | 22 |
| | | 12/08 | 8,446 | 27.74 | 800 | 13 | 21 |
| | | | 107,394 | | 10,221 | | |
| ENERVEST OPERATIN | MAYER | 1/08 | 7,697 | 24.41 | 960 | 13 | 19 |
| | | 2/08 | 7,403 | 24.41 | 853 | 13 | 20 |
| | | 3/08 | 7,753 | 24.41 | 740 | 13 | 19 |
| | | 4/08 | 7,233 | 24.46 | 1,001 | 13 | 19 |
| | | 5/08 | 7,892 | 24.46 | 1,012 | 13 | 20 |
| | | 6/08 | 7,372 | 24.46 | 752 | 13 | 19 |
| | | 7/08 | 7,477 | 24.46 | 874 | 13 | 19 |
| | | 8/08 | 7,519 | 24.46 | 779 | 13 | 19 |
| | | 9/08 | 7,501 | 24.46 | 695 | 13 | 19 |
| | | 10/08 | 7,610 | 25.09 | 846 | 13 | 19 |
| | | 11/08 | 7,576 | 25.09 | 822 | 13 | 19 |
| | | 12/08 | 7,537 | 25.09 | 1,152 | 13 | 19 |
| | | | 90,570 | | 10,486 | | |
| ENERVEST OPERATIN | NMAG 1 | 1/08 | 9,899 | 30.04 | 180 | 24 | 13 |
| | | 2/08 | 8,685 | 30.04 | 196 | 24 | 12 |
| | | 3/08 | 10,015 | 27.84 | 192 | 24 | 13 |
| | | 4/08 | 9,451 | 29.70 | 184 | 24 | 13 |
| | | 5/08 | 9,667 | 29.70 | 166 | 24 | 13 |
| | | 6/08 | 9,274 | 29.70 | 142 | 24 | 13 |
| | | 7/08 | 9,452 | 29.70 | 129 | 24 | 13 |
| | | 8/08 | 9,385 | 29.70 | 112 | 24 | 13 |
| | | 9/08 | 9,528 | 29.70 | 107 | 24 | 13 |
| | | 10/08 | 9,686 | 29.83 | 112 | 24 | 13 |
| | | 11/08 | 9,608 | 29.83 | 141 | 24 | 13 |
| | | 12/08 | 9,932 | 29.83 | 124 | 24 | 13 |
| | | | 114,582 | | 1,785 | | |
| ENERVEST OPERATIN | NMAG 2 | 1/08 | 2,664 | 26.97 | 48 | 3 | 29 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|-------------------|--------------|-------------------|-----------|-------|----------------|---------------|--------------------------|---|----|
| ENERVEST OPERATIN | NMAG 2 | 2/08 | 2,346 | 26.97 | 53 | 3 | 27 | | |
| | | 3/08 | 2,556 | 27.94 | 49 | 3 | 27 | | |
| | | 4/08 | 2,421 | 28.18 | 47 | 3 | 27 | | |
| | | 5/08 | 2,540 | 28.18 | 44 | 3 | 27 | | |
| | | 6/08 | 2,382 | 28.18 | 36 | 3 | 26 | | |
| | | 7/08 | 2,433 | 28.18 | 33 | 3 | 26 | | |
| | | 8/08 | 2,352 | 28.18 | 28 | 3 | 25 | | |
| | | 9/08 | 2,438 | 28.18 | 27 | 3 | 27 | | |
| | | 10/08 | 2,417 | 28.80 | 28 | 3 | 26 | | |
| | | 11/08 | 2,254 | 28.80 | 33 | 3 | 25 | | |
| | | 12/08 | 2,214 | 28.80 | 28 | 3 | 24 | | |
| | | | | | 29,017 | | 454 | | |
| | | ENERVEST OPERATIN | NMAG 3 | 1/08 | 5,524 | 31.56 | 100 | 7 | 25 |
| 2/08 | 4,810 | | | 31.56 | 108 | 7 | 24 | | |
| 3/08 | 5,356 | | | 31.56 | 103 | 7 | 25 | | |
| 4/08 | 5,224 | | | 31.56 | 102 | 7 | 25 | | |
| 5/08 | 5,534 | | | 31.56 | 95 | 7 | 25 | | |
| 6/08 | 5,425 | | | 31.56 | 83 | 7 | 26 | | |
| 7/08 | 5,665 | | | 31.56 | 77 | 7 | 26 | | |
| 8/08 | 5,428 | | | 31.56 | 65 | 7 | 25 | | |
| 9/08 | 5,424 | | | 31.56 | 61 | 7 | 26 | | |
| 10/08 | 5,550 | | | 30.71 | 64 | 7 | 26 | | |
| 11/08 | 5,150 | | | 30.71 | 76 | 7 | 25 | | |
| 12/08 | 4,981 | | | 30.71 | 62 | 7 | 23 | | |
| | | | | | 64,071 | | 996 | | |
| ENERVEST OPERATIN | SCV | 1/08 | 61,034 | 25.59 | 5,071 | 69 | 29 | | |
| | | 2/08 | 52,104 | 25.60 | 3,284 | 69 | 26 | | |
| | | 3/08 | 59,575 | 25.60 | 3,613 | 69 | 28 | | |
| | | 4/08 | 56,295 | 25.64 | 4,663 | 69 | 27 | | |
| | | 5/08 | 57,771 | 25.78 | 5,099 | 69 | 27 | | |
| | | 6/08 | 55,624 | 25.75 | 4,615 | 69 | 27 | | |
| | | 7/08 | 55,059 | 25.75 | 4,568 | 69 | 26 | | |
| | | 8/08 | 54,486 | 25.80 | 4,289 | 69 | 25 | | |
| | | 9/08 | 53,978 | 25.92 | 4,408 | 69 | 26 | | |
| | | 10/08 | 55,228 | 25.91 | 4,623 | 69 | 26 | | |
| | | 11/08 | 53,871 | 26.73 | 3,955 | 69 | 26 | | |
| | | 12/08 | 54,051 | 27.24 | 3,636 | 69 | 25 | | |
| | | | | | 669,076 | | 51,824 | | |
| ENERVEST OPERATIN | STATE HAYES | 1/08 | 3,740 | 23.20 | 250 | 11 | 11 | | |
| | | 2/08 | 3,462 | 23.20 | 184 | 11 | 11 | | |
| | | 3/08 | 3,716 | 23.20 | 173 | 11 | 11 | | |
| | | 4/08 | 3,789 | 24.50 | 186 | 11 | 11 | | |
| | | 5/08 | 3,884 | 24.50 | 194 | 11 | 11 | | |
| | | 6/08 | 3,737 | 24.50 | 196 | 11 | 11 | | |
| | | 7/08 | 3,719 | 24.50 | 17 | 11 | 11 | | |
| | | 8/08 | 3,429 | 24.50 | 12 | 11 | 10 | | |
| | | 9/08 | 3,679 | 24.50 | 343 | 11 | 11 | | |
| | | 10/08 | 3,746 | 24.52 | 272 | 11 | 11 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--|-----------------|-----------------|------------------|-------|----------------|---------------|--------------------------|
| ENERVEST OPERATIN | STATE HAYES | 11/08 | 3,582 | 24.52 | 409 | 11 | 11 |
| | | 12/08 | 3,648 | 24.52 | 463 | 11 | 11 |
| | | | 44,131 | | 2,699 | | |
| ENERVEST OPERATIN | VIENNA CHARLTON | 1/08 | 5,699 | 27.25 | 583 | 11 | 17 |
| | | 2/08 | 5,575 | 27.25 | 558 | 11 | 17 |
| | | 3/08 | 6,053 | 27.25 | 644 | 11 | 18 |
| | | 4/08 | 6,155 | 27.90 | 595 | 11 | 19 |
| | | 5/08 | 6,598 | 27.90 | 597 | 11 | 19 |
| | | 6/08 | 6,095 | 27.90 | 678 | 11 | 18 |
| | | 7/08 | 5,890 | 27.90 | 576 | 11 | 17 |
| | | 8/08 | 5,719 | 27.90 | 512 | 11 | 17 |
| | | 9/08 | 5,688 | 27.90 | 519 | 11 | 17 |
| | | 10/08 | 5,732 | 26.03 | 483 | 11 | 17 |
| | | 11/08 | 5,990 | 26.03 | 450 | 11 | 18 |
| | | 12/08 | 6,036 | 26.03 | 571 | 11 | 18 |
| | | | 71,230 | | 6,766 | | |
| ENERVEST OPERATING LLC - REPORTER TOTALS: | | | 3,048,800 | | 350,403 | | |
| HIGHMOUNT MIDWES | BIG BASS LAKE | 1/08 | 4,719 | 19.11 | 4,063 | 9 | 17 |
| | | 2/08 | 4,059 | 19.11 | 3,834 | 9 | 16 |
| | | 3/08 | 2,478 | 19.11 | 3,633 | 9 | 9 |
| | | 4/08 | 3,284 | 19.11 | 6,414 | 9 | 12 |
| | | 5/08 | 3,394 | 19.11 | 6,446 | 9 | 12 |
| | | 6/08 | 3,818 | 19.11 | 16,078 | 9 | 14 |
| | | 7/08 | 7,194 | 19.11 | 18,291 | 9 | 26 |
| | | 8/08 | 8,035 | 19.11 | 21,116 | 9 | 29 |
| | | 9/08 | 8,075 | 19.11 | 22,551 | 9 | 30 |
| | | 10/08 | 11,794 | 8.51 | 34,303 | 9 | 42 |
| | | 11/08 | 12,392 | 8.51 | 31,596 | 9 | 46 |
| | | 12/08 | 13,237 | 3.70 | 30,821 | 9 | 47 |
| | | | 82,479 | | 199,146 | | |
| HIGHMOUNT MIDWES | BIJOU | 1/08 | 33,557 | 13.53 | 559 | 33 | 33 |
| | | 2/08 | 27,744 | 13.48 | 389 | 34 | 28 |
| | | 3/08 | 29,181 | 13.53 | 576 | 34 | 28 |
| | | 4/08 | 28,129 | 13.53 | 645 | 34 | 28 |
| | | 5/08 | 29,097 | 13.53 | 628 | 34 | 28 |
| | | 6/08 | 29,795 | 13.53 | 657 | 34 | 29 |
| | | 7/08 | 31,341 | 13.26 | 598 | 34 | 30 |
| | | 8/08 | 33,270 | 13.53 | 587 | 34 | 32 |
| | | 9/08 | 32,906 | 13.53 | 934 | 34 | 32 |
| | | 10/08 | 33,375 | 13.53 | 801 | 34 | 32 |
| | | 11/08 | 32,024 | 13.73 | 727 | 34 | 31 |
| | | 12/08 | 32,356 | 13.63 | 470 | 34 | 31 |
| | | | 372,775 | | 7,571 | | |
| HIGHMOUNT MIDWES | BROAD | 1/08 | 51,392 | 14.91 | 1,860 | 37 | 45 |
| | | 2/08 | 48,259 | 15.00 | 1,723 | 37 | 45 |
| | | 3/08 | 52,507 | 15.00 | 1,910 | 37 | 46 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|------------------|-----------------|------------------|-----------|-------|----------------|---------------|--------------------------|---|----|
| HIGHMOUNT MIDWES | BROAD | 4/08 | 49,702 | 14.97 | 1,634 | 37 | 45 | | |
| | | 5/08 | 53,779 | 14.86 | 1,956 | 37 | 47 | | |
| | | 6/08 | 53,208 | 14.86 | 1,829 | 37 | 48 | | |
| | | 7/08 | 54,571 | 14.74 | 1,929 | 37 | 48 | | |
| | | 8/08 | 54,256 | 14.37 | 1,993 | 37 | 47 | | |
| | | 9/08 | 53,075 | 14.74 | 1,911 | 37 | 48 | | |
| | | 10/08 | 55,420 | 14.56 | 2,001 | 37 | 48 | | |
| | | 11/08 | 51,886 | 15.74 | 2,104 | 37 | 47 | | |
| | | 12/08 | 52,581 | 14.56 | 1,778 | 37 | 46 | | |
| | | | | | 630,636 | | 22,628 | | |
| | | HIGHMOUNT MIDWES | CARGAS | 1/08 | 1,416 | 23.55 | 387 | 2 | 23 |
| | | | | 2/08 | 1,479 | 22.47 | 344 | 2 | 25 |
| | | | | 3/08 | 1,544 | 23.55 | 415 | 2 | 25 |
| 4/08 | 1,558 | | | 23.55 | 640 | 2 | 26 | | |
| 5/08 | 1,709 | | | 23.55 | 540 | 2 | 28 | | |
| 6/08 | 1,655 | | | 22.99 | 475 | 2 | 28 | | |
| 7/08 | 1,679 | | | 22.27 | 539 | 2 | 27 | | |
| 8/08 | 1,647 | | | 22.99 | 467 | 2 | 27 | | |
| 9/08 | 1,598 | | | 22.99 | 630 | 2 | 27 | | |
| 10/08 | 1,529 | | | 22.99 | 510 | 2 | 25 | | |
| 11/08 | 1,477 | | | 22.99 | 407 | 2 | 25 | | |
| 12/08 | 1,559 | | | 22.99 | 867 | 2 | 25 | | |
| | | | | | 18,850 | | 6,221 | | |
| HIGHMOUNT MIDWES | CHESTER 1 | 1/08 | 42,287 | 5.64 | 22,179 | 17 | 80 | | |
| | | 2/08 | 38,503 | 5.07 | 18,914 | 17 | 78 | | |
| | | 3/08 | 41,785 | 4.94 | 21,587 | 17 | 79 | | |
| | | 4/08 | 41,604 | 5.15 | 20,402 | 17 | 82 | | |
| | | 5/08 | 39,621 | 5.21 | 19,682 | 17 | 75 | | |
| | | 6/08 | 39,432 | 4.77 | 17,949 | 17 | 77 | | |
| | | 7/08 | 39,033 | 4.72 | 19,133 | 17 | 74 | | |
| | | 8/08 | 36,866 | 4.77 | 18,165 | 17 | 70 | | |
| | | 9/08 | 36,902 | 3.47 | 16,969 | 17 | 72 | | |
| | | 10/08 | 40,330 | 4.29 | 18,871 | 18 | 72 | | |
| | | 11/08 | 37,303 | 4.51 | 18,825 | 18 | 69 | | |
| | | 12/08 | 37,262 | 4.29 | 17,469 | 18 | 67 | | |
| | | | | | 470,928 | | 230,145 | | |
| HIGHMOUNT MIDWES | CHURCHILL POINT | 1/08 | 46,290 | 11.66 | 19,539 | 32 | 47 | | |
| | | 2/08 | 42,364 | 11.99 | 17,707 | 32 | 46 | | |
| | | 3/08 | 44,221 | 11.99 | 18,037 | 32 | 45 | | |
| | | 4/08 | 44,516 | 11.99 | 17,956 | 32 | 46 | | |
| | | 5/08 | 47,680 | 11.36 | 18,824 | 32 | 48 | | |
| | | 6/08 | 45,155 | 11.74 | 18,746 | 32 | 47 | | |
| | | 7/08 | 47,717 | 10.26 | 22,674 | 32 | 48 | | |
| | | 8/08 | 48,138 | 13.48 | 21,196 | 32 | 49 | | |
| | | 9/08 | 46,448 | 12.61 | 20,244 | 32 | 48 | | |
| | | 10/08 | 48,069 | 12.61 | 20,879 | 32 | 48 | | |
| | | 11/08 | 47,424 | 11.91 | 21,519 | 35 | 45 | | |
| | | 12/08 | 48,982 | 12.47 | 20,782 | 35 | 45 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------|----------------|-----------------|------------------|-------|----------------|---------------|--------------------------|
| | | | 557,004 | | 238,103 | | |
| HIGHMOUNT MIDWES | CLASSICS | 1/08 | 22,664 | 23.55 | 2,964 | 25 | 29 |
| | | 2/08 | 23,342 | 22.47 | 3,280 | 25 | 32 |
| | | 3/08 | 26,421 | 23.55 | 4,433 | 25 | 34 |
| | | 4/08 | 23,693 | 23.55 | 5,086 | 25 | 32 |
| | | 5/08 | 24,136 | 23.55 | 4,362 | 25 | 31 |
| | | 6/08 | 23,855 | 22.99 | 4,683 | 25 | 32 |
| | | 7/08 | 24,332 | 22.27 | 5,347 | 25 | 31 |
| | | 8/08 | 23,626 | 22.99 | 3,797 | 25 | 30 |
| | | 9/08 | 21,701 | 22.99 | 3,798 | 25 | 29 |
| | | 10/08 | 20,127 | 22.99 | 3,832 | 25 | 26 |
| | | 11/08 | 21,096 | 22.99 | 4,596 | 25 | 28 |
| | | 12/08 | 23,534 | 22.99 | 6,823 | 24 | 32 |
| | | | 278,527 | | 53,001 | | |
| HIGHMOUNT MIDWES | COMSTOCK HILLS | 1/08 | 30,270 | 11.71 | 27,564 | 26 | 38 |
| | | 2/08 | 27,378 | 11.59 | 22,705 | 26 | 36 |
| | | 3/08 | 30,257 | 11.44 | 26,572 | 26 | 38 |
| | | 4/08 | 29,135 | 11.76 | 26,445 | 26 | 37 |
| | | 5/08 | 31,101 | 11.84 | 27,134 | 26 | 39 |
| | | 6/08 | 30,628 | 11.72 | 26,543 | 26 | 39 |
| | | 7/08 | 30,833 | 12.01 | 26,220 | 26 | 38 |
| | | 8/08 | 30,534 | 11.76 | 25,567 | 26 | 38 |
| | | 9/08 | 29,344 | 12.21 | 23,857 | 26 | 38 |
| | | 10/08 | 30,370 | 12.22 | 27,446 | 26 | 38 |
| | | 11/08 | 29,319 | 12.68 | 25,601 | 26 | 38 |
| | | 12/08 | 30,578 | 12.22 | 25,492 | 26 | 38 |
| | | | 359,747 | | 311,146 | | |
| HIGHMOUNT MIDWES | DEWARD CLEAVER | 1/08 | 8,720 | 11.60 | 939 | 5 | 56 |
| | | 2/08 | 8,974 | 12.73 | 1,193 | 5 | 62 |
| | | 3/08 | 8,975 | 12.88 | 363 | 5 | 58 |
| | | | 26,669 | | 2,495 | | |
| HIGHMOUNT MIDWES | DOCTORS CLUB | 1/08 | 91,374 | 11.39 | 1,786 | 78 | 38 |
| | | 2/08 | 86,050 | 11.29 | 915 | 78 | 38 |
| | | 3/08 | 92,166 | 11.56 | 1,162 | 78 | 38 |
| | | 4/08 | 89,120 | 11.41 | 1,164 | 78 | 38 |
| | | 5/08 | 93,523 | 11.50 | 906 | 78 | 39 |
| | | 6/08 | 89,734 | 11.44 | 1,056 | 78 | 38 |
| | | 7/08 | 92,349 | 11.44 | 761 | 78 | 38 |
| | | 8/08 | 92,385 | 11.37 | 578 | 78 | 38 |
| | | 9/08 | 89,905 | 11.44 | 1,340 | 78 | 38 |
| | | 10/08 | 93,033 | 11.73 | 1,046 | 78 | 38 |
| | | 11/08 | 89,333 | 12.28 | 986 | 78 | 38 |
| | | 12/08 | 91,206 | 11.73 | 807 | 78 | 38 |
| | | | 1,090,178 | | 12,507 | | |
| HIGHMOUNT MIDWES | FREDERIC I | 1/08 | 15,044 | 16.55 | 1,373 | 16 | 30 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|------------------|--------------|------------------|-------------|-------|----------------|---------------|--------------------------|----|----|
| HIGHMOUNT MIDWES | FREDERIC I | 2/08 | 13,638 | 15.49 | 1,270 | 15 | 31 | | |
| | | 3/08 | 15,439 | 16.55 | 1,563 | 15 | 33 | | |
| | | 4/08 | 13,860 | 16.55 | 1,318 | 16 | 29 | | |
| | | 5/08 | 17,479 | 16.55 | 1,393 | 16 | 35 | | |
| | | 6/08 | 16,685 | 16.55 | 1,386 | 16 | 35 | | |
| | | 7/08 | 15,921 | 17.69 | 1,285 | 16 | 32 | | |
| | | 8/08 | 16,434 | 16.55 | 888 | 15 | 35 | | |
| | | 9/08 | 15,731 | 16.55 | 988 | 16 | 33 | | |
| | | 10/08 | 17,252 | 16.55 | 1,040 | 15 | 37 | | |
| | | 11/08 | 14,497 | 17.06 | 1,062 | 16 | 30 | | |
| | | 12/08 | 15,588 | 16.08 | 1,083 | 15 | 34 | | |
| | | | | | 187,568 | | 14,649 | | |
| | | HIGHMOUNT MIDWES | FREDERIC II | 1/08 | 11,886 | 16.55 | 3,377 | 12 | 32 |
| 2/08 | 9,960 | | | 15.49 | 2,580 | 12 | 29 | | |
| 3/08 | 11,146 | | | 16.55 | 3,401 | 12 | 30 | | |
| 4/08 | 10,070 | | | 16.55 | 3,452 | 12 | 28 | | |
| 5/08 | 12,343 | | | 16.55 | 2,854 | 12 | 33 | | |
| 6/08 | 12,583 | | | 16.55 | 3,044 | 12 | 35 | | |
| 7/08 | 12,644 | | | 17.69 | 2,825 | 12 | 34 | | |
| 8/08 | 12,406 | | | 16.55 | 1,928 | 12 | 33 | | |
| 9/08 | 12,495 | | | 16.55 | 3,341 | 12 | 35 | | |
| 10/08 | 12,334 | | | 16.55 | 3,644 | 12 | 33 | | |
| 11/08 | 11,285 | | | 17.06 | 3,702 | 12 | 31 | | |
| 12/08 | 11,133 | | | 16.08 | 3,589 | 12 | 30 | | |
| | | | | | 140,285 | | 37,737 | | |
| HIGHMOUNT MIDWES | FREDERIC III | 1/08 | 14,337 | 16.55 | 1,117 | 18 | 26 | | |
| | | 2/08 | 13,358 | 15.49 | 1,017 | 18 | 26 | | |
| | | 3/08 | 13,917 | 16.55 | 1,121 | 18 | 25 | | |
| | | 4/08 | 12,445 | 16.55 | 1,132 | 18 | 23 | | |
| | | 5/08 | 15,413 | 16.55 | 1,123 | 18 | 28 | | |
| | | 6/08 | 14,859 | 16.55 | 902 | 18 | 28 | | |
| | | 7/08 | 14,082 | 17.69 | 920 | 18 | 25 | | |
| | | 8/08 | 15,007 | 16.55 | 956 | 18 | 27 | | |
| | | 9/08 | 14,852 | 16.55 | 1,019 | 18 | 28 | | |
| | | 10/08 | 14,277 | 16.55 | 843 | 18 | 26 | | |
| | | 11/08 | 13,281 | 17.06 | 1,088 | 18 | 25 | | |
| | | 12/08 | 11,970 | 16.08 | 830 | 18 | 21 | | |
| | | | | | 167,798 | | 12,068 | | |
| HIGHMOUNT MIDWES | FREDERIC IV | 1/08 | 19,521 | 12.20 | 2,480 | 25 | 25 | | |
| | | 2/08 | 16,962 | 12.29 | 1,696 | 25 | 23 | | |
| | | 3/08 | 18,220 | 12.20 | 1,966 | 25 | 23 | | |
| | | 4/08 | 17,802 | 12.20 | 2,140 | 25 | 24 | | |
| | | 5/08 | 18,011 | 12.20 | 2,096 | 25 | 23 | | |
| | | 6/08 | 19,602 | 12.20 | 3,152 | 25 | 26 | | |
| | | 7/08 | 19,766 | 12.14 | 2,928 | 25 | 25 | | |
| | | 8/08 | 19,664 | 12.20 | 2,809 | 25 | 25 | | |
| | | 9/08 | 19,211 | 12.20 | 2,673 | 25 | 26 | | |
| | | 10/08 | 20,033 | 12.20 | 2,601 | 25 | 26 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------|----------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| HIGHMOUNT MIDWES | FREDERIC IV | 11/08 | 19,387 | 12.73 | 2,377 | 25 | 26 |
| | | 12/08 | 16,901 | 12.22 | 1,970 | 25 | 22 |
| | | | 225,080 | | 28,888 | | |
| HIGHMOUNT MIDWES | FREDERIC V | 1/08 | 13,958 | 12.20 | 2,204 | 8 | 56 |
| | | 2/08 | 13,125 | 12.29 | 1,804 | 8 | 57 |
| | | 3/08 | 13,005 | 12.20 | 2,243 | 8 | 52 |
| | | 4/08 | 13,113 | 12.20 | 1,894 | 8 | 55 |
| | | 5/08 | 12,332 | 12.20 | 1,323 | 8 | 50 |
| | | 6/08 | 12,961 | 12.20 | 1,878 | 8 | 54 |
| | | 7/08 | 13,199 | 12.14 | 2,254 | 8 | 53 |
| | | 8/08 | 12,821 | 12.20 | 1,825 | 8 | 52 |
| | | 9/08 | 12,480 | 12.20 | 1,883 | 8 | 52 |
| | | 10/08 | 13,400 | 12.20 | 2,313 | 8 | 54 |
| | | 11/08 | 12,768 | 12.73 | 2,427 | 8 | 53 |
| | | 12/08 | 13,548 | 12.22 | 2,874 | 8 | 55 |
| | 156,710 | | 24,922 | | | | |
| HIGHMOUNT MIDWES | FREDERIC VI | 1/08 | 7,003 | 12.20 | 3,896 | 13 | 17 |
| | | 2/08 | 7,130 | 12.29 | 4,602 | 15 | 16 |
| | | 3/08 | 8,030 | 12.20 | 6,240 | 13 | 20 |
| | | 4/08 | 7,603 | 12.20 | 5,119 | 14 | 18 |
| | | 5/08 | 7,830 | 12.20 | 4,765 | 15 | 17 |
| | | 6/08 | 8,290 | 12.20 | 6,936 | 15 | 18 |
| | | 7/08 | 8,500 | 12.14 | 10,168 | 15 | 18 |
| | | 8/08 | 8,261 | 12.20 | 7,297 | 15 | 18 |
| | | 9/08 | 8,274 | 12.20 | 6,695 | 15 | 18 |
| | | 10/08 | 8,335 | 12.20 | 4,459 | 15 | 18 |
| | | 11/08 | 7,864 | 12.73 | 4,643 | 15 | 17 |
| | | 12/08 | 8,284 | 12.22 | 3,738 | 14 | 19 |
| | 95,404 | | 68,558 | | | | |
| HIGHMOUNT MIDWES | FREDERIC VII | 1/08 | 8,336 | 12.20 | 7,178 | 13 | 21 |
| | | 2/08 | 8,230 | 12.29 | 6,145 | 13 | 22 |
| | | 3/08 | 8,955 | 12.20 | 9,586 | 13 | 22 |
| | | 4/08 | 9,244 | 12.20 | 9,344 | 13 | 24 |
| | | 5/08 | 8,034 | 12.20 | 7,747 | 13 | 20 |
| | | 6/08 | 8,042 | 12.20 | 9,135 | 13 | 21 |
| | | 7/08 | 8,364 | 12.14 | 7,566 | 13 | 21 |
| | | 8/08 | 7,941 | 12.20 | 5,374 | 13 | 20 |
| | | 9/08 | 7,985 | 12.20 | 5,960 | 13 | 20 |
| | | 10/08 | 9,507 | 12.20 | 7,241 | 13 | 24 |
| | | 11/08 | 8,942 | 12.73 | 8,071 | 13 | 23 |
| | | 12/08 | 6,779 | 12.22 | 4,810 | 12 | 18 |
| | 100,359 | | 88,157 | | | | |
| HIGHMOUNT MIDWES | FREDERIC VIII | 1/08 | 11,255 | 16.55 | 919 | 9 | 40 |
| | | 2/08 | 10,089 | 15.49 | 869 | 9 | 39 |
| | | 3/08 | 10,509 | 16.55 | 941 | 9 | 38 |
| | | 4/08 | 9,945 | 16.55 | 1,010 | 9 | 37 |
| | | 5/08 | 12,512 | 16.55 | 1,119 | 9 | 45 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------|---------------|-----------------|-----------|----------------|-------------|---------------|--------------------------|
| HIGHMOUNT MIDWES | FREDERIC VIII | 6/08 | 12,219 | 16.55 | 937 | 9 | 45 |
| | | 7/08 | 12,420 | 17.69 | 980 | 9 | 45 |
| | | 8/08 | 13,153 | 16.55 | 817 | 9 | 47 |
| | | 9/08 | 13,438 | 16.55 | 984 | 9 | 50 |
| | | 10/08 | 13,139 | 16.55 | 762 | 9 | 47 |
| | | 11/08 | 10,883 | 17.06 | 805 | 9 | 40 |
| | | 12/08 | 10,616 | 16.08 | 721 | 9 | 38 |
| | | | | 140,178 | | 10,864 | |
| HIGHMOUNT MIDWES | FREDERIC XI | 1/08 | 17,160 | 12.20 | 5,713 | 18 | 31 |
| | | 2/08 | 15,916 | 12.29 | 5,684 | 18 | 30 |
| | | 3/08 | 17,160 | 12.20 | 6,183 | 18 | 31 |
| | | 4/08 | 16,558 | 12.20 | 6,466 | 18 | 31 |
| | | 5/08 | 16,073 | 12.20 | 5,307 | 18 | 29 |
| | | 6/08 | 16,640 | 12.20 | 6,622 | 18 | 31 |
| | | 7/08 | 16,417 | 12.14 | 5,172 | 18 | 29 |
| | | 8/08 | 17,277 | 12.20 | 7,169 | 18 | 31 |
| | | 9/08 | 17,043 | 12.20 | 6,259 | 18 | 32 |
| | | 10/08 | 17,779 | 12.20 | 6,682 | 18 | 32 |
| | | 11/08 | 17,505 | 12.73 | 6,911 | 18 | 32 |
| | | 12/08 | 17,864 | 12.22 | 6,608 | 18 | 32 |
| | | 203,392 | | 74,776 | | | |
| HIGHMOUNT MIDWES | GILCHRIST | 1/08 | 39,563 | 20.17 | 783 | 29 | 44 |
| | | 2/08 | 35,795 | 20.17 | 726 | 29 | 43 |
| | | 3/08 | 38,806 | 20.17 | 810 | 29 | 43 |
| | | 4/08 | 36,670 | 20.17 | 789 | 29 | 42 |
| | | 5/08 | 36,783 | 20.17 | 860 | 29 | 41 |
| | | 6/08 | 35,323 | 20.17 | 720 | 29 | 41 |
| | | 7/08 | 39,569 | 10.77 | 848 | 29 | 44 |
| | | 8/08 | 38,590 | 20.17 | 952 | 29 | 43 |
| | | 9/08 | 35,033 | 20.17 | 1,145 | 30 | 39 |
| | | 10/08 | 35,123 | 20.17 | 1,355 | 33 | 34 |
| | | 11/08 | 34,850 | 20.17 | 899 | 33 | 35 |
| | | 12/08 | 34,919 | 13.56 | 808 | 33 | 34 |
| | | 441,024 | | 10,695 | | | |
| HIGHMOUNT MIDWES | GUMP | 2/08 | 1,472 | 18.18 | 3 | 1 | 51 |
| | | 3/08 | 1,466 | 17.83 | 32 | 1 | 47 |
| | | 4/08 | 1,437 | 17.83 | 45 | 1 | 48 |
| | | 5/08 | 1,492 | 17.83 | 46 | 1 | 48 |
| | | 6/08 | 1,523 | 17.83 | 45 | 1 | 51 |
| | | 7/08 | 1,722 | 18.07 | 46 | 1 | 56 |
| | | 8/08 | 1,677 | 17.83 | 46 | 1 | 54 |
| | | 9/08 | 1,513 | 17.83 | 45 | 1 | 50 |
| | | 10/08 | 1,528 | 17.83 | 46 | 1 | 49 |
| | | 11/08 | 1,440 | 19.08 | 45 | 1 | 48 |
| 12/08 | 1,328 | 19.04 | 46 | 1 | 43 | | |
| | | 16,598 | | 445 | | | |
| HIGHMOUNT MIDWES | HARDWOOD | 1/08 | 116,057 | 24.67 | 1,679 | 77 | 49 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|------------------|--------------|------------------|------------|-------|------------------|---------------|--------------------------|---|----|
| HIGHMOUNT MIDWES | HARDWOOD | 2/08 | 107,469 | 24.67 | 2,187 | 77 | 48 | | |
| | | 3/08 | 113,505 | 24.67 | 2,282 | 77 | 48 | | |
| | | 4/08 | 108,347 | 24.67 | 2,220 | 77 | 47 | | |
| | | 5/08 | 111,627 | 24.67 | 2,561 | 77 | 47 | | |
| | | 6/08 | 105,880 | 24.67 | 1,978 | 77 | 46 | | |
| | | 7/08 | 113,074 | 24.36 | 2,977 | 77 | 47 | | |
| | | 8/08 | 116,406 | 23.61 | 2,616 | 77 | 49 | | |
| | | 9/08 | 111,775 | 26.45 | 2,181 | 77 | 48 | | |
| | | 10/08 | 112,202 | 25.88 | 1,591 | 77 | 47 | | |
| | | 11/08 | 113,004 | 25.29 | 2,533 | 77 | 49 | | |
| | | 12/08 | 111,788 | 25.88 | 2,875 | 77 | 47 | | |
| | | | | | 1,341,134 | | 27,680 | | |
| | | HIGHMOUNT MIDWES | HEART LAKE | 1/08 | 8,447 | 16.55 | 143 | 5 | 54 |
| 2/08 | 7,643 | | | 15.49 | 154 | 5 | 53 | | |
| 3/08 | 8,317 | | | 16.55 | 158 | 5 | 54 | | |
| 4/08 | 7,252 | | | 16.55 | 161 | 5 | 48 | | |
| 5/08 | 8,771 | | | 16.55 | 246 | 5 | 57 | | |
| 6/08 | 8,031 | | | 16.55 | 164 | 5 | 54 | | |
| 7/08 | 8,083 | | | 17.69 | 139 | 5 | 52 | | |
| 8/08 | 8,921 | | | 16.55 | 134 | 5 | 58 | | |
| 9/08 | 8,725 | | | 16.55 | 561 | 5 | 58 | | |
| 10/08 | 8,907 | | | 16.55 | 372 | 5 | 57 | | |
| 11/08 | 8,182 | | | 17.06 | 243 | 5 | 55 | | |
| 12/08 | 8,355 | | | 16.08 | 215 | 5 | 54 | | |
| | | | | | 99,634 | | 2,690 | | |
| HIGHMOUNT MIDWES | HIGHWAY 33 | 1/08 | 24,729 | 23.40 | 301 | 19 | 42 | | |
| | | 2/08 | 23,025 | 23.40 | 143 | 19 | 42 | | |
| | | 3/08 | 24,393 | 23.40 | 370 | 19 | 41 | | |
| | | 4/08 | 21,601 | 23.40 | 425 | 19 | 38 | | |
| | | 5/08 | 25,373 | 25.58 | 331 | 19 | 43 | | |
| | | 6/08 | 24,388 | 25.65 | 225 | 19 | 43 | | |
| | | 7/08 | 23,650 | 23.71 | 179 | 19 | 40 | | |
| | | 8/08 | 22,485 | 23.87 | 82 | 19 | 38 | | |
| | | 9/08 | 20,843 | 26.92 | 333 | 19 | 37 | | |
| | | 10/08 | 20,472 | 26.62 | 237 | 19 | 35 | | |
| | | 11/08 | 20,256 | 25.87 | 101 | 19 | 36 | | |
| | | 12/08 | 20,500 | 26.52 | 333 | 19 | 35 | | |
| | | | | | 271,715 | | 3,060 | | |
| HIGHMOUNT MIDWES | HIGHWAY 612 | 1/08 | 9,810 | 26.49 | 41 | 11 | 29 | | |
| | | 2/08 | 8,802 | 26.49 | 283 | 11 | 28 | | |
| | | 3/08 | 9,964 | 26.49 | 140 | 11 | 29 | | |
| | | 4/08 | 10,169 | 26.49 | 583 | 11 | 31 | | |
| | | 5/08 | 10,467 | 24.68 | 579 | 11 | 31 | | |
| | | 6/08 | 9,368 | 24.74 | 477 | 11 | 28 | | |
| | | 7/08 | 9,937 | 24.34 | 472 | 11 | 29 | | |
| | | 8/08 | 10,596 | 25.22 | 206 | 11 | 31 | | |
| | | 9/08 | 9,932 | 25.42 | 196 | 11 | 30 | | |
| | | 10/08 | 10,258 | 25.62 | 307 | 11 | 30 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------|--------------------|-----------------|----------------|-------|------------------|---------------|--------------------------|
| HIGHMOUNT MIDWES | HIGHWAY 612 | 11/08 | 9,991 | 25.36 | 399 | 11 | 30 |
| | | 12/08 | 9,490 | 25.62 | 388 | 11 | 28 |
| | | | 118,784 | | 4,071 | | |
| HIGHMOUNT MIDWES | HIGHWAY 65 | 1/08 | 45,143 | 11.84 | 91,512 | 40 | 36 |
| | | 2/08 | 41,287 | 11.91 | 108,277 | 40 | 36 |
| | | 3/08 | 44,468 | 10.71 | 126,827 | 41 | 35 |
| | | 4/08 | 46,135 | 12.62 | 125,978 | 41 | 38 |
| | | 5/08 | 47,256 | 12.62 | 106,995 | 41 | 37 |
| | | 6/08 | 45,281 | 10.28 | 122,818 | 41 | 37 |
| | | 7/08 | 47,185 | 11.44 | 121,737 | 41 | 37 |
| | | 8/08 | 48,084 | 11.46 | 120,915 | 41 | 38 |
| | | 9/08 | 46,088 | 11.40 | 119,741 | 41 | 37 |
| | | 10/08 | 47,271 | 12.39 | 125,835 | 41 | 37 |
| | | 11/08 | 46,269 | 12.56 | 115,177 | 41 | 38 |
| | | 12/08 | 46,433 | 12.39 | 94,292 | 42 | 36 |
| | | | 550,900 | | 1,380,104 | | |
| HIGHMOUNT MIDWES | HOLCOMB CREEK | 1/08 | 11,195 | 11.66 | 36,761 | 16 | 23 |
| | | 2/08 | 11,302 | 12.60 | 32,287 | 16 | 24 |
| | | 3/08 | 10,613 | 12.60 | 31,681 | 16 | 21 |
| | | 4/08 | 11,078 | 12.60 | 27,032 | 16 | 23 |
| | | 5/08 | 11,510 | 14.68 | 26,767 | 16 | 23 |
| | | 6/08 | 10,676 | 11.74 | 30,070 | 16 | 22 |
| | | 7/08 | 10,650 | 12.63 | 27,703 | 16 | 21 |
| | | 8/08 | 10,801 | 12.46 | 27,832 | 16 | 22 |
| | | 9/08 | 11,008 | 13.73 | 27,901 | 16 | 23 |
| | | 10/08 | 11,144 | 13.73 | 28,812 | 16 | 22 |
| | | 11/08 | 10,608 | 14.62 | 36,177 | 16 | 22 |
| | | 12/08 | 11,031 | 7.33 | 32,850 | 16 | 22 |
| | | | 131,616 | | 365,873 | | |
| HIGHMOUNT MIDWES | JOY | 1/08 | 47,318 | 24.24 | 3,653 | 44 | 35 |
| | | 2/08 | 43,021 | 24.24 | 1,666 | 44 | 34 |
| | | 3/08 | 46,592 | 24.24 | 3,886 | 44 | 34 |
| | | 4/08 | 44,101 | 24.24 | 2,542 | 44 | 33 |
| | | 5/08 | 47,830 | 24.42 | 3,530 | 44 | 35 |
| | | 6/08 | 47,009 | 23.90 | 2,781 | 44 | 36 |
| | | 7/08 | 53,458 | 22.18 | 3,958 | 44 | 39 |
| | | 8/08 | 53,356 | 22.29 | 3,474 | 44 | 39 |
| | | 9/08 | 47,445 | 24.99 | 3,710 | 44 | 36 |
| | | 10/08 | 45,680 | 23.72 | 3,145 | 44 | 33 |
| | | 11/08 | 46,188 | 23.95 | 2,855 | 44 | 35 |
| | | 12/08 | 44,090 | 23.72 | 3,535 | 44 | 32 |
| | | | 566,088 | | 38,735 | | |
| HIGHMOUNT MIDWES | LAKES OF THE NORTH | 1/08 | 51,796 | 11.60 | 3,908 | 42 | 40 |
| | | 2/08 | 50,892 | 11.60 | 4,698 | 42 | 42 |
| | | 3/08 | 50,975 | 11.60 | 6,336 | 42 | 39 |
| | | 4/08 | 49,725 | 11.60 | 5,269 | 42 | 39 |
| | | 5/08 | 51,155 | 12.54 | 5,682 | 42 | 39 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------|--------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| HIGHMOUNT MIDWES | LAKES OF THE NORTH | 6/08 | 48,712 | | 5,047 | 42 | 39 |
| | | 7/08 | 51,871 | 12.78 | 5,688 | 42 | 40 |
| | | 8/08 | 56,251 | 12.54 | 5,919 | 42 | 43 |
| | | 9/08 | 53,207 | 12.59 | 5,393 | 42 | 42 |
| | | 10/08 | 57,824 | 12.53 | 5,556 | 42 | 44 |
| | | 11/08 | 51,103 | 12.76 | 4,750 | 42 | 41 |
| | | 12/08 | 49,060 | 12.40 | 3,627 | 42 | 38 |
| | | | 622,571 | | 61,873 | | |
| HIGHMOUNT MIDWES | LOST LAKE WOODS | 1/08 | 40,148 | 9.97 | 83,901 | 39 | 33 |
| | | 2/08 | 36,635 | 10.17 | 72,081 | 39 | 32 |
| | | 3/08 | 41,589 | 10.11 | 84,517 | 39 | 34 |
| | | 4/08 | 39,505 | 10.06 | 78,815 | 39 | 34 |
| | | 5/08 | 40,470 | 9.31 | 88,804 | 39 | 33 |
| | | 6/08 | 39,202 | 9.98 | 87,117 | 39 | 34 |
| | | 7/08 | 40,803 | 9.56 | 87,169 | 39 | 34 |
| | | 8/08 | 41,332 | 9.61 | 88,573 | 39 | 34 |
| | | 9/08 | 40,746 | 10.04 | 78,203 | 39 | 35 |
| | | 10/08 | 42,208 | 10.01 | 85,502 | 39 | 35 |
| | | 11/08 | 40,118 | 11.25 | 72,616 | 40 | 33 |
| | | 12/08 | 40,698 | 10.01 | 83,175 | 40 | 33 |
| | | | 483,454 | | 990,473 | | |
| HIGHMOUNT MIDWES | MANCELONA I | 1/08 | 63,231 | 13.53 | 8,550 | 63 | 32 |
| | | 2/08 | 52,756 | 13.48 | 3,542 | 64 | 28 |
| | | 3/08 | 57,325 | 13.53 | 8,301 | 64 | 29 |
| | | 4/08 | 55,400 | 13.53 | 8,411 | 64 | 29 |
| | | 5/08 | 57,789 | 13.53 | 10,219 | 64 | 29 |
| | | 6/08 | 60,502 | 13.53 | 4,609 | 64 | 32 |
| | | 7/08 | 62,401 | 13.26 | 8,294 | 64 | 31 |
| | | 8/08 | 61,829 | 13.53 | 12,480 | 64 | 31 |
| | | 9/08 | 60,062 | 13.53 | 11,700 | 64 | 31 |
| | | 10/08 | 62,245 | 13.53 | 10,875 | 64 | 31 |
| | | 11/08 | 58,956 | 13.73 | 11,730 | 64 | 31 |
| | | 12/08 | 61,826 | 13.63 | 7,977 | 63 | 32 |
| | | | 714,322 | | 106,688 | | |
| HIGHMOUNT MIDWES | MANCELONA II | 1/08 | 17,517 | 13.53 | 2,664 | 13 | 43 |
| | | 2/08 | 14,718 | 13.48 | 2,812 | 13 | 39 |
| | | 3/08 | 15,660 | 13.53 | 3,416 | 12 | 42 |
| | | 4/08 | 15,371 | 13.53 | 3,277 | 13 | 39 |
| | | 5/08 | 15,866 | 13.53 | 2,505 | 13 | 39 |
| | | 6/08 | 15,715 | 13.53 | 2,623 | 13 | 40 |
| | | 7/08 | 16,667 | 13.26 | 3,245 | 13 | 41 |
| | | 8/08 | 17,618 | 13.53 | 3,877 | 13 | 44 |
| | | 9/08 | 16,320 | 13.53 | 3,149 | 13 | 42 |
| | | 10/08 | 16,176 | 13.53 | 2,724 | 12 | 43 |
| | | 11/08 | 16,371 | 13.73 | 3,020 | 13 | 42 |
| | | 12/08 | 16,654 | 13.63 | 2,704 | 12 | 45 |
| | | | 194,653 | | 36,016 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------|-------------------|-----------------|-----------|-------|----------------|---------------|--------------------------|
| HIGHMOUNT MIDWES | MARSTRAND | 1/08 | 19,967 | 22.14 | 2,194 | 22 | 29 |
| | | 2/08 | 18,208 | 22.14 | 1,638 | 22 | 29 |
| | | 3/08 | 20,874 | 22.14 | 2,396 | 22 | 31 |
| | | 4/08 | 21,697 | 22.14 | 3,653 | 22 | 33 |
| | | 5/08 | 23,238 | 13.99 | 4,082 | 22 | 34 |
| | | 6/08 | 22,520 | 22.44 | 4,610 | 22 | 34 |
| | | 7/08 | 22,866 | 12.64 | 3,389 | 22 | 34 |
| | | 8/08 | 24,244 | 22.14 | 4,392 | 22 | 36 |
| | | 9/08 | 22,717 | 22.14 | 3,622 | 22 | 34 |
| | | 10/08 | 21,784 | 22.14 | 3,892 | 22 | 32 |
| | | 11/08 | 20,825 | 22.14 | 3,424 | 22 | 32 |
| | | 12/08 | 20,607 | 22.14 | 3,550 | 22 | 30 |
| | | | | | 259,547 | | 40,842 |
| HIGHMOUNT MIDWES | MID CHARLTON EAST | 1/08 | 9,567 | 24.87 | 435 | 17 | 18 |
| | | 2/08 | 9,270 | 25.44 | 641 | 17 | 19 |
| | | 3/08 | 10,044 | 25.39 | 462 | 17 | 19 |
| | | 4/08 | 9,545 | 25.11 | 595 | 17 | 19 |
| | | 5/08 | 10,611 | 25.15 | 574 | 17 | 20 |
| | | 6/08 | 10,443 | 25.25 | 606 | 17 | 20 |
| | | 7/08 | 10,534 | 25.72 | 710 | 17 | 20 |
| | | 8/08 | 10,169 | 25.61 | 693 | 17 | 19 |
| | | 9/08 | 9,325 | 25.80 | 598 | 17 | 18 |
| | | 10/08 | 9,122 | 25.65 | 549 | 17 | 17 |
| | | 11/08 | 8,163 | 25.65 | 1,091 | 17 | 16 |
| | | 12/08 | 8,483 | 25.65 | 995 | 17 | 16 |
| | | | | | 115,276 | | 7,949 |
| HIGHMOUNT MIDWES | MID CHARLTON WEST | 1/08 | 10,657 | 24.87 | 302 | 14 | 25 |
| | | 2/08 | 10,301 | 25.44 | 282 | 14 | 25 |
| | | 3/08 | 10,910 | 25.39 | 263 | 14 | 25 |
| | | 4/08 | 10,624 | 25.11 | 286 | 14 | 25 |
| | | 5/08 | 10,755 | 25.15 | 297 | 14 | 25 |
| | | 6/08 | 10,369 | 25.25 | 171 | 14 | 25 |
| | | 7/08 | 10,232 | 25.72 | 248 | 14 | 24 |
| | | 8/08 | 11,068 | 25.61 | 245 | 14 | 25 |
| | | 9/08 | 9,769 | 25.80 | 169 | 14 | 23 |
| | | 10/08 | 9,985 | 25.65 | 343 | 14 | 23 |
| | | 11/08 | 9,529 | 25.65 | 284 | 14 | 23 |
| | | 12/08 | 9,939 | 25.65 | 389 | 14 | 23 |
| | | | | | 124,138 | | 3,279 |
| HIGHMOUNT MIDWES | NORTH BAY | 1/08 | 74,327 | 12.59 | 10,355 | 49 | 49 |
| | | 2/08 | 69,941 | 15.81 | 7,969 | 49 | 49 |
| | | 3/08 | 73,376 | 12.87 | 7,045 | 49 | 48 |
| | | 4/08 | 72,193 | 12.87 | 6,923 | 49 | 49 |
| | | 5/08 | 75,204 | 12.83 | 7,717 | 49 | 49 |
| | | 6/08 | 72,744 | 12.71 | 7,895 | 49 | 49 |
| | | 7/08 | 76,575 | 13.07 | 9,296 | 49 | 50 |
| | | 8/08 | 76,323 | 12.68 | 10,875 | 49 | 50 |
| | | 9/08 | 74,067 | 12.87 | 10,294 | 49 | 50 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------|------------------|------------------|----------------|-------|----------------|---------------|--------------------------|
| HIGHMOUNT MIDWES | NORTH BAY | 10/08 | 78,677 | 12.93 | 10,923 | 49 | 52 |
| | | 11/08 | 76,925 | 12.54 | 13,300 | 51 | 50 |
| | | 12/08 | 77,368 | 22.79 | 13,364 | 51 | 49 |
| | | | 897,720 | | 115,956 | | |
| HIGHMOUNT MIDWES | NORTH BAY II | 3/08 | 1,626 | 10.71 | 1,641 | 1 | 52 |
| | | 4/08 | 2,451 | 12.87 | 1,472 | 1 | 82 |
| | | 5/08 | 2,723 | 12.62 | 1,382 | 1 | 88 |
| | | 6/08 | 2,600 | 10.28 | 1,652 | 1 | 87 |
| | | 7/08 | 2,650 | 13.07 | 1,560 | 1 | 85 |
| | | 8/08 | 2,643 | 11.46 | 1,381 | 1 | 85 |
| | | 9/08 | 2,587 | 11.40 | 1,360 | 1 | 86 |
| | | 10/08 | 2,528 | 11.54 | 1,430 | 1 | 82 |
| | | 11/08 | 2,774 | 12.56 | 1,236 | 1 | 92 |
| | | 12/08 | 2,654 | 12.39 | 977 | 1 | 86 |
| | | | 25,236 | | 14,091 | | |
| | | HIGHMOUNT MIDWES | NORTH HARDWOOD | 1/08 | 24,798 | 22.21 | 699 |
| 2/08 | 22,630 | | | 22.57 | 531 | 11 | 71 |
| 3/08 | 24,518 | | | 22.63 | 625 | 11 | 72 |
| 4/08 | 23,445 | | | 22.56 | 576 | 11 | 71 |
| 5/08 | 24,258 | | | 22.76 | 548 | 11 | 71 |
| 6/08 | 23,359 | | | | 721 | 11 | 71 |
| 7/08 | 24,204 | | | 22.84 | 708 | 11 | 71 |
| 8/08 | 23,841 | | | 22.77 | 618 | 11 | 70 |
| 9/08 | 22,372 | | | 22.53 | 653 | 11 | 68 |
| 10/08 | 22,482 | | | 22.77 | 599 | 11 | 66 |
| 11/08 | 21,974 | | | 23.02 | 588 | 11 | 67 |
| 12/08 | 22,184 | | | 12.77 | 563 | 11 | 65 |
| | 280,065 | | 7,429 | | | | |
| HIGHMOUNT MIDWES | NORWAY HUNT CLUB | 1/08 | 999 | 11.39 | 286 | 1 | 32 |
| | | 2/08 | 835 | 11.29 | 119 | 1 | 29 |
| | | 3/08 | 912 | 11.56 | 242 | 1 | 29 |
| | | 4/08 | 919 | 11.41 | 292 | 1 | 31 |
| | | 5/08 | 1,006 | 11.50 | 355 | 1 | 32 |
| | | 6/08 | 984 | 11.44 | 375 | 1 | 33 |
| | | 7/08 | 966 | 11.44 | 663 | 1 | 31 |
| | | 8/08 | 869 | 11.37 | 367 | 1 | 28 |
| | | 9/08 | 810 | 11.44 | 671 | 1 | 27 |
| | | 10/08 | 872 | 11.73 | 672 | 1 | 28 |
| | | 11/08 | 811 | 12.28 | 561 | 1 | 27 |
| | | 12/08 | 1,018 | 11.73 | 372 | 1 | 33 |
| | 11,001 | | 4,975 | | | | |
| HIGHMOUNT MIDWES | PAFFI | 1/08 | 36,069 | 7.85 | 3,043 | 16 | 73 |
| | | 2/08 | 26,868 | 7.85 | 2,551 | 16 | 58 |
| | | 3/08 | 27,647 | 7.85 | 2,799 | 16 | 56 |
| | | 4/08 | 28,024 | 7.85 | 2,856 | 16 | 58 |
| | | 5/08 | 30,021 | 7.82 | 2,832 | 17 | 57 |
| | | 6/08 | 29,990 | 7.78 | 2,579 | 17 | 59 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------|-----------------------|-----------------|-----------|----------------|-------------|---------------|--------------------------|
| HIGHMOUNT MIDWES | PAFFI | 7/08 | 30,407 | 7.52 | 2,565 | 17 | 58 |
| | | 8/08 | 28,571 | 7.79 | 2,647 | 17 | 54 |
| | | 9/08 | 27,018 | 7.92 | 2,430 | 17 | 53 |
| | | 10/08 | 27,893 | 7.92 | 2,501 | 17 | 53 |
| | | 11/08 | 26,865 | 7.20 | 2,408 | 17 | 53 |
| | | 12/08 | 26,933 | 7.43 | 2,355 | 17 | 51 |
| | | | | 346,306 | | 31,566 | |
| HIGHMOUNT MIDWES | PRIVATE SCHMITT CREEK | 1/08 | 23,643 | 7.84 | 51,793 | 12 | 64 |
| | | 2/08 | 21,533 | 7.96 | 41,527 | 12 | 62 |
| | | 3/08 | 23,130 | 7.91 | 48,414 | 12 | 62 |
| | | 4/08 | 22,620 | 7.85 | 50,965 | 12 | 63 |
| | | 5/08 | 24,276 | 7.80 | 53,537 | 12 | 65 |
| | | 6/08 | 22,747 | 7.61 | 53,498 | 12 | 63 |
| | | 7/08 | 24,899 | 7.51 | 60,168 | 12 | 67 |
| | | 8/08 | 26,515 | 7.58 | 61,194 | 12 | 71 |
| | | 9/08 | 26,164 | 7.88 | 57,389 | 12 | 73 |
| | | 10/08 | 26,428 | 8.00 | 55,095 | 12 | 71 |
| | | 11/08 | 25,125 | 8.33 | 53,760 | 12 | 70 |
| | | 12/08 | 23,563 | 8.00 | 51,086 | 12 | 63 |
| | | 290,643 | | 638,426 | | | |
| HIGHMOUNT MIDWES | SAGE CREEK | 1/08 | 36,569 | 21.11 | 2,287 | 29 | 41 |
| | | 2/08 | 34,020 | 21.11 | 2,040 | 29 | 40 |
| | | 3/08 | 35,154 | 20.98 | 2,510 | 29 | 39 |
| | | 4/08 | 31,786 | 21.36 | 1,793 | 29 | 37 |
| | | 5/08 | 35,088 | 21.14 | 2,353 | 29 | 39 |
| | | 6/08 | 35,347 | 20.92 | 2,159 | 29 | 41 |
| | | 7/08 | 36,173 | 21.10 | 2,288 | 29 | 40 |
| | | 8/08 | 37,035 | 20.92 | 2,166 | 29 | 41 |
| | | 9/08 | 35,040 | 20.46 | 2,910 | 29 | 40 |
| | | 10/08 | 35,389 | 21.13 | 2,327 | 29 | 39 |
| | | 11/08 | 34,375 | 21.20 | 2,117 | 29 | 40 |
| | | 12/08 | 34,526 | 21.13 | 1,947 | 29 | 38 |
| | | 420,502 | | 26,897 | | | |
| HIGHMOUNT MIDWES | SCOTT CREEK | 1/08 | 39,676 | 10.71 | 10,080 | 31 | 41 |
| | | 2/08 | 37,696 | 10.85 | 11,849 | 31 | 42 |
| | | 3/08 | 40,968 | 10.94 | 10,904 | 31 | 43 |
| | | 4/08 | 39,267 | 10.92 | 10,479 | 31 | 42 |
| | | 5/08 | 40,979 | 10.83 | 10,707 | 31 | 43 |
| | | 6/08 | 39,391 | 10.87 | 9,834 | 31 | 42 |
| | | 7/08 | 40,341 | 10.75 | 10,194 | 31 | 42 |
| | | 8/08 | 40,673 | 10.78 | 10,609 | 31 | 42 |
| | | 9/08 | 39,292 | 11.04 | 9,754 | 31 | 42 |
| | | 10/08 | 40,622 | 11.05 | 9,733 | 31 | 42 |
| | | 11/08 | 39,287 | 11.67 | 10,232 | 31 | 42 |
| | | 12/08 | 40,124 | 11.05 | 9,931 | 32 | 40 |
| | | 478,316 | | 124,306 | | | |
| HIGHMOUNT MIDWES | SHERIDAN CREEK | 1/08 | 41,003 | 11.58 | 5,659 | 28 | 47 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|------------------|---------------------|------------------|--------------|-------|------------------|---------------|--------------------------|----|----|
| HIGHMOUNT MIDWES | SHERIDAN CREEK | 2/08 | 44,206 | 11.58 | 5,662 | 28 | 54 | | |
| | | 3/08 | 45,800 | 11.58 | 5,286 | 28 | 53 | | |
| | | 4/08 | 43,722 | 11.58 | 5,154 | 28 | 52 | | |
| | | 5/08 | 45,586 | 11.58 | 5,379 | 28 | 53 | | |
| | | 6/08 | 41,803 | 12.93 | 4,454 | 28 | 50 | | |
| | | 7/08 | 43,820 | 12.92 | 5,255 | 28 | 50 | | |
| | | 8/08 | 43,784 | 12.80 | 6,567 | 28 | 50 | | |
| | | 9/08 | 42,151 | 13.52 | 4,998 | 28 | 50 | | |
| | | 10/08 | 43,148 | 13.52 | 7,968 | 28 | 50 | | |
| | | 11/08 | 40,134 | 12.81 | 4,606 | 28 | 48 | | |
| | | 12/08 | 40,456 | 12.46 | 4,455 | 28 | 47 | | |
| | | | | | 515,613 | | 65,443 | | |
| | | HIGHMOUNT MIDWES | SOUTH BRILEY | 1/08 | 108,851 | 24.75 | 9,153 | 71 | 49 |
| 2/08 | 103,260 | | | 24.75 | 10,693 | 71 | 50 | | |
| 3/08 | 109,747 | | | 24.96 | 12,651 | 71 | 50 | | |
| 4/08 | 107,524 | | | 24.95 | 9,848 | 71 | 50 | | |
| 5/08 | 110,939 | | | 24.96 | 9,398 | 71 | 50 | | |
| 6/08 | 107,335 | | | 25.29 | 8,027 | 71 | 50 | | |
| 7/08 | 113,527 | | | 24.95 | 10,636 | 71 | 52 | | |
| 8/08 | 111,833 | | | 19.11 | 9,735 | 71 | 51 | | |
| 9/08 | 103,902 | | | 25.99 | 8,539 | 71 | 49 | | |
| 10/08 | 106,602 | | | 25.57 | 8,241 | 71 | 48 | | |
| 11/08 | 103,649 | | | 25.57 | 8,359 | 71 | 49 | | |
| 12/08 | 104,071 | | | 25.57 | 9,308 | 71 | 47 | | |
| | | | | | 1,291,240 | | 114,588 | | |
| HIGHMOUNT MIDWES | STATE MAPLE FOREST | 1/08 | 46,038 | 16.63 | 5,542 | 48 | 31 | | |
| | | 2/08 | 42,607 | 17.13 | 4,431 | 48 | 31 | | |
| | | 3/08 | 45,265 | 16.58 | 5,907 | 48 | 30 | | |
| | | 4/08 | 43,258 | 16.58 | 4,484 | 48 | 30 | | |
| | | 5/08 | 47,283 | 17.40 | 6,817 | 48 | 32 | | |
| | | 6/08 | 42,225 | 17.76 | 9,426 | 51 | 28 | | |
| | | 7/08 | 47,028 | 15.65 | 6,170 | 54 | 28 | | |
| | | 8/08 | 49,419 | 17.76 | 5,357 | 57 | 28 | | |
| | | 9/08 | 49,626 | 16.92 | 5,001 | 57 | 29 | | |
| | | 10/08 | 51,695 | 17.21 | 4,611 | 58 | 29 | | |
| | | 11/08 | 51,512 | 16.64 | 5,632 | 58 | 30 | | |
| | | 12/08 | 54,064 | 17.21 | 5,779 | 58 | 30 | | |
| | | | | | 570,020 | | 69,157 | | |
| HIGHMOUNT MIDWES | STATE SCHMITT CREEK | 1/08 | 49,219 | 7.84 | 208,991 | 41 | 39 | | |
| | | 2/08 | 43,960 | 7.96 | 168,180 | 41 | 37 | | |
| | | 3/08 | 46,770 | 7.91 | 195,310 | 41 | 37 | | |
| | | 4/08 | 44,106 | 7.85 | 196,616 | 41 | 36 | | |
| | | 5/08 | 47,299 | 7.80 | 200,367 | 41 | 37 | | |
| | | 6/08 | 45,386 | 7.61 | 196,506 | 41 | 37 | | |
| | | 7/08 | 45,578 | 7.51 | 217,163 | 41 | 36 | | |
| | | 8/08 | 46,046 | 7.58 | 220,575 | 41 | 36 | | |
| | | 9/08 | 44,429 | 7.88 | 200,830 | 41 | 36 | | |
| | | 10/08 | 45,907 | 8.00 | 191,005 | 41 | 36 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--|---------------------|-----------------|-------------------|-------|------------------|---------------|--------------------------|
| HIGHMOUNT MIDWES | STATE SCHMITT CREEK | 11/08 | 44,779 | 8.33 | 186,492 | 41 | 36 |
| | | 12/08 | 44,150 | 8.00 | 176,997 | 41 | 35 |
| | | | 547,629 | | 2,359,032 | | |
| HIGHMOUNT MIDWES | THOMAS LAKE | 1/08 | 84,188 | 17.83 | 3,013 | 46 | 59 |
| | | 2/08 | 80,205 | 18.18 | 2,519 | 46 | 60 |
| | | 3/08 | 83,105 | 17.83 | 2,872 | 46 | 58 |
| | | 4/08 | 83,200 | 17.83 | 2,806 | 46 | 60 |
| | | 5/08 | 86,139 | 17.83 | 3,033 | 46 | 60 |
| | | 6/08 | 84,461 | 17.83 | 2,937 | 46 | 61 |
| | | 7/08 | 85,567 | 18.07 | 2,734 | 46 | 60 |
| | | 8/08 | 85,463 | 17.83 | 3,162 | 47 | 59 |
| | | 9/08 | 85,282 | 17.83 | 3,447 | 47 | 60 |
| | | 10/08 | 89,575 | 17.83 | 3,626 | 47 | 61 |
| | | 11/08 | 84,952 | 19.08 | 3,225 | 47 | 60 |
| | | 12/08 | 82,383 | 19.04 | 2,579 | 47 | 57 |
| | | | 1,014,520 | | 35,953 | | |
| HIGHMOUNT MIDWES | WEBBER CREEK | 1/08 | 14,122 | 19.64 | 2,023 | 10 | 46 |
| | | 2/08 | 12,354 | 20.75 | 959 | 10 | 43 |
| | | 3/08 | 13,880 | 20.67 | 1,150 | 10 | 45 |
| | | 4/08 | 12,701 | 20.32 | 913 | 10 | 42 |
| | | 5/08 | 13,869 | 20.32 | 1,040 | 10 | 45 |
| | | 6/08 | 13,875 | | 1,167 | 10 | 46 |
| | | 7/08 | 14,427 | 20.42 | 1,240 | 10 | 47 |
| | | 8/08 | 14,531 | 20.26 | 1,281 | 10 | 47 |
| | | 9/08 | 13,952 | 20.75 | 1,121 | 10 | 47 |
| | | 10/08 | 14,388 | 20.82 | 1,218 | 10 | 46 |
| | | 11/08 | 13,940 | 20.84 | 1,083 | 10 | 46 |
| | | 12/08 | 14,639 | 20.82 | 957 | 10 | 47 |
| | | | 166,678 | | 14,152 | | |
| HIGHMOUNT MIDWES | WILD WEST | 1/08 | 42,890 | 17.83 | 12,448 | 27 | 51 |
| | | 2/08 | 39,725 | 18.18 | 9,359 | 27 | 51 |
| | | 3/08 | 40,956 | 17.83 | 12,184 | 27 | 49 |
| | | 4/08 | 40,922 | 17.83 | 10,815 | 27 | 51 |
| | | 5/08 | 41,451 | 17.83 | 11,704 | 27 | 50 |
| | | 6/08 | 40,744 | 17.83 | 11,292 | 27 | 50 |
| | | 7/08 | 41,270 | 18.07 | 12,037 | 27 | 49 |
| | | 8/08 | 39,859 | 17.83 | 11,206 | 27 | 48 |
| | | 9/08 | 40,216 | 17.83 | 11,154 | 27 | 50 |
| | | 10/08 | 41,816 | 17.83 | 11,403 | 27 | 50 |
| | | 11/08 | 39,166 | 19.08 | 9,987 | 27 | 48 |
| | | 12/08 | 38,515 | 19.04 | 7,816 | 27 | 46 |
| | | | 487,530 | | 131,405 | | |
| HIGHMOUNT MIDWEST ENERGY LLC - REPORTER TOTALS: | | | 18,699,040 | | 8,277,431 | | |
| HRF | ABE LINCOLN | 1/08 | 4,861 | 10.35 | 731 | 3 | 52 |
| | | 2/08 | 4,436 | 10.35 | 561 | 3 | 51 |
| | | 3/08 | 4,807 | 10.35 | 729 | 3 | 52 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|---------------|-----------------|----------------|-------|---------------|---------------|--------------------------|---|----|
| HRF | ABE LINCOLN | 4/08 | 4,720 | 10.30 | 693 | 3 | 52 | | |
| | | 5/08 | 4,555 | 10.35 | 724 | 3 | 49 | | |
| | | 6/08 | 4,518 | 10.35 | 628 | 3 | 50 | | |
| | | 7/08 | 4,661 | 10.35 | 677 | 3 | 50 | | |
| | | 8/08 | 4,343 | 10.35 | 610 | 3 | 47 | | |
| | | 9/08 | 4,169 | 10.35 | 607 | 3 | 46 | | |
| | | 10/08 | 3,958 | 10.35 | 591 | 3 | 43 | | |
| | | 11/08 | 3,494 | 10.88 | 451 | 3 | 39 | | |
| | | 12/08 | 3,657 | 10.88 | 519 | 3 | 39 | | |
| | | | | | 52,179 | | 7,521 | | |
| | | HRF | BEAR SWAMP | 1/08 | 22,888 | 10.96 | 5,507 | 8 | 92 |
| | | | | 2/08 | 21,103 | 10.96 | 5,022 | 8 | 91 |
| 3/08 | 20,637 | | | 10.96 | 5,687 | 8 | 83 | | |
| 4/08 | 20,321 | | | 10.96 | 5,310 | 8 | 85 | | |
| 5/08 | 20,505 | | | 10.96 | 4,974 | 8 | 83 | | |
| 6/08 | 18,684 | | | 10.96 | 4,972 | 8 | 78 | | |
| 7/08 | 19,777 | | | 10.96 | 4,977 | 8 | 80 | | |
| 8/08 | 20,265 | | | 10.96 | 4,971 | 8 | 82 | | |
| 9/08 | 20,857 | | | 10.96 | 4,900 | 8 | 87 | | |
| 10/08 | 21,055 | | | 10.96 | 5,007 | 8 | 85 | | |
| 11/08 | 19,374 | | | 11.25 | 4,590 | 8 | 81 | | |
| 12/08 | 19,363 | | | 11.25 | 4,109 | 8 | 78 | | |
| | | | 244,829 | | 60,026 | | | | |
| HRF | CLUB PROSPECT | 1/08 | 2,174 | 12.99 | 523 | 2 | 35 | | |
| | | 2/08 | 1,905 | 12.99 | 453 | 2 | 33 | | |
| | | 3/08 | 1,873 | 12.99 | 516 | 2 | 30 | | |
| | | 4/08 | 1,926 | 12.99 | 503 | 2 | 32 | | |
| | | 5/08 | 1,967 | 12.99 | 477 | 2 | 32 | | |
| | | 6/08 | 1,794 | 12.99 | 477 | 2 | 30 | | |
| | | 7/08 | 1,876 | 12.99 | 472 | 2 | 30 | | |
| | | 8/08 | 1,915 | 12.99 | 470 | 2 | 31 | | |
| | | 9/08 | 1,918 | 12.99 | 451 | 2 | 32 | | |
| | | 10/08 | 1,939 | 12.99 | 461 | 2 | 31 | | |
| | | 11/08 | 1,747 | 13.89 | 414 | 2 | 29 | | |
| | | 12/08 | 1,763 | 13.89 | 374 | 2 | 28 | | |
| | | | 22,797 | | 5,591 | | | | |
| HRF | HERMS LANDING | 1/08 | 2,095 | 11.98 | 315 | 3 | 23 | | |
| | | 2/08 | 1,724 | 11.98 | 218 | 3 | 20 | | |
| | | 3/08 | 1,846 | 11.98 | 280 | 3 | 20 | | |
| | | 4/08 | 1,784 | 11.98 | 262 | 3 | 20 | | |
| | | 5/08 | 1,762 | 11.98 | 280 | 3 | 19 | | |
| | | 6/08 | 1,670 | 11.98 | 232 | 3 | 19 | | |
| | | 7/08 | 1,775 | 11.98 | 258 | 3 | 19 | | |
| | | 8/08 | 1,947 | 11.98 | 274 | 3 | 21 | | |
| | | 9/08 | 1,865 | 11.98 | 271 | 3 | 21 | | |
| | | 10/08 | 1,924 | 11.98 | 287 | 3 | 21 | | |
| | | 11/08 | 1,849 | 14.45 | 239 | 3 | 21 | | |
| | | 12/08 | 1,870 | 14.45 | 265 | 3 | 20 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| | | | 22,111 | | 3,181 | | |
| HRF | INDIAN GREEN | 1/08 | 15,934 | 8.29 | 2,394 | 7 | 73 |
| | | 2/08 | 14,771 | 8.29 | 1,868 | 7 | 73 |
| | | 3/08 | 15,483 | 8.29 | 2,350 | 7 | 71 |
| | | 4/08 | 14,584 | 8.29 | 2,144 | 7 | 69 |
| | | 5/08 | 15,480 | 8.29 | 2,463 | 7 | 71 |
| | | 6/08 | 15,278 | 8.29 | 2,123 | 7 | 73 |
| | | 7/08 | 15,798 | 8.29 | 2,295 | 7 | 73 |
| | | 8/08 | 15,902 | 8.29 | 6,235 | 7 | 73 |
| | | 9/08 | 15,468 | 8.29 | 2,251 | 7 | 74 |
| | | 10/08 | 15,401 | 8.29 | 2,299 | 7 | 71 |
| | | 11/08 | 15,315 | 8.15 | 1,978 | 7 | 73 |
| | | 12/08 | 15,411 | 8.15 | 2,187 | 7 | 71 |
| | | | 184,825 | | 30,587 | | |
| HRF | INDIAN GREEN EAST | 1/08 | 7,549 | 6.68 | 1,816 | 2 | 122 |
| | | 2/08 | 8,261 | 6.68 | 1,966 | 2 | 142 |
| | | 3/08 | 7,274 | 6.68 | 2,030 | 2 | 117 |
| | | 4/08 | 8,122 | 6.68 | 2,122 | 2 | 135 |
| | | 5/08 | 9,959 | 6.68 | 2,416 | 2 | 161 |
| | | 6/08 | 9,291 | 6.68 | 2,473 | 2 | 155 |
| | | 7/08 | 9,937 | 6.68 | 2,501 | 2 | 160 |
| | | 8/08 | 9,823 | 6.68 | 2,410 | 2 | 158 |
| | | 9/08 | 8,067 | 6.68 | 1,895 | 2 | 134 |
| | | 10/08 | 10,260 | 6.68 | 2,440 | 2 | 165 |
| | | 11/08 | 10,492 | 5.62 | 2,486 | 2 | 175 |
| | | 12/08 | 10,637 | 5.62 | 2,257 | 2 | 172 |
| | | | 109,672 | | 26,812 | | |
| HRF | LIGHTNING TREE | 1/08 | 23,816 | 10.13 | 5,731 | 9 | 85 |
| | | 2/08 | 21,682 | 10.13 | 5,160 | 9 | 83 |
| | | 3/08 | 21,156 | 10.13 | 5,830 | 9 | 76 |
| | | 4/08 | 22,085 | 10.13 | 5,771 | 9 | 82 |
| | | 5/08 | 23,588 | 10.13 | 5,722 | 9 | 85 |
| | | 6/08 | 22,430 | 10.13 | 5,969 | 9 | 83 |
| | | 7/08 | 23,032 | 10.13 | 5,796 | 9 | 83 |
| | | 8/08 | 23,307 | 10.13 | 5,718 | 9 | 84 |
| | | 9/08 | 22,915 | 10.13 | 5,383 | 9 | 85 |
| | | 10/08 | 22,309 | 10.13 | 5,305 | 9 | 80 |
| | | 11/08 | 21,469 | 7.76 | 5,086 | 9 | 80 |
| | | 12/08 | 22,247 | 7.76 | 4,721 | 9 | 80 |
| | | | 270,036 | | 66,192 | | |
| HRF | LOST WATCHMAN | 1/08 | 24,895 | 14.49 | 5,990 | 11 | 73 |
| | | 2/08 | 23,047 | 14.49 | 5,485 | 11 | 72 |
| | | 3/08 | 23,393 | 14.49 | 6,447 | 11 | 69 |
| | | 4/08 | 23,139 | 14.49 | 6,046 | 11 | 70 |
| | | 5/08 | 23,808 | 14.49 | 5,775 | 11 | 70 |
| | | 6/08 | 21,048 | 14.49 | 5,601 | 11 | 64 |
| | | 7/08 | 22,477 | 14.49 | 5,657 | 11 | 66 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|--------------------|-----------------|---------------|-------|----------------|---------------|--------------------------|
| HRF | LOST WATCHMAN | 8/08 | 23,412 | 14.49 | 5,744 | 11 | 69 |
| | | 9/08 | 24,076 | 14.49 | 5,656 | 11 | 73 |
| | | 10/08 | 24,450 | 14.49 | 5,814 | 11 | 72 |
| | | 11/08 | 23,600 | 10.47 | 5,591 | 11 | 72 |
| | | 12/08 | 24,075 | 10.47 | 5,109 | 11 | 71 |
| | | | | | 281,420 | | 68,915 |
| HRF | MINERS DAM | 1/08 | 4,192 | 6.13 | 1,009 | 2 | 68 |
| | | 2/08 | 3,923 | 6.13 | 934 | 2 | 68 |
| | | 3/08 | 3,772 | 6.13 | 1,040 | 2 | 61 |
| | | 4/08 | 4,023 | 6.13 | 1,051 | 2 | 67 |
| | | 5/08 | 4,107 | 6.13 | 996 | 2 | 66 |
| | | 6/08 | 3,839 | 6.13 | 1,022 | 2 | 64 |
| | | 7/08 | 4,165 | 6.13 | 1,048 | 2 | 67 |
| | | 8/08 | 4,211 | 6.13 | 1,033 | 2 | 68 |
| | | 9/08 | 4,328 | 6.13 | 1,017 | 2 | 72 |
| | | 10/08 | 4,312 | 6.13 | 1,025 | 2 | 70 |
| | | 11/08 | 4,035 | 6.46 | 956 | 2 | 67 |
| | | 12/08 | 4,084 | 6.46 | 867 | 2 | 66 |
| | | | 48,991 | | 11,998 | | |
| HRF | MINERS DAM - 21242 | 4/08 | 1,171 | 29.04 | 306 | 1 | 39 |
| | | 5/08 | 1,256 | 29.04 | 305 | 1 | 41 |
| | | 6/08 | 1,119 | 29.04 | 298 | 1 | 37 |
| | | 7/08 | 1,292 | 29.04 | 325 | 1 | 42 |
| | | 8/08 | 1,370 | 29.04 | 336 | 1 | 44 |
| | | 9/08 | 1,796 | 5.48 | 422 | 1 | 60 |
| | | 10/08 | 1,888 | 5.48 | 449 | 1 | 61 |
| | | 11/08 | 1,784 | 5.48 | 423 | 1 | 59 |
| | | 12/08 | 1,844 | 5.48 | 391 | 1 | 59 |
| | | | | | 13,520 | | 3,255 |
| HRF | MINERS DAM - 21243 | 3/08 | 903 | 1.25 | 249 | 1 | 29 |
| | | 4/08 | 2,415 | 29.04 | 631 | 1 | 81 |
| | | 5/08 | 1,999 | 29.04 | 485 | 1 | 64 |
| | | 6/08 | 2,801 | 29.04 | 745 | 1 | 93 |
| | | 7/08 | 2,935 | 29.04 | 739 | 1 | 95 |
| | | 8/08 | 3,010 | 29.04 | 738 | 1 | 97 |
| | | 9/08 | 3,984 | 5.26 | 936 | 1 | 133 |
| | | 10/08 | 4,012 | 5.26 | 954 | 1 | 129 |
| | | 11/08 | 3,780 | 5.26 | 895 | 1 | 126 |
| | | 12/08 | 3,844 | 5.26 | 816 | 1 | 124 |
| | | | 29,683 | | 7,188 | | |
| HRF | MINERS DAM-20279 | 1/08 | 4,150 | 12.03 | 624 | 1 | 134 |
| | | 2/08 | 3,940 | 12.03 | 498 | 1 | 136 |
| | | 3/08 | 3,947 | 12.03 | 599 | 1 | 127 |
| | | 4/08 | 3,789 | 12.03 | 557 | 1 | 126 |
| | | 5/08 | 3,844 | 12.03 | 611 | 1 | 124 |
| | | 6/08 | 3,762 | 12.03 | 523 | 1 | 125 |
| | | 7/08 | 3,875 | 12.03 | 563 | 1 | 125 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|------------------|-----------------|-----------|---------------|-------------|---------------|--------------------------|
| HRF | MINERS DAM-20279 | 8/08 | 3,821 | 12.03 | 537 | 1 | 123 |
| | | 9/08 | 3,741 | 12.03 | 544 | 1 | 125 |
| | | 10/08 | 3,710 | 12.03 | 554 | 1 | 120 |
| | | 11/08 | 3,663 | 12.56 | 473 | 1 | 122 |
| | | 12/08 | 3,733 | 12.56 | 530 | 1 | 120 |
| | | | | 45,975 | | 6,613 | |
| HRF | MINERS DAM-20280 | 1/08 | 4,259 | 11.76 | 640 | 1 | 137 |
| | | 2/08 | 3,733 | 11.76 | 472 | 1 | 129 |
| | | 3/08 | 4,104 | 11.76 | 623 | 1 | 132 |
| | | 4/08 | 3,896 | 11.76 | 572 | 1 | 130 |
| | | 5/08 | 3,980 | 11.76 | 633 | 1 | 128 |
| | | 6/08 | 3,862 | 11.76 | 537 | 1 | 129 |
| | | 7/08 | 4,004 | 11.76 | 581 | 1 | 129 |
| | | 8/08 | 4,012 | 11.76 | 564 | 1 | 129 |
| | | 9/08 | 3,931 | 11.76 | 572 | 1 | 131 |
| | | 10/08 | 3,898 | 11.76 | 582 | 1 | 126 |
| | | 11/08 | 3,794 | 13.26 | 490 | 1 | 126 |
| | | 12/08 | 3,707 | 13.26 | 526 | 1 | 120 |
| | | | | 47,180 | | 6,792 | |
| HRF | MINERS DAM-20339 | 1/08 | 6,821 | 9.16 | 1,025 | 1 | 220 |
| | | 2/08 | 6,441 | 9.16 | 814 | 1 | 222 |
| | | 3/08 | 6,941 | 9.16 | 1,053 | 1 | 224 |
| | | 4/08 | 6,611 | 9.16 | 971 | 1 | 220 |
| | | 5/08 | 6,958 | 9.16 | 1,107 | 1 | 224 |
| | | 6/08 | 7,097 | 9.16 | 986 | 1 | 237 |
| | | 7/08 | 7,387 | 9.16 | 1,073 | 1 | 238 |
| | | 8/08 | 7,308 | 9.16 | 1,027 | 1 | 236 |
| | | 9/08 | 7,135 | 9.16 | 1,038 | 1 | 238 |
| | | 10/08 | 7,114 | 9.16 | 1,062 | 1 | 229 |
| | | 11/08 | 6,117 | 9.94 | 790 | 1 | 204 |
| | | 12/08 | 6,512 | 9.94 | 924 | 1 | 210 |
| | | | | 82,442 | | 11,870 | |
| HRF | MINERS DAM-20438 | 1/08 | 2,306 | 6.16 | 347 | 1 | 74 |
| | | 2/08 | 2,174 | 6.16 | 275 | 1 | 75 |
| | | 3/08 | 2,315 | 6.16 | 351 | 1 | 75 |
| | | 4/08 | 2,241 | 6.16 | 329 | 1 | 75 |
| | | 5/08 | 2,302 | 6.16 | 366 | 1 | 74 |
| | | 6/08 | 2,202 | 6.16 | 306 | 1 | 73 |
| | | 7/08 | 2,287 | 6.16 | 332 | 1 | 74 |
| | | 8/08 | 2,249 | 6.16 | 316 | 1 | 73 |
| | | 9/08 | 2,068 | 6.16 | 301 | 1 | 69 |
| | | 10/08 | 2,178 | 6.16 | 325 | 1 | 70 |
| | | 11/08 | 2,123 | 6.86 | 274 | 1 | 71 |
| | | 12/08 | 2,146 | 6.86 | 304 | 1 | 69 |
| | | | | 26,591 | | 3,826 | |
| HRF | MINERS DAM-20439 | 1/08 | 2,442 | 4.63 | 367 | 1 | 79 |
| | | 2/08 | 2,232 | 4.63 | 282 | 1 | 77 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|------------------|-----------------|------------------|-------|---------------|---------------|--------------------------|---|-----|
| HRF | MINERS DAM-20439 | 3/08 | 2,384 | 4.63 | 362 | 1 | 77 | | |
| | | 4/08 | 2,306 | 4.63 | 339 | 1 | 77 | | |
| | | 5/08 | 2,389 | 4.63 | 380 | 1 | 77 | | |
| | | 6/08 | 2,313 | 4.63 | 321 | 1 | 77 | | |
| | | 7/08 | 2,371 | 4.63 | 344 | 1 | 76 | | |
| | | 8/08 | 2,325 | 4.63 | 327 | 1 | 75 | | |
| | | 9/08 | 2,262 | 4.63 | 329 | 1 | 75 | | |
| | | 10/08 | 2,286 | 4.63 | 341 | 1 | 74 | | |
| | | 11/08 | 2,208 | 5.17 | 285 | 1 | 74 | | |
| | | 12/08 | 2,300 | 5.17 | 326 | 1 | 74 | | |
| | | | | | 27,818 | | 4,003 | | |
| | | HRF | MINERS DAM-20440 | 1/08 | 8,755 | 6.86 | 1,316 | 1 | 282 |
| | | | | 2/08 | 8,106 | 6.86 | 1,025 | 1 | 280 |
| 3/08 | 8,396 | | | 6.86 | 1,274 | 1 | 271 | | |
| 4/08 | 7,769 | | | 6.86 | 1,141 | 1 | 259 | | |
| 5/08 | 7,913 | | | 6.86 | 1,258 | 1 | 255 | | |
| 6/08 | 7,748 | | | 6.86 | 1,076 | 1 | 258 | | |
| 7/08 | 7,858 | | | 6.86 | 1,141 | 1 | 253 | | |
| 8/08 | 7,729 | | | 6.86 | 1,086 | 1 | 249 | | |
| 9/08 | 7,499 | | | 6.86 | 1,091 | 1 | 250 | | |
| 10/08 | 7,531 | | | 6.86 | 1,124 | 1 | 243 | | |
| 11/08 | 7,249 | | | 8.04 | 936 | 1 | 242 | | |
| 12/08 | 7,219 | | | 8.04 | 1,024 | 1 | 233 | | |
| | | | | | 93,772 | | 13,492 | | |
| HRF | MINERS DAM-21065 | 1/08 | 2,664 | 6.80 | 400 | 1 | 86 | | |
| | | 2/08 | 2,261 | 6.80 | 286 | 1 | 78 | | |
| | | 3/08 | 2,458 | 6.80 | 373 | 1 | 79 | | |
| | | 4/08 | 2,468 | 6.80 | 363 | 1 | 82 | | |
| | | 5/08 | 2,588 | 6.80 | 412 | 1 | 83 | | |
| | | 6/08 | 2,556 | 6.80 | 355 | 1 | 85 | | |
| | | 7/08 | 2,597 | 6.80 | 377 | 1 | 84 | | |
| | | 8/08 | 2,494 | 6.80 | 351 | 1 | 80 | | |
| | | 9/08 | 2,393 | 6.80 | 348 | 1 | 80 | | |
| | | 10/08 | 2,303 | 6.80 | 344 | 1 | 74 | | |
| | | 11/08 | 2,175 | 7.89 | 281 | 1 | 73 | | |
| | | 12/08 | 2,122 | 7.89 | 301 | 1 | 68 | | |
| | | | | | 29,079 | | 4,191 | | |
| HRF | MINERS DAM-21066 | 1/08 | 4,157 | 5.07 | 625 | 1 | 134 | | |
| | | 2/08 | 3,632 | 5.07 | 459 | 1 | 125 | | |
| | | 3/08 | 3,761 | 5.07 | 571 | 1 | 121 | | |
| | | 4/08 | 3,461 | 5.07 | 508 | 1 | 115 | | |
| | | 5/08 | 3,469 | 5.07 | 552 | 1 | 112 | | |
| | | 6/08 | 3,343 | 5.07 | 465 | 1 | 111 | | |
| | | 7/08 | 3,396 | 5.07 | 493 | 1 | 110 | | |
| | | 8/08 | 3,359 | 5.07 | 472 | 1 | 108 | | |
| | | 9/08 | 3,245 | 5.07 | 472 | 1 | 108 | | |
| | | 10/08 | 3,205 | 5.07 | 478 | 1 | 103 | | |
| | | 11/08 | 3,070 | 6.00 | 396 | 1 | 102 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| HRF | MINERS DAM-21066 | 12/08 | 3,079 | 6.00 | 437 | 1 | 99 |
| | | | 41,177 | | 5,928 | | |
| HRF | MINERS DAM-21067 | 1/08 | 9,672 | 6.68 | 1,454 | 1 | 312 |
| | | 2/08 | 8,772 | 6.68 | 1,109 | 1 | 302 |
| | | 3/08 | 9,375 | 6.68 | 1,422 | 1 | 302 |
| | | 4/08 | 8,950 | 6.68 | 1,315 | 1 | 298 |
| | | 5/08 | 9,217 | 6.68 | 1,466 | 1 | 297 |
| | | 6/08 | 9,037 | 6.68 | 1,256 | 1 | 301 |
| | | 7/08 | 9,476 | 6.68 | 1,376 | 1 | 306 |
| | | 8/08 | 9,489 | 6.68 | 1,334 | 1 | 306 |
| | | 9/08 | 9,272 | 6.68 | 1,349 | 1 | 309 |
| | | 10/08 | 9,436 | 6.68 | 1,408 | 1 | 304 |
| | | 11/08 | 9,141 | 6.63 | 1,181 | 1 | 305 |
| | | 12/08 | 9,022 | 6.63 | 1,280 | 1 | 291 |
| | | | 110,859 | | 15,950 | | |
| HRF | MINERS DAM-21068 | 1/08 | 562 | 3.32 | 84 | 1 | 18 |
| | | 2/08 | 552 | 3.32 | 70 | 1 | 19 |
| | | 3/08 | 580 | 3.32 | 88 | 1 | 19 |
| | | 4/08 | 520 | 3.32 | 76 | 1 | 17 |
| | | 5/08 | 573 | 3.32 | 91 | 1 | 18 |
| | | 6/08 | 621 | 3.32 | 86 | 1 | 21 |
| | | 7/08 | 633 | 3.32 | 92 | 1 | 20 |
| | | 8/08 | 518 | 3.32 | 73 | 1 | 17 |
| | | 9/08 | 481 | 3.32 | 70 | 1 | 16 |
| | | 10/08 | 482 | 3.32 | 72 | 1 | 16 |
| | | 11/08 | 472 | 2.96 | 61 | 1 | 16 |
| | | 12/08 | 473 | 2.96 | 67 | 1 | 15 |
| | | | 6,467 | | 930 | | |
| HRF | MINERS DAM-21153 | 1/08 | 3,795 | 5.85 | 913 | 1 | 122 |
| | | 2/08 | 3,487 | 5.85 | 830 | 1 | 120 |
| | | 3/08 | 3,119 | 5.85 | 860 | 1 | 101 |
| | | 4/08 | 3,814 | 5.85 | 997 | 1 | 127 |
| | | 5/08 | 3,498 | 5.85 | 848 | 1 | 113 |
| | | 6/08 | 3,131 | 5.85 | 833 | 1 | 104 |
| | | 7/08 | 3,429 | 5.85 | 863 | 1 | 111 |
| | | 8/08 | 3,477 | 5.85 | 853 | 1 | 112 |
| | | 9/08 | 3,509 | 5.85 | 824 | 1 | 117 |
| | | 10/08 | 3,340 | 5.85 | 794 | 1 | 108 |
| | | 11/08 | 3,089 | 6.76 | 732 | 1 | 103 |
| | | 12/08 | 3,087 | 6.76 | 655 | 1 | 100 |
| | | | 40,775 | | 10,002 | | |
| HRF | MINERS DAM-21154 | 1/08 | 2,567 | 6.33 | 618 | 1 | 83 |
| | | 2/08 | 2,305 | 6.33 | 548 | 1 | 79 |
| | | 3/08 | 2,219 | 6.33 | 612 | 1 | 72 |
| | | 4/08 | 1,656 | 6.33 | 433 | 1 | 55 |
| | | 5/08 | 2,460 | 6.33 | 597 | 1 | 79 |
| | | 6/08 | 2,282 | 6.33 | 607 | 1 | 76 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-------------------------|-----------------|-----------|---------------|-------------|---------------|--------------------------|
| HRF | MINERS DAM-21154 | 7/08 | 2,504 | 6.33 | 630 | 1 | 81 |
| | | 8/08 | 2,524 | 6.33 | 619 | 1 | 81 |
| | | 9/08 | 2,481 | 6.33 | 583 | 1 | 83 |
| | | 10/08 | 2,510 | 6.33 | 597 | 1 | 81 |
| | | 11/08 | 2,353 | 6.68 | 557 | 1 | 78 |
| | | 12/08 | 2,383 | 6.68 | 506 | 1 | 77 |
| | | | | 28,244 | | 6,907 | |
| HRF | SNOWPLOW 2A | 1/08 | 3,046 | 9.64 | 733 | 2 | 49 |
| | | 2/08 | 3,034 | 9.64 | 722 | 2 | 52 |
| | | 3/08 | 3,095 | 9.64 | 853 | 2 | 50 |
| | | 4/08 | 3,081 | 9.64 | 805 | 2 | 51 |
| | | 5/08 | 2,933 | 9.64 | 711 | 2 | 47 |
| | | 6/08 | 2,856 | 9.64 | 760 | 2 | 48 |
| | | 7/08 | 3,077 | 9.64 | 774 | 2 | 50 |
| | | 8/08 | 3,062 | 9.64 | 751 | 2 | 49 |
| | | 9/08 | 3,078 | 9.64 | 723 | 2 | 51 |
| | | 10/08 | 2,979 | 9.64 | 709 | 2 | 48 |
| | | 11/08 | 2,712 | 8.75 | 643 | 2 | 45 |
| | | 12/08 | 2,993 | 8.75 | 635 | 2 | 48 |
| | | | | 35,946 | | 8,819 | |
| HRF | SOUTH OTSEGO 10 SEA O T | 1/08 | 8,109 | 28.68 | 95 | 9 | 29 |
| | | 2/08 | 6,921 | 28.68 | 87 | 9 | 27 |
| | | 3/08 | 7,948 | 28.68 | 104 | 9 | 28 |
| | | 4/08 | 7,662 | 28.68 | 100 | 9 | 28 |
| | | 5/08 | 8,138 | 28.68 | 112 | 9 | 29 |
| | | 6/08 | 7,643 | 28.14 | 110 | 9 | 28 |
| | | 7/08 | 8,270 | 28.14 | 105 | 9 | 30 |
| | | 8/08 | 8,499 | 28.14 | 105 | 9 | 30 |
| | | 9/08 | 7,641 | 28.14 | 106 | 9 | 28 |
| | | 10/08 | 8,227 | 28.14 | 132 | 9 | 29 |
| | | 11/08 | 7,529 | 28.14 | 126 | 9 | 28 |
| | | 12/08 | 7,928 | 28.24 | 134 | 9 | 28 |
| | | 94,515 | | 1,316 | | | |
| HRF | STATE TLC MINERS DAM | 1/08 | 9,337 | 9.50 | 1,403 | 5 | 60 |
| | | 2/08 | 8,872 | 9.50 | 1,122 | 5 | 61 |
| | | 3/08 | 9,018 | 9.50 | 1,368 | 5 | 58 |
| | | 4/08 | 8,648 | 9.50 | 1,270 | 5 | 58 |
| | | 5/08 | 8,832 | 9.50 | 1,405 | 5 | 57 |
| | | 6/08 | 8,541 | 9.50 | 1,187 | 5 | 57 |
| | | 7/08 | 8,671 | 9.50 | 1,259 | 5 | 56 |
| | | 8/08 | 8,401 | 9.50 | 1,181 | 5 | 54 |
| | | 9/08 | 8,005 | 9.50 | 1,165 | 5 | 53 |
| | | 10/08 | 8,009 | 9.50 | 1,195 | 5 | 52 |
| | | 11/08 | 7,906 | 9.77 | 1,021 | 5 | 53 |
| | | 12/08 | 8,054 | 9.77 | 1,143 | 5 | 52 |
| | | 102,294 | | 14,719 | | | |
| HRF | TLC 20 | 1/08 | 64,927 | 11.98 | 9,758 | 28 | 75 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|------------------|-----------------|-------------|-------|----------------|---------------|--------------------------|---|----|
| HRF | TLC 20 | 2/08 | 62,702 | 11.98 | 7,929 | 28 | 77 | | |
| | | 3/08 | 64,155 | 11.98 | 9,733 | 28 | 74 | | |
| | | 4/08 | 61,010 | 11.98 | 8,963 | 28 | 73 | | |
| | | 5/08 | 61,977 | 11.98 | 9,856 | 28 | 71 | | |
| | | 6/08 | 60,114 | 11.98 | 8,352 | 28 | 72 | | |
| | | 7/08 | 61,726 | 11.98 | 8,963 | 28 | 71 | | |
| | | 8/08 | 62,117 | 11.98 | 8,732 | 28 | 72 | | |
| | | 9/08 | 60,215 | 11.98 | 8,760 | 28 | 72 | | |
| | | 10/08 | 62,100 | 11.98 | 9,267 | 28 | 72 | | |
| | | 11/08 | 60,969 | 14.45 | 7,875 | 28 | 73 | | |
| | | 12/08 | 60,637 | 14.45 | 8,602 | 28 | 70 | | |
| | | | | | 742,649 | | 106,790 | | |
| | | HRF | TLC AIRPORT | 1/08 | 4,843 | 20.78 | 728 | 4 | 39 |
| 2/08 | 4,475 | | | 20.78 | 566 | 4 | 39 | | |
| 3/08 | 4,937 | | | 20.78 | 749 | 4 | 40 | | |
| 4/08 | 4,804 | | | 20.78 | 706 | 4 | 40 | | |
| 5/08 | 4,945 | | | 20.78 | 786 | 4 | 40 | | |
| 6/08 | 4,798 | | | 20.78 | 667 | 4 | 40 | | |
| 7/08 | 4,916 | | | 20.78 | 714 | 4 | 40 | | |
| 8/08 | 4,826 | | | 20.78 | 678 | 4 | 39 | | |
| 9/08 | 4,757 | | | 20.78 | 692 | 4 | 40 | | |
| 10/08 | 4,788 | | | 20.78 | 715 | 4 | 39 | | |
| 11/08 | 5,053 | | | 18.53 | 653 | 4 | 42 | | |
| 12/08 | 5,044 | | | 18.53 | 715 | 4 | 41 | | |
| | | | | | 58,186 | | 8,369 | | |
| HRF | TLC FOUR CORNERS | 1/08 | 4,606 | 9.52 | 1,108 | 3 | 50 | | |
| | | 2/08 | 4,332 | 9.52 | 1,031 | 3 | 50 | | |
| | | 3/08 | 5,467 | 9.52 | 1,507 | 4 | 44 | | |
| | | 4/08 | 6,911 | 9.52 | 1,806 | 4 | 58 | | |
| | | 5/08 | 6,832 | 9.52 | 1,657 | 4 | 55 | | |
| | | 6/08 | 6,096 | 9.52 | 1,622 | 4 | 51 | | |
| | | 7/08 | 7,232 | 9.52 | 1,820 | 4 | 58 | | |
| | | 8/08 | 7,309 | 9.52 | 1,793 | 4 | 59 | | |
| | | 9/08 | 7,338 | 9.52 | 1,724 | 4 | 61 | | |
| | | 10/08 | 7,367 | 9.52 | 1,752 | 4 | 59 | | |
| | | 11/08 | 7,318 | 5.50 | 1,734 | 4 | 61 | | |
| | | 12/08 | 7,441 | 5.50 | 1,579 | 4 | 60 | | |
| | | | | | 78,249 | | 19,133 | | |
| HRF | TOM & JERRY | 1/08 | 834 | 13.11 | 201 | 1 | 27 | | |
| | | 2/08 | 740 | 13.11 | 176 | 1 | 26 | | |
| | | 3/08 | 822 | 13.11 | 227 | 1 | 27 | | |
| | | 4/08 | 679 | 13.11 | 178 | 1 | 23 | | |
| | | 5/08 | 629 | 13.11 | 153 | 1 | 20 | | |
| | | 6/08 | 503 | 13.11 | 134 | 1 | 17 | | |
| | | 7/08 | 539 | 13.11 | 136 | 1 | 17 | | |
| | | 8/08 | 526 | 13.11 | 129 | 1 | 17 | | |
| | | 9/08 | 576 | 13.11 | 135 | 1 | 19 | | |
| | | 10/08 | 586 | 13.11 | 139 | 1 | 19 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-------------------------------|--------------|-----------------|------------------|---------------|----------------|---------------|--------------------------|
| HRF | TOM & JERRY | 11/08 | 483 | 10.01 | 114 | 1 | 16 |
| | | 12/08 | 568 | 10.01 | 120 | 1 | 18 |
| | | | 7,485 | | 1,842 | | |
| HRF | TY COBB | 1/08 | 4,018 | 9.17 | 604 | 2 | 65 |
| | | 2/08 | 3,646 | 9.17 | 461 | 2 | 63 |
| | | 3/08 | 3,889 | 9.17 | 590 | 2 | 63 |
| | | 4/08 | 3,754 | 9.17 | 551 | 2 | 63 |
| | | 5/08 | 3,792 | 9.17 | 603 | 2 | 61 |
| | | 6/08 | 3,633 | 9.17 | 505 | 2 | 61 |
| | | 7/08 | 3,645 | 9.17 | 529 | 2 | 59 |
| | | 8/08 | 3,652 | 9.17 | 513 | 2 | 59 |
| | | 9/08 | 3,744 | 9.17 | 545 | 2 | 62 |
| | | 10/08 | 3,844 | 9.17 | 574 | 2 | 62 |
| | | 11/08 | 3,756 | 8.36 | 485 | 2 | 63 |
| | | 12/08 | 3,774 | 8.36 | 535 | 2 | 61 |
| | | 45,147 | | 6,495 | | | |
| HRF | WELCH | 1/08 | 1,975 | 11.54 | 297 | 1 | 64 |
| | | 2/08 | 1,693 | 11.54 | 214 | 1 | 58 |
| | | 3/08 | 1,881 | 11.54 | 285 | 1 | 61 |
| | | 4/08 | 1,761 | 11.54 | 259 | 1 | 59 |
| | | 5/08 | 1,754 | 11.54 | 279 | 1 | 57 |
| | | 6/08 | 1,724 | 11.54 | 240 | 1 | 57 |
| | | 7/08 | 1,865 | 11.54 | 271 | 1 | 60 |
| | | 8/08 | 1,991 | 11.54 | 280 | 1 | 64 |
| | | 9/08 | 1,943 | 11.54 | 283 | 1 | 65 |
| | | 10/08 | 1,740 | 11.54 | 260 | 1 | 56 |
| | | 11/08 | 1,766 | 11.43 | 228 | 1 | 59 |
| | | 12/08 | 1,850 | 11.43 | 262 | 1 | 60 |
| | | 21,943 | | 3,158 | | | |
| HRF - REPORTER TOTALS: | | | 3,046,856 | | 552,411 | | |
| J5 | BENGAL 32 | 1/08 | 46,084 | 9.25 | 782 | 24 | 62 |
| | | 2/08 | 42,879 | 9.20 | 735 | 24 | 62 |
| | | 3/08 | 46,739 | 9.10 | 883 | 24 | 63 |
| | | 4/08 | 44,050 | 9.33 | 849 | 24 | 61 |
| | | 5/08 | 43,538 | 9.68 | 772 | 24 | 59 |
| | | 6/08 | 40,718 | 9.33 | 3,518 | 28 | 48 |
| | | 7/08 | 43,150 | 9.72 | 3,505 | 28 | 50 |
| | | 8/08 | 44,319 | 9.72 | 2,683 | 28 | 51 |
| | | 9/08 | 42,902 | 10.18 | 1,821 | 28 | 51 |
| | | 10/08 | 44,853 | 9.91 | 1,551 | 28 | 52 |
| | | 11/08 | 42,961 | 9.91 | 1,873 | 28 | 51 |
| | | 12/08 | 44,312 | 10.11 | 2,529 | 28 | 51 |
| | | 526,505 | | 21,501 | | | |
| J5 | BLACK RIVER | 1/08 | 31,593 | 18.08 | 1,207 | 21 | 49 |
| | | 2/08 | 28,139 | 18.00 | 773 | 21 | 46 |
| | | 3/08 | 30,517 | 17.87 | 828 | 21 | 47 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-----------------|-----------------|---------------|-------|----------------|---------------|--------------------------|
| J5 | BLACK RIVER | 4/08 | 29,420 | 17.71 | 386 | 21 | 47 |
| | | 5/08 | 30,393 | 18.22 | 1,288 | 21 | 47 |
| | | 6/08 | 29,336 | 18.13 | 1,110 | 21 | 47 |
| | | 7/08 | 29,869 | 18.13 | 1,096 | 21 | 46 |
| | | 8/08 | 28,134 | 18.41 | 996 | 21 | 43 |
| | | 9/08 | 26,816 | 18.36 | 834 | 21 | 43 |
| | | 10/08 | 26,390 | 18.14 | 1,198 | 21 | 41 |
| | | 11/08 | 25,541 | 18.92 | 1,467 | 21 | 41 |
| | | 12/08 | 25,474 | 18.74 | 1,514 | 21 | 39 |
| | | | | | 341,622 | | 12,697 |
| J5 | MERO 34 | 1/08 | 5,700 | 18.08 | 215 | 6 | 31 |
| | | 2/08 | 5,245 | 18.00 | 235 | 6 | 30 |
| | | 3/08 | 5,656 | 17.87 | 250 | 6 | 30 |
| | | 4/08 | 5,322 | 17.71 | 221 | 6 | 30 |
| | | 5/08 | 5,612 | 18.22 | 289 | 6 | 30 |
| | | 6/08 | 5,524 | 18.13 | 233 | 6 | 31 |
| | | 7/08 | 5,683 | 18.13 | 435 | 6 | 31 |
| | | 8/08 | 5,521 | 18.41 | 319 | 6 | 30 |
| | | 9/08 | 5,348 | 18.36 | 233 | 6 | 30 |
| | | 10/08 | 5,558 | 18.14 | 244 | 6 | 30 |
| | | 11/08 | 5,365 | 18.92 | 206 | 6 | 30 |
| | | 12/08 | 5,058 | 18.74 | 126 | 6 | 27 |
| | | | 65,592 | | 3,006 | | |
| J5 | NORTH VIENNA 26 | 1/08 | 3,411 | 18.08 | 179 | 3 | 37 |
| | | 2/08 | 3,334 | 18.00 | 171 | 3 | 38 |
| | | 3/08 | 3,508 | 17.87 | 186 | 3 | 38 |
| | | 4/08 | 3,269 | 17.71 | 305 | 3 | 36 |
| | | 5/08 | 3,281 | 18.22 | 213 | 3 | 35 |
| | | 6/08 | 3,139 | 18.13 | 152 | 3 | 35 |
| | | 7/08 | 3,248 | 18.13 | 365 | 3 | 35 |
| | | 8/08 | 3,126 | 18.41 | 250 | 3 | 34 |
| | | 9/08 | 2,906 | 18.36 | 269 | 3 | 32 |
| | | 10/08 | 2,993 | 18.14 | 126 | 3 | 32 |
| | | 11/08 | 3,023 | 18.92 | 188 | 3 | 34 |
| | | 12/08 | 2,975 | 0.74 | 176 | 3 | 32 |
| | | | 38,213 | | 2,580 | | |
| J5 | PENN B1-14 | 1/08 | 38 | 18.08 | 960 | 1 | 1 |
| | | 2/08 | 26 | 18.00 | 897 | 1 | 1 |
| | | 3/08 | 32 | 17.87 | 854 | 1 | 1 |
| | | 4/08 | 26 | 17.71 | 1,267 | 1 | 1 |
| | | 5/08 | 20 | 18.22 | 1,227 | 1 | 1 |
| | | 6/08 | 19 | 18.13 | 1,267 | 1 | 1 |
| | | 7/08 | 24 | 18.13 | 547 | 1 | 1 |
| | | 8/08 | 25 | 18.41 | 818 | 1 | 1 |
| | | 9/08 | 19 | 18.36 | 594 | 1 | 1 |
| | | 10/08 | 19 | 18.14 | 647 | 1 | 1 |
| | | 11/08 | 21 | 18.92 | 449 | 1 | 1 |
| | | 12/08 | 19 | 18.74 | 400 | 1 | 1 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-------------------|--|-----------------|------------------|-------|----------------|---------------|--------------------------|
| | | | 288 | | 9,927 | | |
| J5 | WAGAR 22 | 1/08 | 4,174 | 18.08 | 114 | 2 | 67 |
| | | 2/08 | 3,944 | 18.00 | 141 | 2 | 68 |
| | | 3/08 | 4,166 | 17.87 | 119 | 2 | 67 |
| | | 4/08 | 3,897 | 17.71 | 136 | 2 | 65 |
| | | 5/08 | 3,885 | 18.22 | 104 | 2 | 63 |
| | | 6/08 | 3,850 | 18.13 | 89 | 2 | 64 |
| | | 7/08 | 3,931 | 18.13 | 65 | 2 | 63 |
| | | 8/08 | 3,816 | 18.41 | 27 | 2 | 62 |
| | | 9/08 | 3,681 | 18.36 | 68 | 2 | 61 |
| | | 10/08 | 3,926 | 18.14 | 98 | 2 | 63 |
| | | 11/08 | 3,854 | 18.92 | 131 | 2 | 64 |
| | | 12/08 | 3,682 | 18.74 | 102 | 2 | 59 |
| | | | 46,806 | | 1,194 | | |
| | J5 - REPORTER TOTALS: | | 1,019,026 | | 50,905 | | |
| JAGUAR ENERGY, LL | OTSEGO LAKE 34 | 1/08 | 3,000 | 25.00 | 325 | 2 | 48 |
| | | 2/08 | 2,700 | 25.00 | 155 | 2 | 47 |
| | | 3/08 | 2,500 | 25.00 | 240 | 2 | 40 |
| | | 4/08 | 2,500 | 25.00 | 255 | 2 | 42 |
| | | 5/08 | 2,600 | 25.00 | 350 | 2 | 42 |
| | | 6/08 | 2,600 | 25.00 | 285 | 2 | 43 |
| | | 7/08 | 2,600 | 25.50 | 285 | 2 | 42 |
| | | 8/08 | 2,900 | 25.50 | 160 | 2 | 47 |
| | | 9/08 | 2,800 | 25.50 | 260 | 2 | 47 |
| | | 10/08 | 2,700 | 25.50 | 370 | 2 | 44 |
| | | 11/08 | 2,700 | 25.50 | 255 | 2 | 45 |
| | | 12/08 | 2,800 | 25.50 | 255 | 2 | 45 |
| | | | 32,400 | | 3,195 | | |
| | JAGUAR ENERGY, LLC - REPORTER TOTALS: | | 32,400 | | 3,195 | | |
| JDB ENERGY LLC | CCR | 1/08 | 20,050 | 7.43 | 10,361 | 10 | 65 |
| | | 2/08 | 17,791 | 3.53 | 8,875 | 10 | 61 |
| | | 3/08 | 19,211 | 3.53 | 8,239 | 10 | 62 |
| | | 4/08 | 19,959 | 3.53 | 8,216 | 10 | 67 |
| | | 5/08 | 20,658 | 3.53 | 8,424 | 10 | 67 |
| | | 6/08 | 15,658 | 3.53 | 9,982 | 10 | 52 |
| | | 7/08 | 16,908 | 3.53 | 6,785 | 10 | 55 |
| | | 8/08 | 15,936 | 3.53 | 9,812 | 11 | 47 |
| | | 9/08 | 15,928 | 3.53 | 11,067 | 11 | 48 |
| | | 10/08 | 15,448 | 3.53 | 9,812 | 11 | 45 |
| | | 11/08 | 14,498 | 3.53 | 11,678 | 11 | 44 |
| | | 12/08 | 12,689 | 3.53 | 10,296 | 11 | 37 |
| | | | 204,734 | | 113,547 | | |
| JDB ENERGY LLC | CCR II | 9/08 | 3,671 | 3.53 | 21,993 | 7 | 17 |
| | | 10/08 | 3,405 | 3.53 | 20,183 | 7 | 16 |
| | | 11/08 | 3,127 | 3.53 | 18,427 | 7 | 15 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------|---------------------|--|----------------|-------|----------------|---------------|--------------------------|
| JDB ENERGY LLC | CCR II | 12/08 | 3,300 | 3.53 | 5,890 | 7 | 15 |
| | | | 13,503 | | 66,493 | | |
| | | JDB ENERGY LLC - REPORTER TOTALS: | 218,237 | | 180,040 | | |
| JORDAN DEVELOPME | 451 RUM | 1/08 | 11,785 | 19.35 | 805 | 15 | 25 |
| | | 2/08 | 11,152 | 19.35 | 756 | 15 | 26 |
| | | 3/08 | 12,224 | 19.35 | 770 | 15 | 26 |
| | | 4/08 | 12,543 | 19.35 | 631 | 15 | 28 |
| | | 5/08 | 13,962 | 19.35 | 602 | 15 | 30 |
| | | 6/08 | 12,334 | 19.35 | 674 | 15 | 27 |
| | | 7/08 | 12,721 | 19.35 | 948 | 15 | 27 |
| | | 8/08 | 12,584 | 19.35 | 957 | 15 | 27 |
| | | 9/08 | 12,312 | 19.35 | 936 | 15 | 27 |
| | | 10/08 | 12,135 | 19.35 | 980 | 15 | 26 |
| | | 11/08 | 11,924 | 19.35 | 1,056 | 15 | 26 |
| | | 12/08 | 11,168 | 19.35 | 1,118 | 15 | 24 |
| | | | 146,844 | | 10,233 | | |
| JORDAN DEVELOPME | ART CARNEY | 1/08 | 9,515 | 4.39 | 7,990 | 14 | 22 |
| | | 2/08 | 8,838 | 4.43 | 7,250 | 14 | 22 |
| | | 3/08 | 9,382 | 4.43 | 7,467 | 14 | 22 |
| | | 4/08 | 9,256 | 4.43 | 7,218 | 14 | 22 |
| | | 5/08 | 9,628 | 4.43 | 7,350 | 14 | 22 |
| | | 6/08 | 8,655 | 4.43 | 6,821 | 14 | 21 |
| | | 7/08 | 8,613 | 4.43 | 7,143 | 14 | 20 |
| | | 8/08 | 8,987 | 4.43 | 7,239 | 14 | 21 |
| | | 9/08 | 8,638 | 4.43 | 6,896 | 14 | 21 |
| | | 10/08 | 8,855 | 4.43 | 6,732 | 14 | 20 |
| | | 11/08 | 9,161 | 4.43 | 6,516 | 14 | 22 |
| | | 12/08 | 9,425 | 4.43 | 6,906 | 14 | 22 |
| | | | 108,953 | | 85,528 | | |
| JORDAN DEVELOPME | BARNEY MILLER SOUTH | 1/08 | 18,926 | 19.35 | 1,365 | 8 | 76 |
| | | 2/08 | 17,109 | 19.35 | 1,194 | 8 | 74 |
| | | 3/08 | 17,774 | 19.35 | 1,222 | 8 | 72 |
| | | 4/08 | 16,976 | 19.35 | 1,219 | 8 | 71 |
| | | 5/08 | 17,771 | 19.35 | 1,209 | 8 | 72 |
| | | 6/08 | 16,878 | 19.35 | 1,197 | 8 | 70 |
| | | 7/08 | 17,850 | 19.35 | 1,312 | 8 | 72 |
| | | 8/08 | 18,296 | 19.35 | 1,354 | 8 | 74 |
| | | 9/08 | 17,988 | 19.35 | 1,361 | 8 | 75 |
| | | 10/08 | 18,159 | 19.35 | 1,398 | 8 | 73 |
| | | 11/08 | 17,438 | 19.35 | 1,247 | 8 | 73 |
| | | 12/08 | 17,230 | 19.35 | 1,360 | 8 | 69 |
| | | | 212,395 | | 15,438 | | |
| JORDAN DEVELOPME | BLACK | 1/08 | 13,226 | 16.88 | 3,009 | 26 | 16 |
| | | 2/08 | 11,935 | 17.51 | 2,779 | 26 | 16 |
| | | 3/08 | 13,105 | 17.51 | 3,201 | 26 | 16 |
| | | 4/08 | 12,314 | 17.28 | 3,176 | 26 | 16 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|------------------|--------------------|------------------|----------------|-------|----------------|---------------|--------------------------|----|----|
| JORDAN DEVELOPME | BLACK | 5/08 | 13,337 | 17.40 | 3,533 | 26 | 17 | | |
| | | 6/08 | 13,140 | 18.15 | 3,545 | 26 | 17 | | |
| | | 7/08 | 13,363 | 18.15 | 3,764 | 26 | 17 | | |
| | | 8/08 | 12,705 | 18.70 | 3,132 | 26 | 16 | | |
| | | 9/08 | 13,197 | 18.70 | 4,191 | 26 | 17 | | |
| | | 10/08 | 13,499 | 19.03 | 2,081 | 26 | 17 | | |
| | | 11/08 | 13,768 | 19.54 | 1,856 | 26 | 18 | | |
| | | 12/08 | 12,135 | 19.54 | 1,844 | 26 | 15 | | |
| | | | | | 155,724 | | 36,111 | | |
| | | JORDAN DEVELOPME | COLFAX 29 | 1/08 | 16,221 | 4.67 | 52,901 | 10 | 52 |
| 2/08 | 14,767 | | | 4.67 | 43,450 | 10 | 51 | | |
| 3/08 | 15,003 | | | 4.67 | 74,101 | 12 | 40 | | |
| 4/08 | 15,674 | | | 4.67 | 57,035 | 12 | 44 | | |
| 5/08 | 17,676 | | | 4.67 | 52,581 | 12 | 48 | | |
| 6/08 | 16,574 | | | 4.67 | 47,924 | 12 | 46 | | |
| 7/08 | 18,072 | | | 4.67 | 48,838 | 12 | 49 | | |
| 8/08 | 18,705 | | | 4.67 | 47,226 | 12 | 50 | | |
| 9/08 | 17,852 | | | 4.67 | 42,483 | 12 | 50 | | |
| 10/08 | 20,202 | | | 4.67 | 42,739 | 12 | 54 | | |
| 11/08 | 20,385 | | | 4.67 | 38,149 | 12 | 57 | | |
| 12/08 | 18,945 | | | 4.67 | 33,671 | 12 | 51 | | |
| | | | | | 210,076 | | 581,098 | | |
| JORDAN DEVELOPME | DEWARD CLEAVER | 4/08 | 8,603 | 15.96 | 493 | 5 | 57 | | |
| | | 5/08 | 9,006 | 13.78 | 526 | 5 | 58 | | |
| | | 6/08 | 8,414 | 15.96 | 131 | 5 | 56 | | |
| | | 7/08 | 9,290 | 15.96 | 321 | 5 | 60 | | |
| | | 8/08 | 8,802 | 15.96 | 400 | 5 | 57 | | |
| | | 9/08 | 8,084 | 15.96 | 360 | 5 | 54 | | |
| | | 10/08 | 9,203 | 13.19 | 424 | 5 | 59 | | |
| | | 11/08 | 2,900 | 13.19 | 385 | 5 | 19 | | |
| | | 12/08 | 7,487 | 13.19 | 294 | 5 | 48 | | |
| | | | | | 71,789 | | 3,334 | | |
| JORDAN DEVELOPME | DOVER WEST | 1/08 | 16,729 | 16.82 | 1,426 | 21 | 26 | | |
| | | 2/08 | 14,978 | 16.81 | 1,088 | 21 | 25 | | |
| | | 3/08 | 15,996 | 16.81 | 1,061 | 21 | 25 | | |
| | | 4/08 | 15,709 | 16.81 | 1,017 | 21 | 25 | | |
| | | 5/08 | 16,812 | 16.94 | 989 | 21 | 26 | | |
| | | 6/08 | 16,965 | 16.92 | 856 | 21 | 27 | | |
| | | 7/08 | 17,740 | 16.92 | 786 | 21 | 27 | | |
| | | 8/08 | 18,570 | 17.42 | 863 | 21 | 29 | | |
| | | 9/08 | 16,663 | 17.42 | 770 | 21 | 26 | | |
| | | 10/08 | 17,778 | 17.41 | 764 | 21 | 27 | | |
| | | 11/08 | 17,256 | 17.41 | 700 | 21 | 27 | | |
| | | 12/08 | 17,325 | 17.41 | 650 | 21 | 27 | | |
| | | | 202,521 | | 10,970 | | | | |
| JORDAN DEVELOPME | FARMER IN THE DELL | 1/08 | 21,061 | 20.01 | 343 | 17 | 40 | | |
| | | 2/08 | 19,187 | 20.01 | 324 | 17 | 39 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|------------------|------------------------|------------------|-------------|-------|----------------|---------------|--------------------------|----|----|
| JORDAN DEVELOPME | FARMER IN THE DELL | 3/08 | 20,324 | 20.01 | 331 | 17 | 39 | | |
| | | 4/08 | 18,867 | 20.01 | 330 | 17 | 37 | | |
| | | 5/08 | 20,172 | 20.01 | 348 | 17 | 38 | | |
| | | 6/08 | 19,912 | 20.01 | 279 | 17 | 39 | | |
| | | 7/08 | 21,010 | 20.01 | 290 | 17 | 40 | | |
| | | 8/08 | 21,552 | 20.01 | 245 | 17 | 41 | | |
| | | 9/08 | 20,098 | 20.01 | 243 | 17 | 39 | | |
| | | 10/08 | 20,463 | 20.01 | 245 | 17 | 39 | | |
| | | 11/08 | 20,074 | 20.01 | 220 | 17 | 39 | | |
| | | 12/08 | 19,779 | 20.01 | 247 | 17 | 38 | | |
| | | | | | 242,499 | | 3,445 | | |
| | | JORDAN DEVELOPME | GREEN ACRES | 1/08 | 14,103 | 3.73 | 18,004 | 14 | 32 |
| | | | | 2/08 | 13,561 | 3.57 | 17,300 | 14 | 33 |
| 3/08 | 14,131 | | | 3.57 | 18,308 | 14 | 33 | | |
| 4/08 | 13,673 | | | 3.57 | 17,610 | 14 | 33 | | |
| 5/08 | 14,205 | | | 3.57 | 17,951 | 14 | 33 | | |
| 6/08 | 13,712 | | | 3.57 | 17,766 | 14 | 33 | | |
| 7/08 | 14,077 | | | 3.57 | 18,556 | 14 | 32 | | |
| 8/08 | 13,705 | | | 3.57 | 16,283 | 14 | 32 | | |
| 9/08 | 13,135 | | | 3.57 | 15,179 | 14 | 31 | | |
| 10/08 | 13,149 | | | 3.57 | 16,908 | 14 | 30 | | |
| 11/08 | 12,907 | | | 3.57 | 17,340 | 14 | 31 | | |
| 12/08 | 13,085 | | | 3.57 | 17,984 | 14 | 30 | | |
| | | | | | 163,443 | | 209,189 | | |
| JORDAN DEVELOPME | HAYMEADOW | 1/08 | 35,414 | 24.11 | 686 | 17 | 67 | | |
| | | 2/08 | 32,660 | 23.94 | 614 | 17 | 66 | | |
| | | 3/08 | 33,421 | 23.94 | 661 | 17 | 63 | | |
| | | 4/08 | 33,106 | 23.93 | 607 | 17 | 65 | | |
| | | 5/08 | 34,044 | 23.82 | 601 | 17 | 65 | | |
| | | 6/08 | 31,970 | 23.72 | 393 | 17 | 63 | | |
| | | 7/08 | 31,742 | 23.72 | 279 | 17 | 60 | | |
| | | 8/08 | 31,660 | 23.70 | 242 | 17 | 60 | | |
| | | 9/08 | 30,511 | 23.70 | 221 | 17 | 60 | | |
| | | 10/08 | 31,508 | 23.96 | 214 | 17 | 60 | | |
| | | 11/08 | 31,248 | 25.11 | 204 | 17 | 61 | | |
| | | 12/08 | 30,026 | 25.11 | 197 | 17 | 57 | | |
| | | | | | 387,310 | | 4,919 | | |
| JORDAN DEVELOPME | MILTON BRADLEY CENTRAL | 1/08 | 19,340 | 4.40 | 102,821 | 14 | 45 | | |
| | | 2/08 | 18,030 | 4.40 | 81,254 | 14 | 44 | | |
| | | 3/08 | 23,989 | 4.40 | 91,559 | 14 | 55 | | |
| | | 4/08 | 22,712 | 4.40 | 76,919 | 14 | 54 | | |
| | | 5/08 | 27,758 | 4.40 | 76,125 | 14 | 64 | | |
| | | 6/08 | 27,698 | 4.40 | 104,244 | 17 | 54 | | |
| | | 7/08 | 31,211 | 4.40 | 99,175 | 18 | 56 | | |
| | | 8/08 | 41,251 | 4.40 | 96,481 | 22 | 60 | | |
| | | 9/08 | 65,340 | 4.40 | 91,588 | 22 | 99 | | |
| | | 10/08 | 77,282 | 4.40 | 82,531 | 22 | 113 | | |
| | | 11/08 | 61,250 | 4.40 | 79,591 | 22 | 93 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------|------------------------|-----------------|----------------|-------|------------------|---------------|--------------------------|
| JORDAN DEVELOPME | MILTON BRADLEY CENTRAL | 12/08 | 86,906 | 4.40 | 79,975 | 22 | 127 |
| | | | 502,767 | | 1,062,263 | | |
| JORDAN DEVELOPME | MILTON BRADLEY NORTH | 1/08 | 0 | 0.00 | 0 | 0 | 0 |
| | | 2/08 | 0 | 0.00 | 0 | 0 | 0 |
| | | 3/08 | 0 | 0.00 | 0 | 0 | 0 |
| | | 4/08 | 0 | 0.00 | 0 | 0 | 0 |
| | | 5/08 | 0 | 0.00 | 0 | 0 | 0 |
| | | 6/08 | 0 | 0.00 | 0 | 0 | 0 |
| | | 7/08 | 0 | 0.00 | 0 | 0 | 0 |
| | | 8/08 | 0 | 0.00 | 0 | 0 | 0 |
| | | 9/08 | 0 | 0.00 | 0 | 0 | 0 |
| | | 10/08 | 0 | 0.00 | 0 | 0 | 0 |
| | | 11/08 | 0 | 0.00 | 0 | 0 | 0 |
| | | 12/08 | 0 | 0.00 | 0 | 0 | 0 |
| | | | 0 | | 0 | | |
| JORDAN DEVELOPME | MILTON BRADLEY SOUTH | 9/08 | 1,605 | 3.93 | 5,735 | 1 | 54 |
| | | 10/08 | 2,154 | 3.93 | 3,475 | 1 | 69 |
| | | 11/08 | 3,055 | 3.93 | 2,075 | 1 | 102 |
| | | 12/08 | 2,028 | 2.96 | 1,551 | 1 | 65 |
| | | | 8,842 | | 12,836 | | |
| JORDAN DEVELOPME | NESSEN CITY SOUTH | 1/08 | 1,890 | 1.02 | 25,482 | 4 | 15 |
| | | 2/08 | 2,046 | 1.02 | 28,139 | 4 | 18 |
| | | 3/08 | 2,126 | 1.02 | 24,004 | 4 | 17 |
| | | 4/08 | 1,818 | 1.02 | 22,280 | 4 | 15 |
| | | 5/08 | 2,173 | 1.02 | 23,385 | 4 | 18 |
| | | 6/08 | 2,335 | 1.02 | 22,171 | 4 | 19 |
| | | 7/08 | 2,338 | 1.02 | 24,721 | 4 | 19 |
| | | 8/08 | 2,303 | 1.02 | 25,125 | 4 | 19 |
| | | 9/08 | 3,174 | 1.02 | 23,460 | 4 | 26 |
| | | 10/08 | 4,723 | 1.02 | 21,497 | 4 | 38 |
| | | 11/08 | 4,461 | 1.02 | 19,461 | 4 | 37 |
| | | 12/08 | 4,813 | 1.02 | 19,525 | 4 | 39 |
| | | | 34,200 | | 279,250 | | |
| JORDAN DEVELOPME | NICKERSON VALLEY | 1/08 | 17,575 | 14.01 | 330 | 16 | 35 |
| | | 2/08 | 15,040 | 14.01 | 304 | 16 | 32 |
| | | 3/08 | 16,703 | 14.01 | 300 | 16 | 34 |
| | | 4/08 | 15,593 | 14.01 | 312 | 16 | 32 |
| | | 5/08 | 16,969 | 14.01 | 314 | 16 | 34 |
| | | 6/08 | 16,770 | 14.01 | 275 | 16 | 35 |
| | | 7/08 | 17,530 | 14.01 | 244 | 16 | 35 |
| | | 8/08 | 16,872 | 14.01 | 213 | 16 | 34 |
| | | 9/08 | 17,826 | 14.01 | 205 | 16 | 37 |
| | | 10/08 | 18,111 | 14.01 | 192 | 16 | 36 |
| | | 11/08 | 17,423 | 14.01 | 196 | 16 | 36 |
| | | 12/08 | 17,621 | 14.01 | 212 | 16 | 36 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------|-------------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| | | | 204,033 | | 3,097 | | |
| JORDAN DEVELOPME | NORTH STARMIRA 4 (NADV- | 1/08 | 28,395 | 11.21 | 2,049 | 29 | 32 |
| | | 2/08 | 26,568 | 11.04 | 1,811 | 29 | 32 |
| | | 3/08 | 28,327 | 11.04 | 1,906 | 29 | 31 |
| | | 4/08 | 26,603 | 11.42 | 1,734 | 29 | 31 |
| | | 5/08 | 27,116 | 11.44 | 1,781 | 29 | 30 |
| | | 6/08 | 26,303 | 11.36 | 1,280 | 29 | 30 |
| | | 7/08 | 26,267 | 11.36 | 1,285 | 29 | 29 |
| | | 8/08 | 27,474 | 11.41 | 1,065 | 29 | 31 |
| | | 9/08 | 25,563 | 11.41 | 843 | 29 | 29 |
| | | 10/08 | 26,621 | 11.72 | 769 | 29 | 30 |
| | | 11/08 | 26,236 | 12.27 | 524 | 29 | 30 |
| | | 12/08 | 25,829 | 12.27 | 368 | 29 | 29 |
| | | | 321,302 | | 15,415 | | |
| JORDAN DEVELOPME | PAIR O DICE | 1/08 | 33,703 | 15.15 | 2,332 | 16 | 68 |
| | | 2/08 | 30,459 | 15.15 | 2,172 | 16 | 66 |
| | | 3/08 | 32,424 | 15.15 | 2,289 | 16 | 65 |
| | | 4/08 | 31,740 | 15.15 | 2,405 | 16 | 66 |
| | | 5/08 | 32,381 | 15.15 | 2,524 | 16 | 65 |
| | | 6/08 | 33,668 | 15.15 | 2,339 | 16 | 70 |
| | | 7/08 | 32,268 | 15.15 | 2,362 | 16 | 65 |
| | | 8/08 | 33,001 | 15.15 | 2,344 | 16 | 67 |
| | | 9/08 | 31,523 | 15.15 | 2,169 | 16 | 66 |
| | | 10/08 | 32,565 | 15.15 | 2,081 | 16 | 66 |
| | | 11/08 | 31,147 | 15.15 | 1,905 | 16 | 65 |
| | | 12/08 | 31,020 | 15.15 | 2,066 | 16 | 63 |
| | | | 385,899 | | 26,988 | | |
| JORDAN DEVELOPME | PIGEON RIVER (SAWDUST) | 1/08 | 4,993 | 4.99 | 1,716 | 6 | 27 |
| | | 2/08 | 4,578 | 4.88 | 1,592 | 6 | 26 |
| | | 3/08 | 5,289 | 4.88 | 1,773 | 6 | 28 |
| | | 4/08 | 5,179 | 5.06 | 1,696 | 6 | 29 |
| | | 5/08 | 5,326 | 5.31 | 1,758 | 6 | 29 |
| | | 6/08 | 4,882 | 5.08 | 1,774 | 6 | 27 |
| | | 7/08 | 4,964 | 5.08 | 1,817 | 6 | 27 |
| | | 8/08 | 4,960 | 5.18 | 1,857 | 6 | 27 |
| | | 9/08 | 4,679 | 5.18 | 1,745 | 6 | 26 |
| | | 10/08 | 4,628 | 5.08 | 1,793 | 6 | 25 |
| | | 11/08 | 4,436 | 5.14 | 1,742 | 6 | 25 |
| | | 12/08 | 4,511 | 5.14 | 1,657 | 6 | 24 |
| | | | 58,425 | | 20,920 | | |
| JORDAN DEVELOPME | SCHROEDER | 1/08 | 4,218 | 22.74 | 317 | 10 | 14 |
| | | 2/08 | 3,951 | 22.87 | 341 | 10 | 14 |
| | | 3/08 | 4,613 | 22.87 | 295 | 10 | 15 |
| | | 4/08 | 4,383 | 23.17 | 286 | 10 | 15 |
| | | 5/08 | 4,358 | 23.32 | 410 | 10 | 14 |
| | | 6/08 | 4,026 | 23.28 | 405 | 10 | 13 |
| | | 7/08 | 4,148 | 23.28 | 417 | 10 | 13 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------|--------------|-----------------|-----------|----------------|-------------|---------------|--------------------------|
| JORDAN DEVELOPME | SCHROEDER | 8/08 | 4,198 | 22.78 | 499 | 10 | 14 |
| | | 9/08 | 3,814 | 22.78 | 498 | 10 | 13 |
| | | 10/08 | 3,897 | 24.40 | 572 | 10 | 13 |
| | | 11/08 | 4,082 | 24.55 | 607 | 10 | 14 |
| | | 12/08 | 4,078 | 24.55 | 435 | 10 | 13 |
| | | | | 49,766 | | 5,082 | |
| JORDAN DEVELOPME | SLAM DUNCAN | 1/08 | 18,119 | 12.41 | 473 | 17 | 34 |
| | | 2/08 | 16,844 | 12.15 | 427 | 17 | 34 |
| | | 3/08 | 18,068 | 12.15 | 443 | 17 | 34 |
| | | 4/08 | 17,108 | 12.12 | 434 | 17 | 34 |
| | | 5/08 | 18,140 | 12.35 | 455 | 17 | 34 |
| | | 6/08 | 17,662 | 12.49 | 435 | 17 | 35 |
| | | 7/08 | 18,378 | 12.49 | 428 | 17 | 35 |
| | | 8/08 | 18,119 | 12.31 | 450 | 17 | 34 |
| | | 9/08 | 17,693 | 12.31 | 439 | 17 | 35 |
| | | 10/08 | 18,207 | 13.18 | 452 | 17 | 35 |
| | | 11/08 | 17,265 | 13.35 | 570 | 17 | 34 |
| | | 12/08 | 18,040 | 13.35 | 445 | 17 | 34 |
| | | 213,643 | | 5,451 | | | |
| JORDAN DEVELOPME | SNAKE EYES | 1/08 | 5,622 | 15.15 | 836 | 3 | 60 |
| | | 2/08 | 4,894 | 15.15 | 783 | 3 | 56 |
| | | 3/08 | 5,072 | 15.15 | 794 | 3 | 55 |
| | | 4/08 | 5,172 | 15.15 | 852 | 3 | 57 |
| | | 5/08 | 5,370 | 15.15 | 824 | 3 | 58 |
| | | 6/08 | 3,709 | 15.15 | 885 | 3 | 41 |
| | | 7/08 | 5,799 | 15.15 | 869 | 3 | 62 |
| | | 8/08 | 6,097 | 15.15 | 836 | 3 | 66 |
| | | 9/08 | 5,943 | 15.15 | 807 | 3 | 66 |
| | | 10/08 | 6,061 | 15.15 | 819 | 3 | 65 |
| | | 11/08 | 5,771 | 15.15 | 762 | 3 | 64 |
| | | 12/08 | 6,067 | 15.15 | 776 | 3 | 65 |
| | | 65,577 | | 9,843 | | | |
| JORDAN DEVELOPME | VIENNA 1 | 1/08 | 7,148 | 2.69 | 13,513 | 15 | 15 |
| | | 2/08 | 6,368 | 2.69 | 12,546 | 15 | 15 |
| | | 3/08 | 6,846 | 2.69 | 12,997 | 15 | 15 |
| | | 4/08 | 6,566 | 2.69 | 12,641 | 15 | 15 |
| | | 5/08 | 6,653 | 2.80 | 13,026 | 15 | 14 |
| | | 6/08 | 6,564 | 2.80 | 12,497 | 15 | 15 |
| | | 7/08 | 6,668 | 2.80 | 16,580 | 15 | 14 |
| | | 8/08 | 6,796 | 2.80 | 25,552 | 15 | 15 |
| | | 9/08 | 6,346 | 2.80 | 18,754 | 15 | 14 |
| | | 10/08 | 6,618 | 2.80 | 16,902 | 15 | 14 |
| | | 11/08 | 6,069 | 2.96 | 16,234 | 15 | 13 |
| | | 12/08 | 5,434 | 2.96 | 18,241 | 15 | 12 |
| | | 78,076 | | 189,483 | | | |
| JORDAN DEVELOPME | VIENNA 2 | 1/08 | 33,295 | 12.75 | 9,444 | 30 | 36 |
| | | 2/08 | 29,970 | 11.60 | 12,000 | 30 | 34 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|--|--------------|------------------|------------------|-------|------------------|---------------|--------------------------|----|----|
| JORDAN DEVELOPME | VIENNA 2 | 3/08 | 32,511 | 11.60 | 6,095 | 30 | 35 | | |
| | | 4/08 | 31,186 | 11.72 | 6,182 | 30 | 35 | | |
| | | 5/08 | 32,991 | 11.93 | 6,364 | 30 | 35 | | |
| | | 6/08 | 31,877 | 11.99 | 6,597 | 30 | 35 | | |
| | | 7/08 | 33,545 | 11.99 | 7,407 | 30 | 36 | | |
| | | 8/08 | 33,576 | 11.83 | 6,628 | 30 | 36 | | |
| | | 9/08 | 32,569 | 11.83 | 5,882 | 30 | 36 | | |
| | | 10/08 | 33,955 | 12.50 | 5,831 | 30 | 36 | | |
| | | 11/08 | 32,118 | 12.50 | 5,388 | 30 | 36 | | |
| | | 12/08 | 32,670 | 12.50 | 5,287 | 30 | 35 | | |
| | | | | | 390,263 | | 83,105 | | |
| | | JORDAN DEVELOPME | VIENNA 3 | 1/08 | 12,817 | 20.23 | 321 | 12 | 34 |
| | | | | 2/08 | 11,501 | 20.03 | 329 | 12 | 33 |
| 3/08 | 12,823 | | | 20.03 | 398 | 12 | 34 | | |
| 4/08 | 12,148 | | | 20.01 | 325 | 12 | 34 | | |
| 5/08 | 12,413 | | | 18.81 | 372 | 12 | 33 | | |
| 6/08 | 12,468 | | | 21.34 | 370 | 12 | 35 | | |
| 7/08 | 12,082 | | | 21.34 | 349 | 12 | 32 | | |
| 8/08 | 12,614 | | | 20.99 | 405 | 12 | 34 | | |
| 9/08 | 12,542 | | | 20.99 | 397 | 12 | 35 | | |
| 10/08 | 13,395 | | | 21.81 | 359 | 12 | 36 | | |
| 11/08 | 13,197 | | | 22.08 | 576 | 12 | 37 | | |
| 12/08 | 12,831 | | | 22.08 | 553 | 12 | 34 | | |
| | | | | | 150,831 | | 4,754 | | |
| JORDAN DEVELOPME | VOYER LAKE | 1/08 | 20,773 | 18.48 | 364 | 16 | 42 | | |
| | | 2/08 | 18,730 | 18.61 | 334 | 16 | 40 | | |
| | | 3/08 | 19,974 | 18.61 | 351 | 16 | 40 | | |
| | | 4/08 | 18,957 | 18.61 | 338 | 16 | 39 | | |
| | | 5/08 | 20,013 | 18.58 | 378 | 16 | 40 | | |
| | | 6/08 | 20,174 | 18.51 | 379 | 16 | 42 | | |
| | | 7/08 | 20,567 | 18.51 | 390 | 16 | 41 | | |
| | | 8/08 | 19,825 | 18.52 | 398 | 16 | 40 | | |
| | | 9/08 | 20,291 | 18.52 | 410 | 16 | 42 | | |
| | | 10/08 | 20,490 | 19.45 | 443 | 16 | 41 | | |
| | | 11/08 | 19,719 | 19.45 | 417 | 16 | 41 | | |
| | | 12/08 | 20,116 | 19.45 | 427 | 16 | 41 | | |
| | | | | | 239,629 | | 4,629 | | |
| JORDAN DEVELOPMENT - REPORTER TOTALS: | | | 4,604,807 | | 2,683,381 | | | | |
| MERIT ENERGY COM | ALBERT/LOUD | 1/08 | 170,822 | 16.20 | 15,506 | 70 | 79 | | |
| | | 2/08 | 155,304 | 16.20 | 13,683 | 70 | 76 | | |
| | | 3/08 | 168,941 | 16.20 | 15,073 | 70 | 78 | | |
| | | 4/08 | 161,624 | 16.20 | 14,466 | 70 | 77 | | |
| | | 5/08 | 166,941 | 16.20 | 15,107 | 70 | 77 | | |
| | | 6/08 | 159,466 | 16.20 | 14,807 | 70 | 76 | | |
| | | 7/08 | 166,063 | 16.20 | 15,199 | 70 | 77 | | |
| | | 8/08 | 161,302 | 16.20 | 13,981 | 69 | 75 | | |
| | | 9/08 | 153,869 | 16.10 | 13,728 | 70 | 73 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------|---------------|-----------------|------------------|-------|----------------|---------------|--------------------------|
| MERIT ENERGY COM | ALBERT/LOUD | 10/08 | 161,068 | 16.10 | 13,944 | 70 | 74 |
| | | 11/08 | 155,426 | 16.10 | 13,916 | 70 | 74 |
| | | 12/08 | 151,617 | 16.20 | 13,042 | 70 | 70 |
| | | | 1,932,443 | | 172,452 | | |
| MERIT ENERGY COM | BEAR LAKE 13 | 1/08 | 4,612 | 9.80 | 727 | 4 | 37 |
| | | 2/08 | 4,311 | 9.70 | 585 | 4 | 37 |
| | | 3/08 | 5,060 | 9.90 | 670 | 4 | 41 |
| | | 4/08 | 5,191 | 9.90 | 648 | 4 | 43 |
| | | 5/08 | 5,272 | 10.00 | 701 | 4 | 43 |
| | | 6/08 | 4,770 | 9.90 | 709 | 4 | 40 |
| | | 7/08 | 4,923 | 9.90 | 763 | 4 | 40 |
| | | 8/08 | 4,784 | 9.70 | 1,389 | 4 | 39 |
| | | 9/08 | 4,574 | 9.70 | 733 | 4 | 38 |
| | | 10/08 | 4,745 | 9.90 | 764 | 4 | 38 |
| | | 11/08 | 4,141 | 9.60 | 652 | 4 | 35 |
| | | 12/08 | 3,763 | 9.50 | 717 | 4 | 30 |
| | 56,146 | | 9,058 | | | | |
| MERIT ENERGY COM | BEAR LAKE 23 | 1/08 | 7,232 | 4.80 | 20,291 | 5 | 47 |
| | | 2/08 | 6,747 | 4.80 | 19,265 | 5 | 47 |
| | | 3/08 | 7,227 | 4.00 | 20,314 | 5 | 47 |
| | | 4/08 | 6,734 | 4.00 | 19,413 | 5 | 45 |
| | | 5/08 | 6,728 | 4.00 | 18,998 | 5 | 43 |
| | | 6/08 | 6,354 | 4.80 | 18,218 | 5 | 42 |
| | | 7/08 | 7,097 | 4.80 | 18,352 | 5 | 46 |
| | | 8/08 | 7,286 | 4.80 | 17,933 | 5 | 47 |
| | | 9/08 | 7,516 | 4.80 | 17,776 | 5 | 50 |
| | | 10/08 | 7,285 | 4.80 | 18,211 | 5 | 47 |
| | | 11/08 | 7,081 | 4.80 | 17,800 | 5 | 47 |
| | | 12/08 | 6,342 | 4.80 | 17,089 | 5 | 41 |
| | 83,629 | | 223,660 | | | | |
| MERIT ENERGY COM | BEAR LAKE 26 | 1/08 | 2,057 | 4.80 | 1,680 | 2 | 33 |
| | | 2/08 | 1,803 | 4.80 | 1,422 | 2 | 31 |
| | | 3/08 | 1,931 | 4.80 | 1,499 | 2 | 31 |
| | | 4/08 | 1,993 | 4.80 | 1,590 | 2 | 33 |
| | | 5/08 | 1,957 | 4.80 | 1,839 | 2 | 32 |
| | | 6/08 | 1,848 | 4.80 | 1,763 | 2 | 31 |
| | | 7/08 | 1,800 | 4.80 | 1,495 | 2 | 29 |
| | | 8/08 | 1,828 | 4.80 | 1,459 | 2 | 29 |
| | | 9/08 | 1,675 | 4.80 | 1,404 | 2 | 28 |
| | | 10/08 | 1,607 | 4.80 | 1,437 | 2 | 26 |
| | | 11/08 | 1,743 | 4.80 | 1,563 | 2 | 29 |
| | | 12/08 | 1,593 | 4.80 | 1,507 | 2 | 26 |
| | 21,835 | | 18,658 | | | | |
| MERIT ENERGY COM | CLINTON 5/6 | 1/08 | 21,806 | 16.60 | 434 | 9 | 78 |
| | | 2/08 | 20,477 | 16.60 | 387 | 9 | 78 |
| | | 3/08 | 20,718 | 16.60 | 401 | 9 | 74 |
| | | 4/08 | 19,977 | 16.60 | 386 | 9 | 74 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|------------------|---------------------|------------------|--------------|-------|----------------|---------------|--------------------------|---|----|
| MERIT ENERGY COM | CLINTON 5/6 | 5/08 | 20,700 | 16.60 | 400 | 9 | 74 | | |
| | | 6/08 | 19,565 | 16.60 | 390 | 9 | 72 | | |
| | | 7/08 | 20,397 | 16.60 | 401 | 9 | 73 | | |
| | | 8/08 | 19,510 | 16.60 | 371 | 9 | 70 | | |
| | | 9/08 | 19,180 | 16.60 | 366 | 9 | 71 | | |
| | | 10/08 | 20,087 | 16.60 | 372 | 9 | 72 | | |
| | | 11/08 | 19,498 | 16.60 | 373 | 9 | 72 | | |
| | | 12/08 | 18,961 | 16.60 | 346 | 9 | 68 | | |
| | | | | | 240,876 | | 4,627 | | |
| | | MERIT ENERGY COM | MANCELONA 33 | 1/08 | 634 | 6.70 | 796 | 4 | 5 |
| | | | | 2/08 | 1,121 | 6.70 | 1,068 | 4 | 10 |
| | | | | 3/08 | 1,642 | 6.70 | 723 | 4 | 13 |
| | | | | 4/08 | 2,411 | 6.70 | 2,229 | 4 | 20 |
| 5/08 | 2,779 | | | 6.70 | 1,494 | 4 | 22 | | |
| 6/08 | 3,401 | | | 6.70 | 1,595 | 4 | 28 | | |
| 7/08 | 3,297 | | | 6.70 | 1,202 | 4 | 27 | | |
| 8/08 | 3,716 | | | 0.00 | 1,441 | 4 | 30 | | |
| 9/08 | 2,538 | | | 0.00 | 1,179 | 4 | 21 | | |
| 10/08 | 3,012 | | | 0.00 | 1,825 | 4 | 24 | | |
| 11/08 | 2,904 | | | 0.00 | 1,376 | 4 | 24 | | |
| 12/08 | 2,704 | | | 0.00 | 1,336 | 4 | 22 | | |
| | | | | | 30,159 | | 16,264 | | |
| MERIT ENERGY COM | SPRINGDALE 25 | 1/08 | 812 | 4.00 | 5,051 | 10 | 3 | | |
| | | 2/08 | 747 | 4.00 | 6,866 | 10 | 3 | | |
| | | 3/08 | 756 | 4.00 | 6,529 | 10 | 2 | | |
| | | 4/08 | 561 | 4.00 | 3,446 | 10 | 2 | | |
| | | 5/08 | 656 | 4.00 | 3,400 | 10 | 2 | | |
| | | 6/08 | 545 | 4.00 | 6,946 | 10 | 2 | | |
| | | 7/08 | 748 | 4.00 | 6,094 | 10 | 2 | | |
| | | 8/08 | 714 | 4.00 | 3,729 | 10 | 2 | | |
| | | 9/08 | 576 | 4.00 | 4,364 | 9 | 2 | | |
| | | 10/08 | 939 | 4.00 | 5,585 | 10 | 3 | | |
| | | 11/08 | 888 | 4.00 | 4,087 | 10 | 3 | | |
| | | 12/08 | 888 | 4.00 | 4,390 | 10 | 3 | | |
| | | | | | 8,830 | | 60,487 | | |
| MERIT ENERGY COM | WEST CLINTON COMMON | 1/08 | 7,895 | 16.60 | 5,062 | 10 | 25 | | |
| | | 2/08 | 7,332 | 16.60 | 4,508 | 10 | 25 | | |
| | | 3/08 | 7,869 | 16.60 | 4,665 | 10 | 25 | | |
| | | 4/08 | 7,282 | 16.60 | 4,449 | 10 | 24 | | |
| | | 5/08 | 7,609 | 16.60 | 4,279 | 10 | 25 | | |
| | | 6/08 | 7,174 | 16.60 | 4,172 | 10 | 24 | | |
| | | 7/08 | 7,476 | 16.60 | 4,284 | 10 | 24 | | |
| | | 8/08 | 6,845 | 16.60 | 3,965 | 10 | 22 | | |
| | | 9/08 | 6,880 | 16.60 | 3,823 | 10 | 23 | | |
| | | 10/08 | 7,121 | 16.60 | 3,879 | 10 | 23 | | |
| | | 11/08 | 6,909 | 16.60 | 3,884 | 10 | 23 | | |
| | | 12/08 | 8,097 | 16.60 | 3,609 | 10 | 26 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-----------------|--|-----------------|------------------|-------|----------------|---------------|--------------------------|
| | | | 88,489 | | 50,579 | | |
| | MERIT ENERGY COMPANY - REPORTER TOTALS: | | 2,462,407 | | 555,785 | | |
| MUSKEGON | 400 HUNT CLUB | 1/08 | 10,387 | 10.03 | 1,570 | 3 | 112 |
| | | 2/08 | 9,619 | 10.03 | 1,731 | 3 | 111 |
| | | 3/08 | 10,242 | 10.03 | 1,699 | 3 | 110 |
| | | 4/08 | 10,035 | 10.03 | 1,707 | 3 | 112 |
| | | 5/08 | 10,211 | 10.03 | 1,765 | 3 | 110 |
| | | 6/08 | 9,672 | 10.03 | 1,469 | 3 | 107 |
| | | 7/08 | 10,291 | 10.03 | 1,461 | 3 | 111 |
| | | 8/08 | 8,826 | 10.03 | 1,459 | 3 | 95 |
| | | 9/08 | 9,449 | 10.03 | 1,327 | 3 | 105 |
| | | 10/08 | 9,311 | 10.03 | 1,400 | 3 | 100 |
| | | 11/08 | 9,175 | 10.03 | 1,400 | 3 | 102 |
| | | 12/08 | 8,993 | 10.17 | 1,387 | 3 | 97 |
| | | | 116,211 | | 18,375 | | |
| MUSKEGON | BASS LAKE | 1/08 | 8,580 | 26.67 | 181 | 20 | 14 |
| | | 2/08 | 8,989 | 25.99 | 254 | 20 | 15 |
| | | 3/08 | 9,043 | 26.43 | 241 | 20 | 15 |
| | | 4/08 | 9,369 | 26.19 | 253 | 20 | 16 |
| | | 5/08 | 9,945 | 26.19 | 299 | 20 | 16 |
| | | 6/08 | 9,641 | 26.45 | 223 | 20 | 16 |
| | | 7/08 | 8,804 | 26.30 | 164 | 20 | 14 |
| | | 8/08 | 8,615 | 26.49 | 152 | 20 | 14 |
| | | 9/08 | 8,135 | 26.17 | 193 | 20 | 14 |
| | | 10/08 | 9,189 | 26.17 | 191 | 20 | 15 |
| | | 11/08 | 9,512 | 27.26 | 234 | 20 | 16 |
| | | 12/08 | 8,671 | 27.82 | 287 | 20 | 14 |
| | | | 108,493 | | 2,672 | | |
| MUSKEGON | BIG WOLF LAKE | 1/08 | 55,006 | 4.19 | 10,032 | 23 | 77 |
| | | 2/08 | 50,698 | 4.11 | 9,087 | 23 | 76 |
| | | 3/08 | 50,035 | 4.18 | 8,965 | 23 | 70 |
| | | 4/08 | 51,383 | 4.18 | 9,234 | 23 | 74 |
| | | 5/08 | 53,142 | 4.18 | 9,539 | 24 | 71 |
| | | 6/08 | 51,752 | 4.02 | 9,419 | 24 | 72 |
| | | 7/08 | 53,013 | 4.02 | 8,964 | 24 | 71 |
| | | 8/08 | 53,944 | 4.07 | 11,154 | 25 | 70 |
| | | 9/08 | 53,329 | 4.21 | 11,518 | 27 | 66 |
| | | 10/08 | 54,222 | 4.15 | 9,494 | 29 | 60 |
| | | 11/08 | 51,544 | 4.39 | 9,337 | 29 | 59 |
| | | 12/08 | 55,907 | 4.46 | 11,185 | 29 | 62 |
| | | | 633,975 | | 117,928 | | |
| MUSKEGON | CAULKINS LAKE | 1/08 | 45,320 | 19.91 | 258 | 24 | 61 |
| | | 2/08 | 40,631 | 20.54 | 171 | 24 | 58 |
| | | 3/08 | 43,841 | 19.99 | 479 | 24 | 59 |
| | | 4/08 | 41,974 | 20.22 | 506 | 24 | 58 |
| | | 5/08 | 43,702 | 19.93 | 495 | 24 | 59 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|-----------------|-----------------|------------|-------|----------------|---------------|--------------------------|----|----|
| MUSKEGON | CAULKINS LAKE | 6/08 | 41,772 | 20.09 | 448 | 24 | 58 | | |
| | | 7/08 | 43,557 | 19.93 | 391 | 24 | 59 | | |
| | | 8/08 | 41,253 | 20.03 | 379 | 24 | 55 | | |
| | | 9/08 | 41,000 | 20.11 | 606 | 24 | 57 | | |
| | | 10/08 | 42,408 | 19.92 | 499 | 24 | 57 | | |
| | | 11/08 | 42,685 | 20.87 | 276 | 24 | 59 | | |
| | | 12/08 | 38,819 | 20.67 | 336 | 24 | 52 | | |
| | | | | | 506,962 | | 4,844 | | |
| | | MUSKEGON | CRAPO LAKE | 1/08 | 34,290 | 18.42 | 2,277 | 37 | 30 |
| | | | | 2/08 | 30,640 | 18.07 | 1,913 | 37 | 29 |
| | | | | 3/08 | 36,357 | 18.32 | 2,346 | 37 | 32 |
| | | | | 4/08 | 33,779 | 18.32 | 2,022 | 37 | 30 |
| | | | | 5/08 | 34,740 | 19.37 | 2,182 | 37 | 30 |
| 6/08 | 33,511 | | | 19.14 | 2,012 | 37 | 30 | | |
| 7/08 | 33,762 | | | 19.47 | 2,187 | 37 | 29 | | |
| 8/08 | 30,006 | | | 19.47 | 1,133 | 37 | 26 | | |
| 9/08 | 29,355 | | | 18.45 | 2,480 | 37 | 26 | | |
| 10/08 | 28,117 | | | 17.32 | 1,109 | 37 | 24 | | |
| 11/08 | 26,495 | | | 20.11 | 1,144 | 37 | 24 | | |
| 12/08 | 25,649 | | | 20.96 | 1,003 | 37 | 22 | | |
| | | | | | 376,701 | | 21,808 | | |
| MUSKEGON | EAST HEART LAKE | 1/08 | 27,470 | 19.40 | 639 | 21 | 42 | | |
| | | 2/08 | 22,562 | 19.70 | 454 | 21 | 37 | | |
| | | 3/08 | 27,257 | 20.15 | 438 | 21 | 42 | | |
| | | 4/08 | 25,533 | 19.89 | 460 | 21 | 41 | | |
| | | 5/08 | 26,064 | 19.90 | 452 | 21 | 40 | | |
| | | 6/08 | 24,970 | 19.90 | 600 | 21 | 40 | | |
| | | 7/08 | 25,276 | 19.77 | 461 | 21 | 39 | | |
| | | 8/08 | 25,701 | 19.68 | 535 | 21 | 39 | | |
| | | 9/08 | 25,296 | 19.28 | 605 | 21 | 40 | | |
| | | 10/08 | 26,272 | 18.81 | 581 | 21 | 40 | | |
| | | 11/08 | 24,878 | 20.30 | 555 | 21 | 39 | | |
| | | 12/08 | 25,276 | 20.60 | 570 | 21 | 39 | | |
| | | | | | 306,555 | | 6,350 | | |
| MUSKEGON | EMERALD LAKE | 1/08 | 4,764 | 29.03 | 301 | 8 | 19 | | |
| | | 2/08 | 3,930 | 28.74 | 278 | 8 | 17 | | |
| | | 3/08 | 4,782 | 28.60 | 325 | 8 | 19 | | |
| | | 4/08 | 4,554 | 28.60 | 302 | 8 | 19 | | |
| | | 5/08 | 4,800 | 28.65 | 294 | 8 | 19 | | |
| | | 6/08 | 4,923 | 28.83 | 289 | 8 | 21 | | |
| | | 7/08 | 4,868 | 29.05 | 292 | 8 | 20 | | |
| | | 8/08 | 4,919 | 29.05 | 294 | 8 | 20 | | |
| | | 9/08 | 4,840 | 28.64 | 269 | 8 | 20 | | |
| | | 10/08 | 4,822 | 28.40 | 277 | 8 | 19 | | |
| | | 11/08 | 4,796 | 28.47 | 239 | 8 | 20 | | |
| | | 12/08 | 4,955 | 29.67 | 306 | 8 | 20 | | |
| | | | | | 56,953 | | 3,466 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|--------------|-----------------|-------------|-------|---------------|---------------|--------------------------|---|----|
| MUSKEGON | FOX LAKE | 3/08 | 4,750 | 23.92 | 3,851 | 1 | 153 | | |
| | | 4/08 | 6,343 | 21.75 | 3,042 | 1 | 211 | | |
| | | 5/08 | 6,968 | 21.29 | 2,748 | 1 | 225 | | |
| | | 6/08 | 6,634 | 21.78 | 2,512 | 2 | 111 | | |
| | | 7/08 | 11,464 | 21.77 | 2,413 | 2 | 185 | | |
| | | 8/08 | 10,819 | 18.48 | 0 | 3 | 116 | | |
| | | 9/08 | 11,212 | 18.16 | 2,160 | 3 | 125 | | |
| | | 10/08 | 6,891 | 18.23 | 2,021 | 3 | 74 | | |
| | | 11/08 | 11,214 | 19.13 | 2,792 | 3 | 125 | | |
| | | 12/08 | 13,520 | 18.46 | 3,034 | 3 | 145 | | |
| | | | | | 89,815 | | 24,573 | | |
| | | MUSKEGON | FRENCH POND | 1/08 | 3,337 | 12.53 | 132 | 2 | 54 |
| | | | | 2/08 | 3,479 | 12.53 | 153 | 2 | 60 |
| 3/08 | 3,264 | | | 12.43 | 119 | 2 | 53 | | |
| 4/08 | 3,002 | | | 12.13 | 108 | 2 | 50 | | |
| 5/08 | 3,086 | | | 12.35 | 116 | 2 | 50 | | |
| 6/08 | 3,014 | | | 12.15 | 123 | 2 | 50 | | |
| 7/08 | 3,127 | | | 12.42 | 130 | 2 | 50 | | |
| 8/08 | 2,967 | | | 12.65 | 120 | 2 | 48 | | |
| 9/08 | 2,779 | | | 12.93 | 82 | 2 | 46 | | |
| 10/08 | 2,869 | | | 12.92 | 104 | 2 | 46 | | |
| 11/08 | 2,886 | | | 12.98 | 135 | 2 | 48 | | |
| 12/08 | 2,963 | | | 13.79 | 123 | 2 | 48 | | |
| | | | | | 36,773 | | 1,445 | | |
| MUSKEGON | GINGELL LAKE | 1/08 | 2,750 | 21.18 | 260 | 13 | 7 | | |
| | | 2/08 | 3,280 | 20.55 | 248 | 13 | 9 | | |
| | | 3/08 | 3,412 | 21.45 | 183 | 13 | 8 | | |
| | | 4/08 | 3,588 | 20.36 | 210 | 13 | 9 | | |
| | | 5/08 | 3,295 | 22.45 | 200 | 13 | 8 | | |
| | | 6/08 | 3,266 | 21.84 | 206 | 13 | 8 | | |
| | | 7/08 | 3,150 | 22.35 | 193 | 13 | 8 | | |
| | | 8/08 | 3,460 | 22.60 | 165 | 13 | 9 | | |
| | | 9/08 | 3,410 | 21.74 | 147 | 13 | 9 | | |
| | | 10/08 | 3,278 | 23.19 | 188 | 13 | 8 | | |
| | | 11/08 | 3,103 | 23.97 | 211 | 13 | 8 | | |
| | | 12/08 | 3,199 | 22.38 | 199 | 13 | 8 | | |
| | | | | | 39,191 | | 2,410 | | |
| MUSKEGON | HEART LAKE | 1/08 | 3,601 | 29.25 | 22 | 17 | 7 | | |
| | | 2/08 | 2,695 | 30.20 | 9 | 17 | 5 | | |
| | | 3/08 | 2,826 | 30.13 | 10 | 17 | 5 | | |
| | | 4/08 | 3,435 | 29.82 | 14 | 17 | 7 | | |
| | | 5/08 | 3,996 | 29.71 | 19 | 17 | 8 | | |
| | | 6/08 | 2,699 | 29.87 | 27 | 17 | 5 | | |
| | | 7/08 | 2,880 | 30.30 | 36 | 17 | 5 | | |
| | | 8/08 | 3,046 | 30.30 | 32 | 17 | 6 | | |
| | | 9/08 | 2,875 | 29.90 | 32 | 17 | 6 | | |
| | | 10/08 | 3,486 | 29.51 | 16 | 17 | 7 | | |
| | | 11/08 | 3,595 | 30.58 | 7 | 17 | 7 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-----------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| MUSKEGON | HEART LAKE | 12/08 | 3,250 | 31.61 | 6 | 17 | 6 |
| | | | 38,384 | | 230 | | |
| MUSKEGON | ISLAND LAKE | 1/08 | 44,117 | 9.85 | 1,414 | 27 | 53 |
| | | 2/08 | 40,657 | 9.85 | 1,528 | 27 | 52 |
| | | 3/08 | 42,772 | 9.85 | 1,337 | 27 | 51 |
| | | 4/08 | 40,471 | 9.85 | 1,257 | 27 | 50 |
| | | 5/08 | 44,928 | 9.85 | 2,086 | 27 | 54 |
| | | 6/08 | 44,326 | 9.85 | 1,452 | 27 | 55 |
| | | 7/08 | 47,511 | 9.85 | 1,511 | 27 | 57 |
| | | 8/08 | 43,661 | 9.85 | 1,580 | 27 | 52 |
| | | 9/08 | 44,854 | 9.85 | 1,303 | 27 | 55 |
| | | 10/08 | 45,673 | 9.85 | 1,311 | 27 | 55 |
| | | 11/08 | 43,761 | 9.85 | 955 | 27 | 54 |
| | | 12/08 | 44,083 | 9.85 | 1,502 | 27 | 53 |
| | | | 526,814 | | 17,236 | | |
| MUSKEGON | KUJAWA (DOVER) | 1/08 | 17,412 | 16.17 | 402 | 22 | 26 |
| | | 2/08 | 15,049 | 16.61 | 284 | 22 | 24 |
| | | 3/08 | 16,235 | 16.41 | 299 | 22 | 24 |
| | | 4/08 | 16,771 | 15.54 | 504 | 22 | 25 |
| | | 5/08 | 16,373 | 15.48 | 609 | 22 | 24 |
| | | 6/08 | 19,886 | 16.01 | 913 | 22 | 30 |
| | | 7/08 | 20,919 | 16.88 | 672 | 22 | 31 |
| | | 8/08 | 21,870 | 17.55 | 650 | 22 | 32 |
| | | 9/08 | 20,835 | 17.18 | 609 | 22 | 32 |
| | | 10/08 | 19,210 | 17.96 | 594 | 22 | 28 |
| | | 11/08 | 19,447 | 17.96 | 647 | 22 | 29 |
| | | 12/08 | 19,374 | 17.96 | 647 | 22 | 28 |
| | | | 223,381 | | 6,830 | | |
| MUSKEGON | LAKE HORICON 14 | 1/08 | 46,453 | 20.17 | 2,367 | 20 | 75 |
| | | 2/08 | 39,534 | 20.18 | 2,025 | 20 | 68 |
| | | 3/08 | 45,460 | 19.56 | 2,368 | 20 | 73 |
| | | 4/08 | 43,447 | 20.16 | 2,257 | 20 | 72 |
| | | 5/08 | 45,171 | 20.29 | 2,367 | 20 | 73 |
| | | 6/08 | 43,333 | 20.33 | 2,270 | 20 | 72 |
| | | 7/08 | 44,800 | 20.42 | 2,977 | 20 | 72 |
| | | 8/08 | 44,841 | 20.63 | 3,237 | 20 | 72 |
| | | 9/08 | 43,706 | 19.88 | 7,987 | 20 | 73 |
| | | 10/08 | 43,441 | 20.24 | 9,513 | 20 | 70 |
| | | 11/08 | 43,669 | 20.29 | 10,372 | 20 | 73 |
| | | 12/08 | 43,838 | 20.80 | 10,353 | 20 | 71 |
| | | | 527,693 | | 58,093 | | |
| MUSKEGON | LAKE HORICON 15 | 1/08 | 8,008 | 15.05 | 3,083 | 12 | 22 |
| | | 2/08 | 7,508 | 14.43 | 2,555 | 12 | 22 |
| | | 3/08 | 8,221 | 13.21 | 2,942 | 12 | 22 |
| | | 4/08 | 7,810 | 14.66 | 2,762 | 12 | 22 |
| | | 5/08 | 8,285 | 14.49 | 2,998 | 12 | 22 |
| | | 6/08 | 7,788 | 14.53 | 2,857 | 12 | 22 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-------------------|-----------------|-----------|----------------|-------------|---------------|--------------------------|
| MUSKEGON | LAKE HORICON 15 | 7/08 | 8,483 | 14.13 | 3,121 | 12 | 23 |
| | | 8/08 | 8,315 | 14.48 | 3,024 | 12 | 22 |
| | | 9/08 | 7,952 | 14.69 | 3,102 | 12 | 22 |
| | | 10/08 | 7,974 | 14.61 | 3,214 | 12 | 21 |
| | | 11/08 | 7,697 | 14.80 | 3,146 | 12 | 21 |
| | | 12/08 | 7,667 | 15.50 | 3,177 | 12 | 21 |
| | | | | 95,708 | | 35,981 | |
| MUSKEGON | LITTLE CRAPO LAKE | 1/08 | 23,332 | 26.76 | 82 | 29 | 26 |
| | | 2/08 | 21,817 | 26.48 | 68 | 29 | 26 |
| | | 3/08 | 23,000 | 26.50 | 80 | 29 | 26 |
| | | 4/08 | 22,619 | 26.52 | 66 | 29 | 26 |
| | | 5/08 | 24,010 | 25.81 | 89 | 29 | 27 |
| | | 6/08 | 22,697 | 26.62 | 50 | 29 | 26 |
| | | 7/08 | 22,918 | 26.63 | 26 | 29 | 25 |
| | | 8/08 | 21,839 | 26.52 | 33 | 29 | 24 |
| | | 9/08 | 21,058 | 26.32 | 23 | 29 | 24 |
| | | 10/08 | 22,331 | 25.63 | 27 | 29 | 25 |
| | | 11/08 | 21,739 | 26.17 | 86 | 29 | 25 |
| | | 12/08 | 23,063 | 27.23 | 74 | 29 | 26 |
| | | 270,423 | | 704 | | | |
| MUSKEGON | MITCHELL LAKE | 1/08 | 37,505 | 8.42 | 3,309 | 20 | 60 |
| | | 2/08 | 34,132 | 8.42 | 2,590 | 20 | 59 |
| | | 3/08 | 38,054 | 9.38 | 2,379 | 20 | 61 |
| | | 4/08 | 36,406 | 9.66 | 2,815 | 21 | 58 |
| | | 5/08 | 36,978 | 9.67 | 4,500 | 22 | 54 |
| | | 6/08 | 35,693 | 9.68 | 4,402 | 22 | 54 |
| | | 7/08 | 37,134 | 9.68 | 4,103 | 22 | 54 |
| | | 8/08 | 37,507 | 9.68 | 4,000 | 22 | 55 |
| | | 9/08 | 35,579 | 9.97 | 3,579 | 23 | 52 |
| | | 10/08 | 37,049 | 10.02 | 4,132 | 23 | 52 |
| | | 11/08 | 36,340 | 10.09 | 3,863 | 23 | 53 |
| | | 12/08 | 37,138 | 10.40 | 3,869 | 23 | 52 |
| | | 439,515 | | 43,541 | | | |
| MUSKEGON | MITCHELL LAKE II | 1/08 | 65,785 | 6.87 | 12,447 | 28 | 76 |
| | | 2/08 | 60,299 | 7.12 | 11,844 | 28 | 74 |
| | | 3/08 | 65,699 | 7.09 | 12,292 | 28 | 76 |
| | | 4/08 | 62,915 | 6.96 | 11,714 | 31 | 68 |
| | | 5/08 | 63,333 | 7.02 | 13,033 | 31 | 66 |
| | | 6/08 | 60,333 | 7.11 | 10,887 | 31 | 65 |
| | | 7/08 | 61,441 | 7.19 | 10,122 | 31 | 64 |
| | | 8/08 | 60,529 | 7.50 | 14,341 | 31 | 63 |
| | | 9/08 | 64,181 | 7.50 | 11,650 | 33 | 65 |
| | | 10/08 | 65,115 | 7.35 | 10,951 | 33 | 64 |
| | | 11/08 | 64,086 | 7.35 | 12,415 | 33 | 65 |
| | | 12/08 | 67,372 | 7.05 | 12,338 | 33 | 66 |
| | | 761,088 | | 144,034 | | | |
| MUSKEGON | NO LAKE | 1/08 | 37,830 | 18.62 | 1,589 | 36 | 34 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|--------------|-----------------|-------------------|-------|----------------|---------------|--------------------------|----|----|
| MUSKEGON | NO LAKE | 2/08 | 32,416 | 18.76 | 1,096 | 36 | 31 | | |
| | | 3/08 | 37,738 | 19.02 | 1,207 | 36 | 34 | | |
| | | 4/08 | 36,603 | 19.08 | 1,288 | 36 | 34 | | |
| | | 5/08 | 37,754 | 19.14 | 1,948 | 36 | 34 | | |
| | | 6/08 | 35,851 | 19.17 | 1,523 | 36 | 33 | | |
| | | 7/08 | 36,409 | 18.92 | 1,360 | 36 | 33 | | |
| | | 8/08 | 36,424 | 19.33 | 1,115 | 36 | 33 | | |
| | | 9/08 | 36,320 | 19.28 | 1,108 | 36 | 34 | | |
| | | 10/08 | 37,605 | 16.52 | 971 | 36 | 34 | | |
| | | 11/08 | 38,674 | 16.52 | 970 | 36 | 36 | | |
| | | 12/08 | 37,561 | 20.40 | 839 | 36 | 34 | | |
| | | | | | 441,185 | | 15,014 | | |
| | | MUSKEGON | NORTH HIDDEN LAKE | 1/08 | 24,241 | 20.04 | 655 | 20 | 39 |
| 2/08 | 22,971 | | | 19.84 | 618 | 20 | 40 | | |
| 3/08 | 23,689 | | | 19.84 | 643 | 20 | 38 | | |
| 4/08 | 21,844 | | | 19.84 | 690 | 20 | 36 | | |
| 5/08 | 22,826 | | | 19.62 | 1,629 | 20 | 37 | | |
| 6/08 | 22,475 | | | 19.61 | 1,242 | 20 | 37 | | |
| 7/08 | 22,619 | | | 19.88 | 1,275 | 20 | 36 | | |
| 8/08 | 21,117 | | | 20.10 | 1,161 | 20 | 34 | | |
| 9/08 | 21,652 | | | 20.17 | 1,100 | 20 | 36 | | |
| 10/08 | 22,750 | | | 20.24 | 908 | 20 | 37 | | |
| 11/08 | 22,037 | | | 20.86 | 623 | 20 | 37 | | |
| 12/08 | 22,571 | | | 21.14 | 480 | 20 | 36 | | |
| | | | | | 270,792 | | 11,024 | | |
| MUSKEGON | OPAL LAKE | 1/08 | 7,443 | 24.84 | 1,225 | 13 | 18 | | |
| | | 2/08 | 6,555 | 25.45 | 1,293 | 13 | 17 | | |
| | | 3/08 | 7,820 | 25.45 | 1,923 | 13 | 19 | | |
| | | 4/08 | 7,530 | 25.45 | 1,819 | 13 | 19 | | |
| | | 5/08 | 7,660 | 25.65 | 1,854 | 13 | 19 | | |
| | | 6/08 | 7,341 | 25.59 | 2,034 | 13 | 19 | | |
| | | 7/08 | 6,591 | 25.59 | 2,635 | 13 | 16 | | |
| | | 8/08 | 7,021 | 25.87 | 1,989 | 13 | 17 | | |
| | | 9/08 | 6,848 | 25.58 | 1,588 | 13 | 18 | | |
| | | 10/08 | 6,586 | 25.91 | 1,813 | 13 | 16 | | |
| | | 11/08 | 6,363 | 26.55 | 1,830 | 13 | 16 | | |
| | | 12/08 | 6,223 | 26.55 | 1,627 | 13 | 15 | | |
| | | | | | 83,981 | | 21,630 | | |
| MUSKEGON | OTSEGO LAKE | 1/08 | 23,320 | 23.74 | 20 | 30 | 25 | | |
| | | 2/08 | 22,477 | 24.19 | 17 | 30 | 26 | | |
| | | 3/08 | 23,852 | 24.00 | 21 | 30 | 26 | | |
| | | 4/08 | 23,015 | 23.60 | 16 | 30 | 26 | | |
| | | 5/08 | 23,415 | 23.97 | 61 | 30 | 25 | | |
| | | 6/08 | 22,732 | 23.74 | 9 | 30 | 25 | | |
| | | 7/08 | 23,447 | 23.21 | 3 | 30 | 25 | | |
| | | 8/08 | 23,045 | 23.72 | 4 | 30 | 25 | | |
| | | 9/08 | 21,802 | 23.79 | 7 | 30 | 24 | | |
| | | 10/08 | 22,653 | 23.79 | 4 | 30 | 24 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-----------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| MUSKEGON | OTSEGO LAKE | 11/08 | 21,604 | 24.96 | 15 | 30 | 24 |
| | | 12/08 | 22,041 | 25.01 | 8 | 30 | 24 |
| | | | 273,403 | | 185 | | |
| MUSKEGON | PERCH LAKE | 1/08 | 48,274 | 11.52 | 1,856 | 17 | 92 |
| | | 2/08 | 45,579 | 10.92 | 1,654 | 17 | 92 |
| | | 3/08 | 48,431 | 12.08 | 1,866 | 17 | 92 |
| | | 4/08 | 46,094 | 11.62 | 1,560 | 17 | 90 |
| | | 5/08 | 48,912 | 10.65 | 1,638 | 17 | 93 |
| | | 6/08 | 47,397 | 11.70 | 1,473 | 17 | 93 |
| | | 7/08 | 47,735 | 11.97 | 1,670 | 17 | 91 |
| | | 8/08 | 47,586 | 11.94 | 1,509 | 17 | 90 |
| | | 9/08 | 44,950 | 11.86 | 1,251 | 17 | 88 |
| | | 10/08 | 45,915 | 11.63 | 1,561 | 17 | 87 |
| | | 11/08 | 43,651 | 12.08 | 1,340 | 17 | 86 |
| | | 12/08 | 44,007 | 12.08 | 1,324 | 17 | 83 |
| | | | 558,531 | | 18,702 | | |
| MUSKEGON | PIGEON RIVER | 1/08 | 9,374 | 18.10 | 55 | 10 | 30 |
| | | 2/08 | 8,603 | 17.94 | 81 | 10 | 30 |
| | | 3/08 | 8,828 | 18.08 | 89 | 10 | 28 |
| | | 4/08 | 8,509 | 17.83 | 144 | 10 | 28 |
| | | 5/08 | 9,435 | 17.75 | 158 | 10 | 30 |
| | | 6/08 | 8,350 | 17.65 | 135 | 10 | 28 |
| | | 7/08 | 8,506 | 18.34 | 94 | 10 | 27 |
| | | 8/08 | 8,350 | 18.53 | 84 | 10 | 27 |
| | | 9/08 | 7,534 | 18.32 | 84 | 10 | 25 |
| | | 10/08 | 7,724 | 18.59 | 70 | 10 | 25 |
| | | 11/08 | 7,462 | 18.86 | 90 | 10 | 25 |
| | | 12/08 | 7,539 | 19.15 | 92 | 10 | 24 |
| | | | 100,214 | | 1,176 | | |
| MUSKEGON | RAMNEK RANCH (LOWER C | 1/08 | 25,548 | 18.94 | 2,123 | 19 | 43 |
| | | 2/08 | 20,853 | 19.31 | 3,708 | 19 | 38 |
| | | 3/08 | 24,249 | 19.31 | 1,860 | 19 | 41 |
| | | 4/08 | 22,362 | 19.31 | 1,996 | 19 | 39 |
| | | 5/08 | 22,402 | 19.12 | 3,847 | 19 | 38 |
| | | 6/08 | 22,324 | 19.12 | 4,418 | 19 | 39 |
| | | 7/08 | 20,629 | 18.18 | 3,817 | 19 | 35 |
| | | 8/08 | 20,897 | 18.48 | 3,922 | 19 | 35 |
| | | 9/08 | 20,832 | 18.16 | 3,170 | 19 | 37 |
| | | 10/08 | 21,731 | 18.23 | 1,687 | 19 | 37 |
| | | 11/08 | 17,588 | 19.13 | 1,828 | 19 | 31 |
| | | 12/08 | 18,894 | 18.46 | 1,919 | 19 | 32 |
| | | | 258,309 | | 34,295 | | |
| MUSKEGON | RHOADS LAKE | 1/08 | 8,329 | 10.03 | 1,259 | 19 | 14 |
| | | 2/08 | 7,823 | 10.03 | 1,407 | 19 | 14 |
| | | 3/08 | 8,208 | 10.03 | 1,361 | 19 | 14 |
| | | 4/08 | 7,686 | 10.03 | 1,308 | 19 | 13 |
| | | 5/08 | 8,770 | 10.03 | 1,515 | 19 | 15 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| MUSKEGON | RHOADS LAKE | 6/08 | 8,622 | 10.03 | 1,310 | 19 | 15 |
| | | 7/08 | 9,360 | 10.03 | 1,329 | 19 | 16 |
| | | 8/08 | 9,220 | 10.03 | 1,524 | 19 | 16 |
| | | 9/08 | 9,124 | 10.03 | 1,282 | 19 | 16 |
| | | 10/08 | 9,159 | 10.03 | 1,378 | 19 | 16 |
| | | 11/08 | 8,706 | 10.03 | 1,329 | 19 | 15 |
| | | 12/08 | 8,704 | 10.17 | 1,343 | 19 | 15 |
| | | | 103,711 | | 16,345 | | |
| MUSKEGON | ROUND LAKE | 1/08 | 28,078 | 16.33 | 1,215 | 18 | 50 |
| | | 2/08 | 25,103 | 15.70 | 1,081 | 18 | 48 |
| | | 3/08 | 27,723 | 15.99 | 1,052 | 18 | 50 |
| | | 4/08 | 27,366 | 16.15 | 955 | 18 | 51 |
| | | 5/08 | 27,931 | 15.76 | 1,113 | 18 | 50 |
| | | 6/08 | 26,610 | 16.35 | 985 | 18 | 49 |
| | | 7/08 | 27,932 | 16.23 | 1,185 | 18 | 50 |
| | | 8/08 | 27,095 | 16.65 | 1,038 | 18 | 49 |
| | | 9/08 | 25,297 | 16.04 | 725 | 18 | 47 |
| | | 10/08 | 26,493 | 16.43 | 1,032 | 18 | 47 |
| | | 11/08 | 25,304 | 17.66 | 1,609 | 18 | 47 |
| | | 12/08 | 26,454 | 15.19 | 1,162 | 18 | 47 |
| | | | 321,386 | | 13,152 | | |
| MUSKEGON | SAND LAKE | 7/08 | 1,560 | 19.47 | 1,872 | 1 | 50 |
| | | 8/08 | 4,982 | 19.47 | 0 | 2 | 80 |
| | | 9/08 | 5,937 | 18.45 | 1,417 | 2 | 99 |
| | | 10/08 | 8,067 | 17.32 | 3,324 | 2 | 130 |
| | | 11/08 | 6,018 | 20.11 | 1,705 | 3 | 67 |
| | | 12/08 | 8,026 | 20.96 | 1,425 | 3 | 86 |
| | | | 34,590 | | 9,743 | | |
| MUSKEGON | SHUPAC LAKE | 1/08 | 11,543 | 7.63 | 3,428 | 10 | 37 |
| | | 2/08 | 10,238 | 7.80 | 2,735 | 10 | 35 |
| | | 3/08 | 10,701 | 7.55 | 3,045 | 10 | 35 |
| | | 4/08 | 10,272 | 7.60 | 2,870 | 10 | 34 |
| | | 5/08 | 10,834 | 7.54 | 3,263 | 10 | 35 |
| | | 6/08 | 10,692 | 7.28 | 3,104 | 10 | 36 |
| | | 7/08 | 11,115 | 7.50 | 2,925 | 10 | 36 |
| | | 8/08 | 11,346 | 7.55 | 2,869 | 10 | 37 |
| | | 9/08 | 10,915 | 7.66 | 2,718 | 10 | 36 |
| | | 10/08 | 10,548 | 7.52 | 1,841 | 10 | 34 |
| | | 11/08 | 9,973 | 7.93 | 2,336 | 10 | 33 |
| | | 12/08 | 10,032 | 7.54 | 2,372 | 10 | 32 |
| | | | 128,209 | | 33,506 | | |
| MUSKEGON | SOUTH HIDDEN LAKE | 1/08 | 27,108 | 20.04 | 2,219 | 23 | 38 |
| | | 2/08 | 25,418 | 19.84 | 1,394 | 23 | 38 |
| | | 3/08 | 25,762 | 19.84 | 398 | 23 | 36 |
| | | 4/08 | 23,879 | 20.25 | 998 | 23 | 35 |
| | | 5/08 | 26,039 | 20.25 | 2,474 | 23 | 37 |
| | | 6/08 | 24,416 | 20.25 | 2,078 | 23 | 35 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| MUSKEGON | SOUTH HIDDEN LAKE | 7/08 | 26,774 | 20.25 | 2,357 | 23 | 38 |
| | | 8/08 | 26,056 | 20.25 | 2,323 | 23 | 37 |
| | | 9/08 | 23,238 | 20.25 | 2,416 | 23 | 34 |
| | | 10/08 | 24,638 | 20.25 | 2,439 | 23 | 35 |
| | | 11/08 | 24,346 | 20.25 | 2,116 | 23 | 35 |
| | | 12/08 | 26,068 | 20.25 | 2,132 | 23 | 37 |
| | | | | | 303,742 | | 23,344 |
| MUSKEGON | STOREY LAKE | 1/08 | 5,562 | 0.55 | 37,433 | 7 | 26 |
| | | 2/08 | 3,753 | 0.35 | 33,024 | 7 | 18 |
| | | 3/08 | 3,958 | 0.30 | 35,079 | 7 | 18 |
| | | 4/08 | 3,573 | 0.32 | 31,202 | 7 | 17 |
| | | 5/08 | 3,649 | 0.34 | 33,724 | 7 | 17 |
| | | 6/08 | 3,702 | 0.33 | 31,850 | 7 | 18 |
| | | 7/08 | 3,468 | 0.45 | 29,893 | 7 | 16 |
| | | 8/08 | 3,601 | 0.36 | 31,563 | 7 | 17 |
| | | 9/08 | 3,655 | 0.47 | 29,841 | 7 | 17 |
| | | 10/08 | 3,511 | 0.30 | 30,441 | 7 | 16 |
| | | 11/08 | 3,512 | 0.36 | 28,614 | 7 | 17 |
| | | 12/08 | 3,583 | 0.56 | 31,727 | 7 | 16 |
| | | | 45,527 | | 384,391 | | |
| MUSKEGON | STURGEON RIVER | 1/08 | 25,367 | 12.53 | 1,002 | 14 | 58 |
| | | 2/08 | 23,177 | 12.53 | 1,023 | 14 | 57 |
| | | 3/08 | 24,002 | 12.43 | 871 | 14 | 55 |
| | | 4/08 | 22,875 | 12.13 | 826 | 14 | 54 |
| | | 5/08 | 23,750 | 12.35 | 894 | 14 | 55 |
| | | 6/08 | 23,706 | 12.15 | 971 | 14 | 56 |
| | | 7/08 | 25,676 | 12.42 | 1,063 | 14 | 59 |
| | | 8/08 | 25,983 | 12.65 | 1,049 | 14 | 60 |
| | | 9/08 | 24,163 | 12.93 | 710 | 14 | 58 |
| | | 10/08 | 23,285 | 12.92 | 840 | 14 | 54 |
| | | 11/08 | 23,520 | 12.98 | 1,099 | 14 | 56 |
| | | 12/08 | 23,118 | 13.79 | 800 | 14 | 53 |
| | | | 288,622 | | 11,148 | | |
| MUSKEGON | TRAVERSE LAKES | 1/08 | 10,567 | 26.14 | 534 | 13 | 26 |
| | | 2/08 | 10,424 | 26.16 | 490 | 13 | 28 |
| | | 3/08 | 11,446 | 25.92 | 257 | 13 | 28 |
| | | 4/08 | 10,571 | 26.40 | 609 | 13 | 27 |
| | | 5/08 | 10,661 | 26.48 | 549 | 13 | 26 |
| | | 6/08 | 10,464 | 26.37 | 507 | 13 | 27 |
| | | 7/08 | 10,431 | 26.01 | 466 | 13 | 26 |
| | | 8/08 | 10,627 | 26.51 | 568 | 13 | 26 |
| | | 9/08 | 9,839 | 26.79 | 520 | 13 | 25 |
| | | 10/08 | 10,386 | 26.58 | 536 | 13 | 26 |
| | | 11/08 | 10,132 | 27.37 | 458 | 13 | 26 |
| | | 12/08 | 10,228 | 27.84 | 404 | 13 | 25 |
| | | | 125,776 | | 5,898 | | |
| MUSKEGON | VIKING LAKE | 1/08 | 12,981 | 24.11 | 729 | 13 | 32 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|------------------|--|-----------------|------------------------------------|-------|------------------|---------------|--------------------------|--|--|
| MUSKEGON | VIKING LAKE | 2/08 | 11,960 | 23.92 | 608 | 13 | 32 | | |
| | | 3/08 | 13,149 | 23.92 | 545 | 13 | 33 | | |
| | | 4/08 | 13,474 | 21.75 | 569 | 13 | 35 | | |
| | | 5/08 | 12,837 | 21.29 | 544 | 13 | 32 | | |
| | | 6/08 | 12,173 | 21.78 | 568 | 13 | 31 | | |
| | | 7/08 | 12,833 | 21.77 | 553 | 13 | 32 | | |
| | | 8/08 | 13,355 | 22.64 | 547 | 13 | 33 | | |
| | | 9/08 | 11,965 | 24.41 | 540 | 13 | 31 | | |
| | | 10/08 | 12,160 | 24.41 | 565 | 13 | 30 | | |
| | | 11/08 | 12,060 | 25.75 | 551 | 13 | 31 | | |
| | | 12/08 | 11,960 | 24.88 | 546 | 13 | 30 | | |
| | | | | | 150,907 | | 6,865 | | |
| | | | MUSKEGON - REPORTER TOTALS: | | 8,643,520 | | 1,116,938 | | |
| NUENERGY OPERATI | BAGLEY 27 | 1/08 | 62,101 | 20.91 | 4,440 | 40 | 50 | | |
| | | 2/08 | 55,897 | 20.91 | 2,851 | 40 | 48 | | |
| | | 3/08 | 61,852 | 20.91 | 2,017 | 40 | 50 | | |
| | | 4/08 | 56,520 | 20.91 | 1,528 | 40 | 47 | | |
| | | 5/08 | 59,232 | 20.91 | 1,703 | 40 | 48 | | |
| | | 6/08 | 57,867 | 20.91 | 1,125 | 40 | 48 | | |
| | | 7/08 | 57,304 | 20.91 | 763 | 40 | 46 | | |
| | | 8/08 | 57,445 | 20.91 | 803 | 40 | 46 | | |
| | | 9/08 | 53,074 | 20.91 | 1,819 | 40 | 44 | | |
| | | 10/08 | 54,756 | 20.91 | 2,920 | 40 | 44 | | |
| | | 11/08 | 53,294 | 20.91 | 1,661 | 39 | 46 | | |
| | | 12/08 | 52,085 | 20.91 | 2,230 | 39 | 43 | | |
| | | | 681,427 | | 23,860 | | | | |
| NUENERGY OPERATI | SOUTH OTSEGO 10 | 1/08 | 38,188 | 27.07 | 309 | 25 | 49 | | |
| | | 2/08 | 33,218 | 27.07 | 489 | 25 | 46 | | |
| | | 3/08 | 35,640 | 27.07 | 232 | 25 | 46 | | |
| | | 4/08 | 35,932 | 27.07 | 280 | 25 | 48 | | |
| | | 5/08 | 37,122 | 27.07 | 326 | 25 | 48 | | |
| | | 6/08 | 36,996 | 27.07 | 551 | 25 | 49 | | |
| | | 7/08 | 39,529 | 27.07 | 396 | 25 | 51 | | |
| | | 8/08 | 40,093 | 27.07 | 558 | 25 | 52 | | |
| | | 9/08 | 36,308 | 27.07 | 550 | 25 | 48 | | |
| | | 10/08 | 36,840 | 27.07 | 420 | 25 | 48 | | |
| | | 11/08 | 34,425 | 27.07 | 167 | 25 | 46 | | |
| | | 12/08 | 33,842 | 27.07 | 252 | 25 | 44 | | |
| | | | 438,133 | | 4,530 | | | | |
| | NUENERGY OPERATING INC - REPORTER TOTALS: | | 1,119,560 | | 28,390 | | | | |
| OILFIELD | BAGLEY 17 | 1/08 | 25,559 | 19.60 | 3,257 | 25 | 33 | | |
| | | 2/08 | 23,112 | 20.17 | 1,444 | 25 | 32 | | |
| | | 3/08 | 24,956 | 20.17 | 4,318 | 25 | 32 | | |
| | | 4/08 | 24,168 | 19.64 | 3,483 | 25 | 32 | | |
| | | 5/08 | 25,747 | 19.33 | 3,391 | 25 | 33 | | |
| | | 6/08 | 24,813 | 20.22 | 3,713 | 25 | 33 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|--------------|-----------------|-----------|----------------|-------------|---------------|--------------------------|
| OILFIELD | BAGLEY 17 | 7/08 | 24,217 | 20.22 | 1,881 | 25 | 31 |
| | | 8/08 | 25,015 | 20.22 | 2,553 | 25 | 32 |
| | | 9/08 | 23,429 | 20.22 | 2,531 | 25 | 31 |
| | | 10/08 | 25,271 | 19.36 | 1,722 | 26 | 31 |
| | | 11/08 | 24,820 | 20.21 | 769 | 26 | 32 |
| | | 12/08 | 25,663 | 20.21 | 827 | 26 | 32 |
| | | | | 296,770 | | 29,889 | |
| OILFIELD | BAGLEY 30 | 1/08 | 26,315 | 18.04 | 1,642 | 10 | 85 |
| | | 2/08 | 24,691 | 17.92 | 1,775 | 10 | 85 |
| | | 3/08 | 24,857 | 17.92 | 2,579 | 10 | 80 |
| | | 4/08 | 23,765 | 19.32 | 2,319 | 10 | 79 |
| | | 5/08 | 24,073 | 18.35 | 1,961 | 10 | 78 |
| | | 6/08 | 22,938 | 18.99 | 2,718 | 10 | 76 |
| | | 7/08 | 23,526 | 18.99 | 3,862 | 10 | 76 |
| | | 8/08 | 29,339 | 18.99 | 2,807 | 10 | 95 |
| | | 9/08 | 22,392 | 18.99 | 3,657 | 10 | 75 |
| | | 10/08 | 23,964 | 19.25 | 2,187 | 10 | 77 |
| | | 11/08 | 23,944 | 18.50 | 2,004 | 10 | 80 |
| | | 12/08 | 23,096 | 18.43 | 1,549 | 10 | 74 |
| | | 292,900 | | 29,060 | | | |
| OILFIELD | BIG WOLF | 1/08 | 59,626 | 4.40 | 28,957 | 36 | 53 |
| | | 2/08 | 47,925 | 4.40 | 19,592 | 36 | 46 |
| | | 3/08 | 55,731 | 4.40 | 16,801 | 36 | 50 |
| | | 4/08 | 55,531 | 4.40 | 18,219 | 36 | 51 |
| | | 5/08 | 56,390 | 4.40 | 37,172 | 36 | 51 |
| | | 6/08 | 54,846 | 4.40 | 35,995 | 36 | 51 |
| | | 7/08 | 59,294 | 4.40 | 38,915 | 36 | 53 |
| | | 8/08 | 59,424 | 4.40 | 20,207 | 36 | 53 |
| | | 9/08 | 52,382 | 4.40 | 25,481 | 36 | 49 |
| | | 10/08 | 56,256 | 4.40 | 30,778 | 36 | 50 |
| | | 11/08 | 58,816 | 4.40 | 27,329 | 36 | 54 |
| | | 12/08 | 58,007 | 4.40 | 18,901 | 36 | 52 |
| | | 674,228 | | 318,347 | | | |
| OILFIELD | CUSTER 19 | 1/08 | 13,976 | 4.48 | 17,478 | 2 | 225 |
| | | 2/08 | 10,290 | 4.48 | 6,637 | 2 | 177 |
| | | 3/08 | 13,673 | 4.48 | 8,867 | 2 | 221 |
| | | 4/08 | 15,281 | 4.48 | 9,202 | 2 | 255 |
| | | 5/08 | 16,978 | 4.48 | 9,222 | 2 | 274 |
| | | 6/08 | 15,897 | 4.48 | 7,000 | 2 | 265 |
| | | 7/08 | 17,827 | 4.48 | 4,838 | 2 | 288 |
| | | 8/08 | 17,900 | 4.48 | 0 | 2 | 289 |
| | | 9/08 | 17,592 | 4.48 | 0 | 2 | 293 |
| | | 10/08 | 20,454 | 4.89 | 0 | 2 | 330 |
| | | 11/08 | 18,111 | 4.89 | 0 | 2 | 302 |
| | | 12/08 | 18,466 | 4.89 | 0 | 2 | 298 |
| | | 196,445 | | 63,244 | | | |
| OILFIELD | CUSTER 7 | 1/08 | 57,542 | 4.91 | 69,316 | 25 | 74 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|-------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|---|----|
| OILFIELD | CUSTER 7 | 2/08 | 54,934 | 4.91 | 55,728 | 25 | 76 | | |
| | | 3/08 | 61,494 | 4.91 | 51,543 | 25 | 79 | | |
| | | 4/08 | 60,356 | 4.91 | 49,833 | 25 | 80 | | |
| | | 5/08 | 64,065 | 4.91 | 46,278 | 25 | 83 | | |
| | | 6/08 | 62,298 | 4.91 | 37,906 | 25 | 83 | | |
| | | 7/08 | 66,714 | 4.91 | 36,473 | 25 | 86 | | |
| | | 8/08 | 68,389 | 4.91 | 33,701 | 25 | 88 | | |
| | | 9/08 | 63,975 | 4.91 | 30,951 | 25 | 85 | | |
| | | 10/08 | 76,204 | 5.34 | 30,254 | 25 | 98 | | |
| | | 11/08 | 66,167 | 5.34 | 26,850 | 25 | 88 | | |
| | | 12/08 | 68,150 | 5.34 | 26,651 | 25 | 88 | | |
| | | | | | 770,288 | | 495,484 | | |
| | | OILFIELD | EAST ELMIRA 34 | 1/08 | 6,566 | 10.87 | 6,221 | 7 | 30 |
| 2/08 | 6,190 | | | 10.87 | 5,611 | 7 | 30 | | |
| 3/08 | 6,606 | | | 10.87 | 5,943 | 7 | 30 | | |
| 4/08 | 5,975 | | | 10.87 | 4,453 | 7 | 28 | | |
| 5/08 | 6,318 | | | 10.87 | 8,838 | 7 | 29 | | |
| 6/08 | 5,699 | | | 10.87 | 8,150 | 7 | 27 | | |
| 7/08 | 5,830 | | | 10.87 | 6,164 | 7 | 27 | | |
| 8/08 | 5,308 | | | 10.87 | 2,667 | 7 | 24 | | |
| 9/08 | 5,077 | | | 10.87 | 5,066 | 7 | 24 | | |
| 10/08 | 1,606 | | | 10.87 | 5,195 | 7 | 7 | | |
| 11/08 | 4,693 | | | 11.84 | 4,436 | 7 | 22 | | |
| 12/08 | 4,889 | | | 11.84 | 3,428 | 7 | 23 | | |
| | | | | | 64,757 | | 66,172 | | |
| OILFIELD | ELMIRA 27 | 1/08 | 2,325 | 10.29 | 154 | 2 | 37 | | |
| | | 2/08 | 2,140 | 12.78 | 232 | 2 | 37 | | |
| | | 3/08 | 2,358 | 12.78 | 323 | 2 | 38 | | |
| | | 4/08 | 2,253 | 12.78 | 269 | 2 | 38 | | |
| | | 5/08 | 2,179 | 12.78 | 372 | 2 | 35 | | |
| | | 6/08 | 2,062 | 12.78 | 409 | 2 | 34 | | |
| | | 7/08 | 2,163 | 12.78 | 475 | 2 | 35 | | |
| | | 8/08 | 1,972 | 12.78 | 194 | 2 | 32 | | |
| | | 9/08 | 1,917 | 12.78 | 354 | 2 | 32 | | |
| | | 10/08 | 1,839 | 15.15 | 425 | 2 | 30 | | |
| | | 11/08 | 1,770 | 15.15 | 456 | 2 | 30 | | |
| | | 12/08 | 1,786 | 15.15 | 319 | 2 | 29 | | |
| | | | | | 24,764 | | 3,982 | | |
| OILFIELD | ELMIRA 27 - 21076 | 1/08 | 1,896 | 14.25 | 0 | 1 | 61 | | |
| | | 2/08 | 1,785 | 14.25 | 0 | 1 | 62 | | |
| | | 3/08 | 1,867 | 14.25 | 0 | 1 | 60 | | |
| | | 4/08 | 1,746 | 14.25 | 0 | 1 | 58 | | |
| | | 5/08 | 1,746 | 15.53 | 1 | 1 | 56 | | |
| | | 6/08 | 1,729 | 15.53 | 0 | 1 | 58 | | |
| | | 7/08 | 1,680 | 15.53 | 0 | 1 | 54 | | |
| | | 8/08 | 1,689 | 15.53 | 0 | 1 | 54 | | |
| | | 9/08 | 1,128 | 15.53 | 0 | 1 | 38 | | |
| | | 10/08 | 3,489 | 14.37 | 0 | 1 | 113 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-------------------|-----------------|---------------|-------|---------------|---------------|--------------------------|
| OILFIELD | ELMIRA 27 - 21076 | 11/08 | 2,710 | 14.37 | 0 | 1 | 90 |
| | | 12/08 | 2,488 | 14.37 | 0 | 1 | 80 |
| | | | 23,953 | | 1 | | |
| OILFIELD | ELMIRA 27 - 21079 | 1/08 | 1,906 | 8.77 | 1,735 | 1 | 61 |
| | | 2/08 | 1,629 | 8.77 | 1,651 | 1 | 56 |
| | | 3/08 | 1,323 | 8.77 | 1,874 | 1 | 43 |
| | | 4/08 | 1,582 | 8.77 | 1,527 | 1 | 53 |
| | | 5/08 | 1,701 | 8.77 | 1,477 | 1 | 55 |
| | | 6/08 | 1,735 | 8.77 | 1,394 | 1 | 58 |
| | | 7/08 | 1,819 | 8.77 | 1,533 | 1 | 59 |
| | | 8/08 | 1,816 | 8.77 | 1,496 | 1 | 59 |
| | | 9/08 | 1,699 | 8.77 | 1,377 | 1 | 57 |
| | | 10/08 | 1,707 | 9.27 | 1,491 | 1 | 55 |
| | | 11/08 | 1,327 | 9.27 | 1,558 | 1 | 44 |
| | | 12/08 | 1,642 | 9.27 | 1,625 | 1 | 53 |
| | | | 19,886 | | 18,738 | | |
| OILFIELD | ELMIRA 27 - 21106 | 1/08 | 1,884 | 10.04 | 33 | 1 | 61 |
| | | 2/08 | 1,923 | 10.52 | 30 | 1 | 66 |
| | | 3/08 | 3,522 | 10.13 | 31 | 1 | 114 |
| | | 4/08 | 1,965 | 10.18 | 27 | 1 | 66 |
| | | 5/08 | 1,930 | 10.17 | 31 | 1 | 62 |
| | | 6/08 | 1,843 | 10.27 | 29 | 1 | 61 |
| | | 7/08 | 1,894 | 10.29 | 28 | 1 | 61 |
| | | 8/08 | 1,972 | 10.27 | 24 | 1 | 64 |
| | | 9/08 | 1,806 | 10.42 | 13 | 1 | 60 |
| | | 10/08 | 1,852 | 10.21 | 18 | 1 | 60 |
| | | 11/08 | 1,783 | 10.53 | 20 | 1 | 59 |
| | | 12/08 | 1,893 | 9.48 | 23 | 1 | 61 |
| | | | 24,267 | | 307 | | |
| OILFIELD | ELMIRA 27 - 21114 | 1/08 | 2,275 | 8.46 | 100 | 1 | 73 |
| | | 2/08 | 2,041 | 8.46 | 41 | 1 | 70 |
| | | 3/08 | 2,160 | 8.46 | 48 | 1 | 70 |
| | | 4/08 | 1,924 | 8.46 | 45 | 1 | 64 |
| | | 5/08 | 2,100 | 8.46 | 44 | 1 | 68 |
| | | 6/08 | 2,115 | 8.46 | 42 | 1 | 71 |
| | | 7/08 | 2,232 | 8.46 | 51 | 1 | 72 |
| | | 8/08 | 2,248 | 8.46 | 48 | 1 | 73 |
| | | 9/08 | 2,175 | 8.46 | 38 | 1 | 73 |
| | | 10/08 | 2,196 | 8.92 | 40 | 1 | 71 |
| | | 11/08 | 2,137 | 8.92 | 42 | 1 | 71 |
| | | 12/08 | 2,163 | 8.92 | 36 | 1 | 70 |
| | | | 25,766 | | 575 | | |
| OILFIELD | ELMIRA 27 - 21130 | 1/08 | 3,481 | 12.03 | 227 | 1 | 112 |
| | | 2/08 | 3,178 | 12.03 | 198 | 1 | 110 |
| | | 3/08 | 3,355 | 12.03 | 211 | 1 | 108 |
| | | 4/08 | 3,133 | 12.03 | 189 | 1 | 104 |
| | | 5/08 | 3,280 | 12.03 | 213 | 1 | 106 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-------------------|-----------------|-----------|----------------|-------------|---------------|--------------------------|
| OILFIELD | ELMIRA 27 - 21130 | 6/08 | 3,208 | 12.03 | 210 | 1 | 107 |
| | | 7/08 | 3,349 | 12.03 | 208 | 1 | 108 |
| | | 8/08 | 3,313 | 12.03 | 213 | 1 | 107 |
| | | 9/08 | 3,136 | 8.77 | 189 | 1 | 105 |
| | | 10/08 | 3,130 | 12.30 | 159 | 1 | 101 |
| | | 11/08 | 2,956 | 12.44 | 162 | 1 | 99 |
| | | 12/08 | 3,019 | 12.44 | 162 | 1 | 97 |
| | | | | 38,538 | | 2,341 | |
| OILFIELD | ELMIRA 27 - 21163 | 1/08 | 3,447 | 11.12 | 141 | 1 | 111 |
| | | 2/08 | 3,123 | 11.12 | 108 | 1 | 108 |
| | | 3/08 | 3,319 | 11.12 | 104 | 1 | 107 |
| | | 4/08 | 3,101 | 11.12 | 87 | 1 | 103 |
| | | 5/08 | 3,206 | 11.12 | 102 | 1 | 103 |
| | | 6/08 | 3,158 | 11.12 | 79 | 1 | 105 |
| | | 7/08 | 3,293 | 11.12 | 95 | 1 | 106 |
| | | 8/08 | 3,257 | 11.12 | 87 | 1 | 105 |
| | | 9/08 | 3,070 | 11.12 | 75 | 1 | 102 |
| | | 10/08 | 3,018 | 11.99 | 68 | 1 | 97 |
| | | 11/08 | 2,785 | 11.99 | 56 | 1 | 93 |
| | | 12/08 | 3,065 | 11.99 | 93 | 1 | 99 |
| | | 37,842 | | 1,095 | | | |
| OILFIELD | ELMIRA 34 | 1/08 | 26,344 | 10.87 | 22,206 | 24 | 35 |
| | | 2/08 | 23,964 | 10.87 | 20,470 | 24 | 34 |
| | | 3/08 | 25,344 | 10.87 | 21,437 | 24 | 34 |
| | | 4/08 | 23,765 | 10.87 | 15,648 | 24 | 33 |
| | | 5/08 | 25,940 | 10.87 | 27,657 | 24 | 35 |
| | | 6/08 | 25,271 | 10.87 | 24,403 | 24 | 35 |
| | | 7/08 | 25,944 | 10.87 | 19,993 | 24 | 35 |
| | | 8/08 | 25,610 | 10.87 | 9,003 | 24 | 34 |
| | | 9/08 | 24,649 | 10.87 | 23,476 | 24 | 34 |
| | | 10/08 | 28,448 | 10.87 | 21,292 | 24 | 38 |
| | | 11/08 | 23,147 | 11.84 | 18,953 | 24 | 32 |
| | | 12/08 | 21,289 | 11.84 | 17,722 | 24 | 29 |
| | | 299,715 | | 242,260 | | | |
| OILFIELD | FOX | 1/08 | 7,875 | 24.38 | 3,313 | 26 | 10 |
| | | 2/08 | 7,500 | 24.45 | 3,700 | 26 | 10 |
| | | 3/08 | 8,507 | 23.72 | 3,508 | 26 | 11 |
| | | 4/08 | 8,031 | 23.91 | 3,440 | 26 | 10 |
| | | 5/08 | 8,501 | 23.84 | 3,210 | 26 | 11 |
| | | 6/08 | 7,979 | 24.00 | 2,864 | 26 | 10 |
| | | 7/08 | 8,220 | 23.54 | 3,233 | 26 | 10 |
| | | 8/08 | 8,705 | 23.25 | 4,344 | 26 | 11 |
| | | 9/08 | 8,457 | 24.28 | 2,543 | 26 | 11 |
| | | 10/08 | 8,154 | 23.94 | 2,678 | 26 | 10 |
| | | 11/08 | 8,047 | 24.76 | 5,112 | 26 | 10 |
| | | 12/08 | 8,116 | 25.11 | 4,526 | 26 | 10 |
| | | 98,092 | | 42,471 | | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|--------------|-----------------|-----------|-------|----------------|---------------|--------------------------|
| OILFIELD | GREENWOOD 11 | 1/08 | 143 | 4.22 | 1,861 | 0 | 0 |
| | | 2/08 | 158 | 4.22 | 592 | 1 | 5 |
| | | 3/08 | 223 | 4.22 | 389 | 3 | 2 |
| | | 4/08 | 250 | 4.22 | 1,054 | 3 | 3 |
| | | 5/08 | 33 | 4.22 | 11 | 3 | 0 |
| | | 6/08 | 3 | 4.22 | 0 | 3 | 0 |
| | | 7/08 | 0 | 4.22 | 0 | 3 | 0 |
| | | 8/08 | 0 | 4.22 | 0 | 3 | 0 |
| | | 9/08 | 0 | 4.22 | 0 | 3 | 0 |
| | | 10/08 | 0 | 4.22 | 0 | 3 | 0 |
| | | 11/08 | 0 | 4.22 | 0 | 3 | 0 |
| | | 12/08 | 0 | 4.22 | 0 | 3 | 0 |
| | | | | | 810 | | 3,907 |
| OILFIELD | HAYES 24 | 1/08 | 24,806 | 23.31 | 947 | 17 | 47 |
| | | 2/08 | 22,075 | 23.31 | 633 | 17 | 45 |
| | | 3/08 | 23,869 | 23.31 | 546 | 17 | 45 |
| | | 4/08 | 23,184 | 23.31 | 752 | 17 | 45 |
| | | 5/08 | 22,206 | 23.31 | 546 | 17 | 42 |
| | | 6/08 | 23,012 | 23.31 | 701 | 17 | 45 |
| | | 7/08 | 26,324 | 23.31 | 530 | 17 | 50 |
| | | 8/08 | 25,922 | 23.31 | 802 | 17 | 49 |
| | | 9/08 | 24,127 | 23.31 | 699 | 17 | 47 |
| | | 10/08 | 23,298 | 22.88 | 580 | 17 | 44 |
| | | 11/08 | 21,210 | 22.88 | 719 | 17 | 42 |
| | | 12/08 | 21,368 | 22.88 | 620 | 17 | 41 |
| | | | | | 281,401 | | 8,075 |
| OILFIELD | KITCHEN B1-1 | 1/08 | 810 | 13.80 | 115 | 1 | 26 |
| | | 2/08 | 752 | 15.22 | 108 | 1 | 26 |
| | | 3/08 | 803 | 15.22 | 100 | 1 | 26 |
| | | 4/08 | 738 | 15.22 | 93 | 1 | 25 |
| | | 5/08 | 784 | 15.22 | 101 | 1 | 25 |
| | | 6/08 | 743 | 15.22 | 85 | 1 | 25 |
| | | 7/08 | 749 | 15.22 | 73 | 1 | 24 |
| | | 8/08 | 778 | 15.22 | 79 | 1 | 25 |
| | | 9/08 | 701 | 15.22 | 81 | 1 | 23 |
| | | 10/08 | 766 | 15.22 | 82 | 1 | 25 |
| | | 11/08 | 771 | 15.22 | 96 | 1 | 26 |
| | | 12/08 | 759 | 15.22 | 95 | 1 | 24 |
| | | | | | 9,154 | | 1,108 |
| OILFIELD | KITCHEN B2-2 | 1/08 | 517 | 9.81 | 310 | 1 | 17 |
| | | 2/08 | 470 | 10.64 | 272 | 1 | 16 |
| | | 3/08 | 506 | 10.64 | 289 | 1 | 16 |
| | | 4/08 | 460 | 10.64 | 267 | 1 | 15 |
| | | 5/08 | 460 | 10.64 | 273 | 1 | 15 |
| | | 6/08 | 443 | 10.64 | 267 | 1 | 15 |
| | | 7/08 | 487 | 10.64 | 250 | 1 | 16 |
| | | 8/08 | 506 | 10.64 | 255 | 1 | 16 |
| | | 9/08 | 480 | 10.64 | 228 | 1 | 16 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-------------------------|-----------------|--------------|-------|--------------|---------------|--------------------------|
| OILFIELD | KITCHEN B2-2 | 10/08 | 490 | 10.64 | 217 | 1 | 16 |
| | | 11/08 | 451 | 10.64 | 217 | 1 | 15 |
| | | 12/08 | 458 | 10.64 | 214 | 1 | 15 |
| | | | 5,728 | | 3,059 | | |
| OILFIELD | KITCHEN B3-2 | 1/08 | 758 | 10.51 | 339 | 1 | 24 |
| | | 2/08 | 693 | 11.98 | 301 | 1 | 24 |
| | | 3/08 | 738 | 11.98 | 296 | 1 | 24 |
| | | 4/08 | 682 | 11.98 | 309 | 1 | 23 |
| | | 5/08 | 714 | 11.98 | 291 | 1 | 23 |
| | | 6/08 | 680 | 11.98 | 271 | 1 | 23 |
| | | 7/08 | 698 | 11.98 | 271 | 1 | 23 |
| | | 8/08 | 727 | 11.98 | 267 | 1 | 23 |
| | | 9/08 | 688 | 11.98 | 258 | 1 | 23 |
| | | 10/08 | 716 | 11.98 | 248 | 1 | 23 |
| | | 11/08 | 659 | 11.98 | 253 | 1 | 22 |
| | | 12/08 | 695 | 11.98 | 255 | 1 | 22 |
| | 8,448 | | 3,359 | | | | |
| OILFIELD | ST ELMIRA D3-30 - 20971 | 1/08 | 996 | 4.50 | 4 | 1 | 32 |
| | | 2/08 | 962 | 4.50 | 2 | 1 | 33 |
| | | 3/08 | 1,031 | 4.50 | 2 | 1 | 33 |
| | | 4/08 | 1,027 | 4.50 | 0 | 1 | 34 |
| | | 5/08 | 991 | 4.50 | 0 | 1 | 32 |
| | | 6/08 | 1,028 | 4.50 | 14 | 1 | 34 |
| | | 7/08 | 851 | 5.34 | 2 | 1 | 27 |
| | | 8/08 | 953 | 5.34 | 0 | 1 | 31 |
| | | 9/08 | 855 | 5.34 | 2 | 1 | 29 |
| | | 10/08 | 1,015 | 5.34 | 0 | 1 | 33 |
| | | 11/08 | 953 | 5.34 | 0 | 1 | 32 |
| | | 12/08 | 692 | 5.34 | 0 | 1 | 22 |
| | 11,354 | | 26 | | | | |
| OILFIELD | ST ELMIRA D4-30 - 20970 | 1/08 | 467 | 16.92 | 28 | 1 | 15 |
| | | 2/08 | 318 | 16.92 | 8 | 1 | 11 |
| | | 3/08 | 138 | 16.92 | 0 | 1 | 4 |
| | | 4/08 | 164 | 16.92 | 0 | 1 | 5 |
| | | 5/08 | 597 | 16.92 | 0 | 1 | 19 |
| | | 6/08 | 564 | 16.92 | 8 | 1 | 19 |
| | | 7/08 | 563 | 16.92 | 8 | 1 | 18 |
| | | 8/08 | 618 | 16.92 | 8 | 1 | 20 |
| | | 9/08 | 344 | 16.92 | 2 | 1 | 11 |
| | | 10/08 | 456 | 16.92 | 0 | 1 | 15 |
| | | 11/08 | 511 | 17.36 | 0 | 1 | 17 |
| | | 12/08 | 635 | 17.36 | 0 | 1 | 20 |
| | 5,375 | | 62 | | | | |
| OILFIELD | SWAIN C1-9 | 1/08 | 1,893 | 6.38 | 1,981 | 1 | 61 |
| | | 2/08 | 1,559 | 6.38 | 1,564 | 1 | 54 |
| | | 3/08 | 1,700 | 6.38 | 1,609 | 1 | 55 |
| | | 4/08 | 1,564 | 6.38 | 1,390 | 1 | 52 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|------------------------------------|---------------------|-----------------|------------------|-------|------------------|---------------|--------------------------|----|----|
| OILFIELD | SWAIN C1-9 | 5/08 | 1,719 | 6.38 | 1,359 | 1 | 55 | | |
| | | 6/08 | 1,826 | 6.38 | 1,262 | 1 | 61 | | |
| | | 7/08 | 1,950 | 6.38 | 1,175 | 1 | 63 | | |
| | | 8/08 | 1,927 | 6.38 | 996 | 1 | 62 | | |
| | | 9/08 | 1,797 | 6.38 | 1,017 | 1 | 60 | | |
| | | 10/08 | 2,014 | 4.48 | 1,080 | 1 | 65 | | |
| | | 11/08 | 1,785 | 4.48 | 900 | 1 | 60 | | |
| | | 12/08 | 1,833 | 4.48 | 882 | 1 | 59 | | |
| | | | | | 21,567 | | 15,215 | | |
| | | OILFIELD | WARNER 36 | 1/08 | 28,660 | 11.96 | 7,064 | 38 | 24 |
| | | | | 2/08 | 28,020 | 11.96 | 5,952 | 38 | 25 |
| | | | | 3/08 | 29,880 | 11.96 | 6,110 | 38 | 25 |
| 4/08 | 27,584 | | | 11.96 | 6,895 | 38 | 24 | | |
| 5/08 | 30,254 | | | 11.96 | 6,745 | 38 | 26 | | |
| 6/08 | 28,426 | | | 11.96 | 6,685 | 38 | 25 | | |
| 7/08 | 30,096 | | | 11.96 | 7,935 | 38 | 26 | | |
| 8/08 | 29,218 | | | 11.96 | 6,670 | 38 | 25 | | |
| 9/08 | 26,472 | | | 11.96 | 6,694 | 38 | 23 | | |
| 10/08 | 28,208 | | | 11.96 | 5,999 | 38 | 24 | | |
| 11/08 | 27,232 | | | 11.96 | 6,342 | 38 | 24 | | |
| 12/08 | 27,580 | | | 11.96 | 6,093 | 38 | 23 | | |
| | | | 341,630 | | 79,184 | | | | |
| OILFIELD - REPORTER TOTALS: | | | 3,573,678 | | 1,427,961 | | | | |
| OMIMEX | PLEASANTON 25 | 1/08 | 330 | 5.95 | 5,612 | 1 | 11 | | |
| | | 2/08 | 496 | 5.95 | 6,908 | 1 | 17 | | |
| | | 3/08 | 699 | 5.95 | 7,343 | 1 | 23 | | |
| | | 4/08 | 527 | 5.95 | 7,488 | 1 | 18 | | |
| | | 5/08 | 703 | 5.95 | 8,685 | 1 | 23 | | |
| | | 6/08 | 543 | 5.95 | 8,355 | 1 | 18 | | |
| | | 7/08 | 591 | 5.95 | 8,645 | 1 | 19 | | |
| | | 8/08 | 635 | 5.96 | 8,644 | 1 | 20 | | |
| | | 9/08 | 588 | 5.96 | 8,537 | 1 | 20 | | |
| | | 10/08 | 515 | 5.96 | 8,568 | 1 | 17 | | |
| | | 11/08 | 495 | 5.96 | 8,418 | 1 | 17 | | |
| | | 12/08 | 691 | 5.96 | 8,323 | 1 | 22 | | |
| | | | 6,813 | | 95,526 | | | | |
| OMIMEX | PLEASANTON 36-20455 | 1/08 | 141 | 2.12 | 0 | 1 | 5 | | |
| | | 2/08 | 153 | 2.12 | 0 | 1 | 5 | | |
| | | 3/08 | 140 | 2.12 | 0 | 1 | 5 | | |
| | | 4/08 | 128 | 2.12 | 0 | 1 | 4 | | |
| | | 5/08 | 125 | 2.12 | 0 | 1 | 4 | | |
| | | 6/08 | 110 | 2.12 | 0 | 1 | 4 | | |
| | | 7/08 | 122 | 2.12 | 0 | 1 | 4 | | |
| | | 8/08 | 144 | 1.70 | 0 | 1 | 5 | | |
| | | 9/08 | 130 | 1.70 | 0 | 1 | 4 | | |
| | | 10/08 | 97 | 1.70 | 0 | 1 | 3 | | |
| | | 11/08 | 121 | 1.70 | 0 | 1 | 4 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------------------------|---------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| OMIMEX | PLEASANTON 36-20455 | 12/08 | 109 | 1.70 | 0 | 1 | 4 |
| | | | 1,520 | | 0 | | |
| OMIMEX | PLEASANTON 36-20456 | 1/08 | 0 | 6.98 | 0 | 0 | 0 |
| | | 2/08 | 0 | 6.98 | 0 | 0 | 0 |
| | | 3/08 | 0 | 6.98 | 0 | 0 | 0 |
| | | 4/08 | 0 | 6.98 | 0 | 0 | 0 |
| | | 5/08 | 0 | 6.98 | 0 | 0 | 0 |
| | | 6/08 | 0 | 6.98 | 0 | 0 | 0 |
| | | 7/08 | 0 | 6.98 | 0 | 0 | 0 |
| | | 8/08 | 0 | 6.98 | 0 | 0 | 0 |
| | | 9/08 | 0 | 6.98 | 0 | 0 | 0 |
| | | 10/08 | 0 | 6.98 | 0 | 0 | 0 |
| | | 11/08 | 0 | 6.98 | 0 | 0 | 0 |
| | | 12/08 | 0 | 6.98 | 0 | 0 | 0 |
| | | | 0 | | 0 | | |
| OMIMEX - REPORTER TOTALS: | | | 8,333 | | 95,526 | | |
| PAXTON RESOURCES | ALBA | 1/08 | 22,348 | 8.77 | 1,036 | 14 | 51 |
| | | 2/08 | 20,252 | 8.77 | 844 | 14 | 50 |
| | | 3/08 | 21,881 | 8.77 | 844 | 14 | 50 |
| | | 4/08 | 20,009 | 8.72 | 949 | 14 | 48 |
| | | 5/08 | 21,250 | 8.72 | 1,047 | 14 | 49 |
| | | 6/08 | 20,921 | 8.72 | 1,043 | 14 | 50 |
| | | 7/08 | 20,191 | 8.84 | 910 | 14 | 47 |
| | | 8/08 | 21,926 | 8.84 | 939 | 14 | 51 |
| | | 9/08 | 20,137 | 8.84 | 824 | 14 | 48 |
| | | 10/08 | 11,873 | 9.03 | 382 | 14 | 27 |
| | | 11/08 | 17,247 | 9.03 | 592 | 14 | 41 |
| | | 12/08 | 23,000 | 9.03 | 1,808 | 14 | 53 |
| | | | 241,035 | | 11,218 | | |
| PAXTON RESOURCES | AUSTIN POWERS | 10/08 | 0 | | 0 | 0 | 0 |
| | | 11/08 | 0 | | 0 | 0 | 0 |
| | | 12/08 | 2,303 | 14.39 | 11 | 1 | 74 |
| | | | 2,303 | | 11 | | |
| PAXTON RESOURCES | BIG LAKE | 1/08 | 5,035 | 18.98 | 236 | 4 | 41 |
| | | 2/08 | 5,251 | 18.96 | 160 | 4 | 45 |
| | | 3/08 | 5,220 | 18.96 | 215 | 4 | 42 |
| | | 4/08 | 5,021 | 18.85 | 232 | 4 | 42 |
| | | 5/08 | 5,237 | 19.02 | 252 | 4 | 42 |
| | | 6/08 | 5,042 | 18.88 | 229 | 4 | 42 |
| | | 7/08 | 5,039 | 19.10 | 207 | 4 | 41 |
| | | 8/08 | 5,202 | 17.51 | 210 | 4 | 42 |
| | | 9/08 | 4,692 | 19.46 | 198 | 4 | 39 |
| | | 10/08 | 4,815 | 19.35 | 202 | 4 | 39 |
| | | 11/08 | 4,598 | 20.30 | 190 | 4 | 38 |
| | | 12/08 | 4,868 | 20.41 | 196 | 4 | 39 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-------------------------|-----------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| | | | 60,020 | | 2,527 | | |
| PAXTON RESOURCES | BIG LAKE NORTH | 1/08 | 12,239 | 18.98 | 574 | 6 | 66 |
| | | 2/08 | 11,005 | 18.96 | 576 | 6 | 63 |
| | | 3/08 | 11,756 | 18.96 | 699 | 6 | 63 |
| | | 4/08 | 11,245 | 18.85 | 519 | 6 | 62 |
| | | 5/08 | 11,532 | 19.02 | 556 | 6 | 62 |
| | | 6/08 | 11,461 | 18.88 | 750 | 6 | 64 |
| | | 7/08 | 11,825 | 19.10 | 693 | 6 | 64 |
| | | 8/08 | 12,045 | 17.51 | 696 | 6 | 65 |
| | | 9/08 | 11,256 | 19.46 | 475 | 6 | 63 |
| | | 10/08 | 11,899 | 19.35 | 701 | 6 | 64 |
| | | 11/08 | 11,614 | 20.30 | 480 | 6 | 65 |
| | | 12/08 | 11,948 | 20.41 | 480 | 6 | 64 |
| | | | 139,825 | | 7,199 | | |
| PAXTON RESOURCES | BIRCH CREEK | 1/08 | 16,550 | 6.00 | 4,839 | 8 | 67 |
| | | 2/08 | 15,769 | 6.19 | 4,774 | 8 | 68 |
| | | 3/08 | 16,549 | 6.22 | 4,827 | 8 | 67 |
| | | 4/08 | 15,739 | 6.25 | 5,107 | 8 | 66 |
| | | 5/08 | 16,513 | 6.27 | 4,267 | 8 | 67 |
| | | 6/08 | 15,866 | 6.35 | 1,172 | 8 | 66 |
| | | 7/08 | 15,633 | 6.42 | 3,266 | 8 | 63 |
| | | 8/08 | 15,659 | 6.35 | 2,502 | 8 | 63 |
| | | 9/08 | 14,939 | 6.28 | 3,744 | 8 | 62 |
| | | 10/08 | 15,173 | 6.23 | 4,204 | 8 | 61 |
| | | 11/08 | 14,393 | 6.77 | 4,236 | 8 | 60 |
| | | 12/08 | 15,550 | 6.77 | 3,487 | 8 | 63 |
| | | | 188,333 | | 46,425 | | |
| PAXTON RESOURCES | BIRCH CREEK 2 | 1/08 | 1,217 | 6.00 | 719 | 1 | 39 |
| | | 2/08 | 1,023 | 6.19 | 606 | 1 | 35 |
| | | 3/08 | 1,046 | 6.22 | 486 | 1 | 34 |
| | | 4/08 | 962 | 6.25 | 14 | 1 | 32 |
| | | 5/08 | 1,019 | 6.27 | 678 | 1 | 33 |
| | | 6/08 | 952 | 6.35 | 583 | 1 | 32 |
| | | 7/08 | 964 | 6.42 | 1,111 | 1 | 31 |
| | | 8/08 | 963 | 6.42 | 1,088 | 1 | 31 |
| | | 9/08 | 907 | 6.28 | 645 | 1 | 30 |
| | | 10/08 | 963 | 6.28 | 274 | 1 | 31 |
| | | 11/08 | 884 | 6.77 | 213 | 1 | 29 |
| | | 12/08 | 1,086 | 6.77 | 226 | 1 | 35 |
| | | | 11,986 | | 6,643 | | |
| PAXTON RESOURCES | BLUE DEVIL | 1/08 | 3,302 | 13.85 | 44 | 2 | 53 |
| | | 2/08 | 2,908 | 13.85 | 50 | 2 | 50 |
| | | 3/08 | 3,070 | 14.18 | 45 | 2 | 50 |
| | | 4/08 | 2,940 | 14.18 | 77 | 2 | 49 |
| | | 5/08 | 3,166 | 14.18 | 63 | 2 | 51 |
| | | 6/08 | 3,255 | 13.99 | 103 | 2 | 54 |
| | | 7/08 | 3,276 | 13.99 | 60 | 2 | 53 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------|----------------------|-----------------|-----------|----------------|-------------|---------------|--------------------------|
| PAXTON RESOURCES | BLUE DEVIL | 8/08 | 3,270 | 13.99 | 66 | 2 | 53 |
| | | 9/08 | 3,021 | 14.61 | 61 | 2 | 50 |
| | | 10/08 | 3,135 | 14.88 | 62 | 2 | 51 |
| | | 11/08 | 3,110 | 14.61 | 62 | 2 | 52 |
| | | 12/08 | 3,038 | 14.39 | 64 | 2 | 49 |
| | | | | 37,491 | | 757 | |
| PAXTON RESOURCES | BLUE LITE | 1/08 | 34,160 | 17.99 | 2,275 | 19 | 58 |
| | | 2/08 | 31,894 | 17.99 | 1,429 | 19 | 58 |
| | | 3/08 | 34,593 | 17.99 | 1,007 | 19 | 59 |
| | | 4/08 | 32,149 | 18.57 | 2,114 | 19 | 56 |
| | | 5/08 | 33,953 | 18.57 | 1,231 | 19 | 58 |
| | | 6/08 | 33,057 | 18.57 | 1,243 | 19 | 58 |
| | | 7/08 | 34,203 | 18.57 | 1,408 | 19 | 58 |
| | | 8/08 | 33,992 | 18.57 | 1,294 | 19 | 58 |
| | | 9/08 | 33,510 | 18.57 | 1,041 | 19 | 59 |
| | | 10/08 | 34,081 | 18.78 | 1,311 | 19 | 58 |
| | | 11/08 | 32,002 | 18.78 | 837 | 19 | 56 |
| | | 12/08 | 32,151 | 18.78 | 1,056 | 19 | 55 |
| | | | | 399,745 | | 16,246 | |
| PAXTON RESOURCES | BLUE LITE 5 | 1/08 | 5,600 | 17.99 | 297 | 2 | 90 |
| | | 2/08 | 5,276 | 17.99 | 67 | 2 | 91 |
| | | 3/08 | 5,721 | 17.99 | 45 | 2 | 92 |
| | | 4/08 | 5,206 | 18.57 | 54 | 2 | 87 |
| | | 5/08 | 5,427 | 18.57 | 51 | 2 | 88 |
| | | 6/08 | 5,142 | 18.57 | 40 | 2 | 86 |
| | | 7/08 | 5,347 | 18.57 | 17 | 2 | 86 |
| | | 8/08 | 5,020 | 18.57 | 17 | 2 | 81 |
| | | 9/08 | 5,096 | 18.57 | 11 | 2 | 85 |
| | | 10/08 | 5,141 | 18.78 | 20 | 2 | 83 |
| | | 11/08 | 4,890 | 18.78 | 11 | 2 | 82 |
| | | 12/08 | 5,035 | 18.78 | 35 | 2 | 81 |
| | | 62,901 | | 665 | | | |
| PAXTON RESOURCES | DADDY WARBUCKS | 1/08 | 14,382 | 13.85 | 269 | 7 | 66 |
| | | 2/08 | 12,965 | 13.85 | 278 | 7 | 64 |
| | | 3/08 | 13,807 | 14.18 | 220 | 7 | 64 |
| | | 4/08 | 13,304 | 14.18 | 331 | 7 | 63 |
| | | 5/08 | 13,921 | 14.18 | 275 | 7 | 64 |
| | | 6/08 | 13,543 | 13.99 | 362 | 7 | 64 |
| | | 7/08 | 13,509 | 13.99 | 251 | 7 | 62 |
| | | 8/08 | 13,387 | 13.99 | 284 | 7 | 62 |
| | | 9/08 | 12,624 | 14.61 | 256 | 7 | 60 |
| | | 10/08 | 12,824 | 14.88 | 270 | 7 | 59 |
| | | 11/08 | 12,638 | 14.61 | 264 | 7 | 60 |
| | | 12/08 | 12,205 | 14.39 | 358 | 7 | 56 |
| | | 159,109 | | 3,418 | | | |
| PAXTON RESOURCES | DADDY WARBUCKS PHASE | 1/08 | 13,301 | 13.85 | 1,506 | 7 | 61 |
| | | 2/08 | 12,083 | 13.85 | 1,105 | 7 | 60 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|------------------|----------------------|------------------|---------------|-------|----------------|---------------|--------------------------|---|----|
| PAXTON RESOURCES | DADDY WARBUCKS PHASE | 3/08 | 13,300 | 14.18 | 1,090 | 7 | 61 | | |
| | | 4/08 | 12,870 | 14.18 | 1,001 | 7 | 61 | | |
| | | 5/08 | 12,925 | 14.18 | 846 | 7 | 60 | | |
| | | 6/08 | 12,476 | 13.99 | 756 | 7 | 59 | | |
| | | 7/08 | 12,661 | 13.99 | 1,061 | 7 | 58 | | |
| | | 8/08 | 12,916 | 13.99 | 890 | 7 | 60 | | |
| | | 9/08 | 11,947 | 14.61 | 802 | 7 | 57 | | |
| | | 10/08 | 12,027 | 14.88 | 811 | 7 | 55 | | |
| | | 11/08 | 11,889 | 14.61 | 874 | 7 | 57 | | |
| | | 12/08 | 13,276 | 14.39 | 582 | 7 | 61 | | |
| | | | | | 151,671 | | 11,324 | | |
| | | PAXTON RESOURCES | HIDDEN VALLEY | 1/08 | 11,620 | 13.85 | 923 | 7 | 54 |
| | | | | 2/08 | 10,707 | 13.85 | 819 | 7 | 53 |
| 3/08 | 11,431 | | | 14.18 | 1,041 | 7 | 53 | | |
| 4/08 | 11,083 | | | 14.18 | 481 | 7 | 53 | | |
| 5/08 | 11,741 | | | 14.18 | 1,131 | 7 | 54 | | |
| 6/08 | 11,375 | | | 13.99 | 763 | 7 | 54 | | |
| 7/08 | 11,772 | | | 13.99 | 1,017 | 7 | 54 | | |
| 8/08 | 11,742 | | | 13.99 | 1,172 | 7 | 54 | | |
| 9/08 | 11,188 | | | 14.61 | 1,223 | 7 | 53 | | |
| 10/08 | 11,225 | | | 14.88 | 1,140 | 7 | 52 | | |
| 11/08 | 11,310 | | | 14.61 | 1,189 | 7 | 54 | | |
| 12/08 | 10,948 | | | 14.39 | 1,727 | 7 | 50 | | |
| | | | | | 136,142 | | 12,626 | | |
| PAXTON RESOURCES | JOHN HENRY | 1/08 | 4,769 | 13.85 | 169 | 2 | 77 | | |
| | | 2/08 | 4,285 | 13.85 | 254 | 2 | 74 | | |
| | | 3/08 | 4,344 | 14.18 | 228 | 2 | 70 | | |
| | | 4/08 | 3,994 | 14.18 | 356 | 2 | 67 | | |
| | | 5/08 | 4,923 | 14.18 | 308 | 2 | 79 | | |
| | | 6/08 | 3,894 | 13.99 | 475 | 2 | 65 | | |
| | | 7/08 | 4,217 | 13.99 | 297 | 2 | 68 | | |
| | | 8/08 | 4,244 | 13.99 | 323 | 2 | 68 | | |
| | | 9/08 | 3,939 | 14.61 | 297 | 2 | 66 | | |
| | | 10/08 | 3,719 | 14.88 | 309 | 2 | 60 | | |
| | | 11/08 | 4,047 | 14.61 | 246 | 2 | 67 | | |
| | | 12/08 | 2,619 | 14.39 | 323 | 2 | 42 | | |
| | | | | | 48,994 | | 3,585 | | |
| PAXTON RESOURCES | JOHNSON | 1/08 | 2,252 | 17.99 | 110 | 2 | 36 | | |
| | | 2/08 | 2,201 | 17.99 | 631 | 2 | 38 | | |
| | | 3/08 | 2,346 | 17.99 | 35 | 2 | 38 | | |
| | | 4/08 | 2,111 | 18.57 | 95 | 2 | 35 | | |
| | | 5/08 | 2,235 | 18.57 | 57 | 2 | 36 | | |
| | | 6/08 | 2,129 | 18.57 | 65 | 2 | 35 | | |
| | | 7/08 | 2,161 | 18.57 | 89 | 2 | 35 | | |
| | | 8/08 | 2,032 | 18.57 | 51 | 2 | 33 | | |
| | | 9/08 | 2,225 | 18.57 | 3 | 2 | 37 | | |
| | | 10/08 | 2,371 | 18.78 | 38 | 2 | 38 | | |
| | | 11/08 | 2,292 | 18.78 | 23 | 2 | 38 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------|---------------------|-----------------|---------------|-------|--------------|---------------|--------------------------|
| PAXTON RESOURCES | JOHNSON | 12/08 | 2,521 | 18.78 | 31 | 2 | 41 |
| | | | 26,876 | | 1,228 | | |
| PAXTON RESOURCES | LEO M. RILEY | 1/08 | 2,112 | 29.31 | 34 | 7 | 10 |
| | | 2/08 | 1,506 | 29.75 | 34 | 7 | 7 |
| | | 3/08 | 1,909 | 29.75 | 33 | 7 | 9 |
| | | 4/08 | 1,985 | 28.52 | 33 | 7 | 9 |
| | | 5/08 | 2,095 | 28.65 | 32 | 7 | 10 |
| | | 6/08 | 2,055 | 29.03 | 45 | 7 | 10 |
| | | 7/08 | 2,127 | 28.90 | 42 | 7 | 10 |
| | | 8/08 | 2,084 | 29.31 | 24 | 7 | 10 |
| | | 9/08 | 1,982 | 28.94 | 25 | 7 | 9 |
| | | 10/08 | 2,045 | 29.09 | 27 | 7 | 9 |
| | | 11/08 | 1,899 | 30.50 | 30 | 7 | 9 |
| | | 12/08 | 1,929 | 29.87 | 25 | 7 | 9 |
| | | | 23,728 | | 384 | | |
| PAXTON RESOURCES | LITTLE ORPHAN ANNIE | 1/08 | 5,895 | 7.55 | 684 | 3 | 63 |
| | | 2/08 | 5,320 | 7.56 | 569 | 3 | 61 |
| | | 3/08 | 5,646 | 7.36 | 617 | 3 | 61 |
| | | 4/08 | 5,217 | 7.43 | 582 | 3 | 58 |
| | | 5/08 | 5,512 | 7.46 | 607 | 3 | 59 |
| | | 6/08 | 5,076 | 7.46 | 515 | 3 | 56 |
| | | 7/08 | 4,851 | 7.60 | 586 | 3 | 52 |
| | | 8/08 | 4,819 | 7.74 | 545 | 3 | 52 |
| | | 9/08 | 4,656 | 7.71 | 519 | 3 | 52 |
| | | 10/08 | 5,069 | 7.65 | 337 | 3 | 54 |
| | | 11/08 | 4,671 | 7.95 | 410 | 3 | 52 |
| | | 12/08 | 4,514 | 8.14 | 367 | 3 | 49 |
| | | | 61,246 | | 6,338 | | |
| PAXTON RESOURCES | LIVINGSTON 18 | 1/08 | 6,901 | 7.55 | 456 | 10 | 22 |
| | | 2/08 | 6,265 | 7.56 | 379 | 10 | 22 |
| | | 3/08 | 6,806 | 7.36 | 411 | 10 | 22 |
| | | 4/08 | 6,345 | 7.43 | 389 | 10 | 21 |
| | | 5/08 | 6,521 | 7.46 | 405 | 10 | 21 |
| | | 6/08 | 6,476 | 7.46 | 343 | 10 | 22 |
| | | 7/08 | 7,074 | 7.60 | 392 | 10 | 23 |
| | | 8/08 | 6,897 | 7.74 | 361 | 9 | 25 |
| | | 9/08 | 6,291 | 7.71 | 346 | 9 | 23 |
| | | 10/08 | 6,181 | 7.65 | 504 | 9 | 22 |
| | | 11/08 | 6,086 | 7.95 | 273 | 9 | 23 |
| | | 12/08 | 6,426 | 8.14 | 244 | 9 | 23 |
| | | | 78,269 | | 4,503 | | |
| PAXTON RESOURCES | MOELARRYCURLY | 1/08 | 8,420 | 4.07 | 4,987 | 8 | 34 |
| | | 2/08 | 8,311 | 4.00 | 6,229 | 8 | 36 |
| | | 3/08 | 8,257 | 4.00 | 6,606 | 8 | 33 |
| | | 4/08 | 7,530 | 4.16 | 6,438 | 8 | 31 |
| | | 5/08 | 7,696 | 4.25 | 6,611 | 8 | 31 |
| | | 6/08 | 7,374 | 4.22 | 8,057 | 8 | 31 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------|-------------------------|-----------------|-----------|---------------|-------------|---------------|--------------------------|
| PAXTON RESOURCES | MOELARRYCURLY | 7/08 | 7,554 | 4.26 | 6,352 | 8 | 30 |
| | | 8/08 | 7,419 | 4.29 | 6,414 | 8 | 30 |
| | | 9/08 | 7,161 | 4.32 | 6,133 | 8 | 30 |
| | | 10/08 | 7,399 | 4.33 | 6,251 | 8 | 30 |
| | | 11/08 | 7,047 | 4.54 | 5,895 | 8 | 29 |
| | | 12/08 | 7,288 | 4.54 | 6,244 | 8 | 29 |
| | | | | 91,456 | | 76,217 | |
| PAXTON RESOURCES | MOELARRYCURLY #2 | 1/08 | 7,425 | 4.07 | 2,493 | 8 | 30 |
| | | 2/08 | 6,941 | 4.00 | 3,114 | 8 | 30 |
| | | 3/08 | 7,200 | 4.00 | 3,303 | 8 | 29 |
| | | 4/08 | 6,742 | 4.16 | 3,219 | 8 | 28 |
| | | 5/08 | 7,062 | 4.25 | 3,306 | 8 | 28 |
| | | 6/08 | 6,953 | 4.22 | 4,029 | 8 | 29 |
| | | 7/08 | 7,226 | 4.26 | 3,176 | 8 | 29 |
| | | 8/08 | 7,407 | 4.29 | 3,207 | 9 | 27 |
| | | 9/08 | 7,161 | 4.32 | 3,067 | 9 | 27 |
| | | 10/08 | 7,364 | 4.33 | 3,126 | 9 | 26 |
| | | 11/08 | 7,215 | 4.54 | 2,948 | 9 | 27 |
| | | 12/08 | 7,361 | 4.54 | 3,122 | 9 | 26 |
| | | | | 86,057 | | 38,110 | |
| PAXTON RESOURCES | NORTH WOLF CREEK | 1/08 | 10,376 | 12.65 | 259 | 6 | 56 |
| | | 2/08 | 8,859 | 12.65 | 204 | 6 | 51 |
| | | 3/08 | 9,913 | 12.59 | 559 | 6 | 53 |
| | | 4/08 | 9,456 | 12.70 | 559 | 6 | 53 |
| | | 5/08 | 10,005 | 12.65 | 284 | 6 | 54 |
| | | 6/08 | 9,997 | 12.49 | 202 | 6 | 56 |
| | | 7/08 | 10,259 | 12.67 | 150 | 6 | 55 |
| | | 8/08 | 10,278 | 12.91 | 101 | 6 | 55 |
| | | 9/08 | 9,893 | 12.76 | 152 | 6 | 55 |
| | | 10/08 | 10,117 | 12.98 | 207 | 6 | 54 |
| | | 11/08 | 8,862 | 13.67 | 190 | 6 | 49 |
| | | 12/08 | 9,275 | 13.67 | 200 | 6 | 50 |
| | | 117,290 | | 3,067 | | | |
| PAXTON RESOURCES | NORTH WOLF CREEK - 2108 | 1/08 | 611 | 12.65 | 25 | 1 | 20 |
| | | 2/08 | 620 | 12.65 | 29 | 1 | 21 |
| | | 3/08 | 575 | 12.59 | 30 | 1 | 19 |
| | | 4/08 | 548 | 12.70 | 30 | 1 | 18 |
| | | 5/08 | 598 | 12.65 | 29 | 1 | 19 |
| | | 6/08 | 613 | 12.49 | 27 | 1 | 20 |
| | | 7/08 | 587 | 12.67 | 27 | 1 | 19 |
| | | 8/08 | 551 | 12.91 | 25 | 1 | 18 |
| | | 9/08 | 536 | 12.76 | 29 | 1 | 18 |
| | | 10/08 | 546 | 12.98 | 30 | 1 | 18 |
| | | 11/08 | 592 | 13.67 | 25 | 1 | 20 |
| | | 12/08 | 638 | 13.67 | 30 | 1 | 21 |
| | | 7,015 | | 336 | | | |
| PAXTON RESOURCES | ROBBS CREEK | 1/08 | 1,106 | 6.00 | 1,175 | 2 | 18 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|--|-------------------|------------------|------------------|-------|----------------|---------------|--------------------------|---|----|
| PAXTON RESOURCES | ROBBS CREEK | 2/08 | 1,029 | 6.19 | 813 | 2 | 18 | | |
| | | 3/08 | 1,144 | 6.22 | 660 | 2 | 18 | | |
| | | 4/08 | 1,084 | 6.25 | 635 | 2 | 18 | | |
| | | 5/08 | 1,133 | 6.27 | 968 | 2 | 18 | | |
| | | 6/08 | 1,053 | 6.35 | 4,757 | 2 | 18 | | |
| | | 7/08 | 3,328 | 6.42 | 2,098 | 2 | 54 | | |
| | | 8/08 | 3,285 | 6.35 | 2,382 | 2 | 53 | | |
| | | 9/08 | 3,081 | 6.28 | 955 | 2 | 51 | | |
| | | 10/08 | 3,244 | 6.28 | 658 | 3 | 35 | | |
| | | 11/08 | 3,063 | 6.77 | 484 | 3 | 34 | | |
| | | 12/08 | 3,736 | 6.77 | 544 | 3 | 40 | | |
| | | | | | 26,286 | | 16,129 | | |
| | | PAXTON RESOURCES | SCHROEDER | 1/08 | 6,756 | 23.43 | 172 | 7 | 31 |
| 2/08 | 6,490 | | | 23.43 | 143 | 7 | 32 | | |
| 3/08 | 7,009 | | | 23.28 | 164 | 7 | 32 | | |
| 4/08 | 6,458 | | | 23.40 | 147 | 7 | 31 | | |
| 5/08 | 6,938 | | | 23.04 | 148 | 7 | 32 | | |
| 6/08 | 6,795 | | | 23.25 | 151 | 7 | 32 | | |
| 7/08 | 7,144 | | | 23.33 | 193 | 7 | 33 | | |
| 8/08 | 6,972 | | | 23.54 | 167 | 7 | 32 | | |
| 9/08 | 6,840 | | | 23.69 | 145 | 7 | 33 | | |
| 10/08 | 7,001 | | | 23.61 | 142 | 7 | 32 | | |
| 11/08 | 6,683 | | | 24.63 | 145 | 7 | 32 | | |
| 12/08 | 6,227 | | | 24.78 | 137 | 7 | 29 | | |
| | | | | | 81,313 | | 1,854 | | |
| PAXTON RESOURCES | STURGEON RIVER 14 | 1/08 | 6,150 | 13.85 | 131 | 2 | 99 | | |
| | | 2/08 | 5,521 | 13.85 | 159 | 2 | 95 | | |
| | | 3/08 | 5,819 | 14.18 | 183 | 2 | 94 | | |
| | | 4/08 | 5,731 | 14.18 | 337 | 2 | 96 | | |
| | | 5/08 | 6,113 | 14.18 | 188 | 2 | 99 | | |
| | | 6/08 | 5,765 | 13.99 | 284 | 2 | 96 | | |
| | | 7/08 | 5,679 | 13.99 | 149 | 2 | 92 | | |
| | | 8/08 | 5,694 | 13.99 | 194 | 2 | 92 | | |
| | | 9/08 | 5,318 | 14.61 | 103 | 2 | 89 | | |
| | | 10/08 | 5,371 | 14.88 | 142 | 2 | 87 | | |
| | | 11/08 | 5,298 | 14.61 | 157 | 2 | 88 | | |
| | | 12/08 | 4,927 | 14.39 | 158 | 2 | 79 | | |
| | | | | | 67,386 | | 2,185 | | |
| PAXTON RESOURCES - REPORTER TOTALS: | | | 2,306,477 | | 272,995 | | | | |
| PETROLEUM DEVELO | 35-12 | 1/08 | 7,010 | 17.09 | 142 | 9 | 25 | | |
| | | 2/08 | 6,383 | 17.59 | 66 | 9 | 24 | | |
| | | 3/08 | 7,797 | 17.43 | 69 | 9 | 28 | | |
| | | 4/08 | 7,951 | 17.50 | 348 | 9 | 29 | | |
| | | 5/08 | 8,143 | 17.38 | 147 | 9 | 29 | | |
| | | 6/08 | 8,252 | 17.27 | 115 | 9 | 31 | | |
| | | 7/08 | 8,704 | 17.38 | 79 | 9 | 31 | | |
| | | 8/08 | 8,361 | 17.82 | 138 | 9 | 30 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------|---------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| PETROLEUM DEVELO | 35-12 | 9/08 | 8,104 | 17.82 | 304 | 9 | 30 |
| | | 10/08 | 8,221 | 18.06 | 68 | 9 | 29 |
| | | 11/08 | 7,898 | 18.76 | 127 | 9 | 29 |
| | | 12/08 | 8,096 | 18.76 | 205 | 9 | 29 |
| | | | 94,920 | | 1,808 | | |
| PETROLEUM DEVELO | AVERY SMITH | 1/08 | 14,379 | 24.98 | 1,590 | 8 | 58 |
| | | 2/08 | 11,900 | 24.98 | 1,497 | 8 | 51 |
| | | 3/08 | 13,492 | 24.98 | 1,606 | 8 | 54 |
| | | 4/08 | 12,782 | 24.98 | 1,541 | 8 | 53 |
| | | 5/08 | 13,322 | 24.98 | 1,444 | 8 | 54 |
| | | 6/08 | 12,933 | 24.98 | 1,553 | 8 | 54 |
| | | 7/08 | 13,905 | 24.98 | 1,590 | 8 | 56 |
| | | 8/08 | 13,671 | 24.98 | 1,606 | 8 | 55 |
| | | 9/08 | 12,157 | 24.98 | 1,346 | 8 | 51 |
| | | 10/08 | 12,355 | 24.98 | 1,595 | 8 | 50 |
| | | 11/08 | 11,892 | 24.98 | 1,553 | 8 | 50 |
| | | 12/08 | 12,310 | 24.98 | 1,339 | 8 | 50 |
| | | | 155,098 | | 18,260 | | |
| PETROLEUM DEVELO | BARNEY MILLER | 1/08 | 22,551 | 18.11 | 764 | 10 | 73 |
| | | 2/08 | 21,760 | 18.01 | 884 | 10 | 75 |
| | | 3/08 | 23,494 | 17.89 | 1,334 | 10 | 76 |
| | | 4/08 | 22,765 | 17.64 | 766 | 10 | 76 |
| | | 5/08 | 22,678 | 18.22 | 614 | 10 | 73 |
| | | 6/08 | 20,586 | 18.12 | 1,120 | 10 | 69 |
| | | 7/08 | 22,732 | 17.58 | 3,064 | 10 | 73 |
| | | 8/08 | 21,666 | 17.81 | 951 | 10 | 70 |
| | | 9/08 | 20,705 | 17.90 | 927 | 10 | 69 |
| | | 10/08 | 21,006 | 18.10 | 815 | 10 | 68 |
| | | 11/08 | 20,124 | 18.65 | 2,103 | 10 | 67 |
| | | 12/08 | 20,875 | 18.96 | 894 | 10 | 67 |
| | | | 260,942 | | 14,236 | | |
| PETROLEUM DEVELO | BLUE SPRUCE | 1/08 | 12,374 | 10.99 | 26,784 | 16 | 25 |
| | | 2/08 | 11,750 | 10.99 | 24,252 | 16 | 25 |
| | | 3/08 | 12,411 | 11.50 | 26,890 | 16 | 25 |
| | | 4/08 | 11,393 | 11.02 | 25,435 | 16 | 24 |
| | | 5/08 | 10,181 | 11.02 | 24,520 | 16 | 21 |
| | | 6/08 | 10,776 | 10.99 | 25,100 | 16 | 22 |
| | | 7/08 | 11,012 | 10.56 | 28,319 | 16 | 22 |
| | | 8/08 | 10,514 | 11.28 | 11,512 | 16 | 21 |
| | | 9/08 | 10,911 | 11.32 | 23,945 | 16 | 23 |
| | | 10/08 | 11,376 | 11.56 | 21,193 | 16 | 23 |
| | | 11/08 | 10,604 | 11.56 | 21,874 | 16 | 22 |
| | | 12/08 | 10,876 | 11.49 | 23,043 | 16 | 22 |
| | | | 134,178 | | 282,867 | | |
| PETROLEUM DEVELO | CALEDONIA 11 | 1/08 | 35,965 | 13.61 | 1,240 | 24 | 48 |
| | | 2/08 | 33,252 | 13.61 | 1,160 | 24 | 48 |
| | | 3/08 | 31,824 | 13.61 | 1,240 | 24 | 43 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|------------------|--------------|------------------|---------------|-------|----------------|---------------|--------------------------|---|----|
| PETROLEUM DEVELO | CALEDONIA 11 | 4/08 | 35,334 | 13.61 | 1,200 | 24 | 49 | | |
| | | 5/08 | 37,140 | 13.61 | 1,240 | 24 | 50 | | |
| | | 6/08 | 36,107 | 13.61 | 1,200 | 24 | 50 | | |
| | | 7/08 | 38,152 | 13.61 | 1,240 | 24 | 51 | | |
| | | 8/08 | 38,799 | 13.61 | 1,240 | 24 | 52 | | |
| | | 9/08 | 37,636 | 13.61 | 1,200 | 24 | 52 | | |
| | | 10/08 | 38,067 | 13.61 | 1,240 | 24 | 51 | | |
| | | 11/08 | 35,988 | 13.61 | 1,167 | 24 | 50 | | |
| | | 12/08 | 36,073 | 13.61 | 1,240 | 24 | 48 | | |
| | | | | | 434,337 | | 14,607 | | |
| | | PETROLEUM DEVELO | COMEDY CLUB | 1/08 | 383 | 12.03 | 775 | 1 | 12 |
| | | | | 2/08 | 488 | 12.03 | 725 | 1 | 17 |
| 3/08 | 345 | | | 12.03 | 775 | 1 | 11 | | |
| 4/08 | 302 | | | 12.03 | 750 | 1 | 10 | | |
| 5/08 | 327 | | | 12.03 | 775 | 1 | 11 | | |
| 6/08 | 317 | | | 12.03 | 750 | 1 | 11 | | |
| 7/08 | 342 | | | 12.03 | 775 | 1 | 11 | | |
| 8/08 | 348 | | | 12.03 | 775 | 1 | 11 | | |
| 9/08 | 351 | | | 12.03 | 750 | 1 | 12 | | |
| 10/08 | 377 | | | 12.03 | 775 | 1 | 12 | | |
| 11/08 | 372 | | | 12.03 | 750 | 1 | 12 | | |
| 12/08 | 354 | | | 12.03 | 775 | 1 | 11 | | |
| | | | 4,306 | | 9,150 | | | | |
| PETROLEUM DEVELO | DEVILS RIVER | 1/08 | 3,429 | 10.20 | 23,777 | 10 | 11 | | |
| | | 2/08 | 3,431 | 10.11 | 22,384 | 10 | 12 | | |
| | | 3/08 | 4,080 | 10.00 | 23,693 | 10 | 13 | | |
| | | 4/08 | 3,869 | 10.31 | 22,439 | 10 | 13 | | |
| | | 5/08 | 3,486 | 10.19 | 23,480 | 10 | 11 | | |
| | | 6/08 | 3,348 | 10.19 | 22,554 | 10 | 11 | | |
| | | 7/08 | 2,979 | 9.76 | 26,326 | 10 | 10 | | |
| | | 8/08 | 2,525 | 10.26 | 41,982 | 10 | 8 | | |
| | | 9/08 | 3,833 | 9.65 | 26,424 | 10 | 13 | | |
| | | 10/08 | 3,831 | 10.33 | 26,314 | 10 | 12 | | |
| | | 11/08 | 3,665 | 11.00 | 25,612 | 10 | 12 | | |
| | | 12/08 | 3,587 | 10.80 | 24,991 | 10 | 12 | | |
| | | | 42,063 | | 309,976 | | | | |
| PETROLEUM DEVELO | DOUBLE ALEX | 1/08 | 20,846 | 18.11 | 637 | 15 | 45 | | |
| | | 2/08 | 19,097 | 18.01 | 620 | 15 | 44 | | |
| | | 3/08 | 20,939 | 17.89 | 647 | 15 | 45 | | |
| | | 4/08 | 20,697 | 17.64 | 536 | 15 | 46 | | |
| | | 5/08 | 20,526 | 18.22 | 406 | 15 | 44 | | |
| | | 6/08 | 20,586 | 18.12 | 630 | 15 | 46 | | |
| | | 7/08 | 20,445 | 17.58 | 649 | 15 | 44 | | |
| | | 8/08 | 19,487 | 17.81 | 495 | 15 | 42 | | |
| | | 9/08 | 21,949 | 17.90 | 403 | 15 | 49 | | |
| | | 10/08 | 22,275 | 18.10 | 452 | 15 | 48 | | |
| | | 11/08 | 21,963 | 18.65 | 986 | 15 | 49 | | |
| | | 12/08 | 22,246 | 18.96 | 541 | 15 | 48 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------|--------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| | | | 251,056 | | 7,002 | | |
| PETROLEUM DEVELO | HAASS | 1/08 | 26,342 | 11.07 | 4,834 | 15 | 57 |
| | | 2/08 | 24,446 | 11.07 | 3,919 | 15 | 56 |
| | | 3/08 | 28,390 | 11.07 | 4,418 | 15 | 61 |
| | | 4/08 | 25,419 | 11.07 | 5,462 | 15 | 56 |
| | | 5/08 | 24,975 | 11.07 | 4,725 | 15 | 54 |
| | | 6/08 | 23,165 | 11.07 | 3,553 | 15 | 51 |
| | | 7/08 | 25,055 | 11.07 | 3,875 | 15 | 54 |
| | | 8/08 | 24,957 | 11.07 | 3,875 | 15 | 54 |
| | | 9/08 | 24,508 | 11.07 | 3,750 | 15 | 54 |
| | | 10/08 | 25,647 | 11.07 | 3,875 | 15 | 55 |
| | | 11/08 | 24,585 | 11.07 | 3,796 | 15 | 55 |
| | | 12/08 | 23,841 | 11.07 | 3,875 | 15 | 51 |
| | | | 301,330 | | 49,957 | | |
| PETROLEUM DEVELO | HUSH PUPPY | 1/08 | 20,181 | 12.65 | 543 | 14 | 46 |
| | | 2/08 | 19,066 | 12.63 | 486 | 14 | 47 |
| | | 3/08 | 20,806 | 12.59 | 1,157 | 14 | 48 |
| | | 4/08 | 19,751 | 12.70 | 940 | 14 | 47 |
| | | 5/08 | 20,385 | 12.65 | 610 | 14 | 47 |
| | | 6/08 | 20,267 | 12.49 | 440 | 14 | 48 |
| | | 7/08 | 20,450 | 12.67 | 335 | 14 | 47 |
| | | 8/08 | 20,129 | 12.91 | 235 | 14 | 46 |
| | | 9/08 | 19,585 | 12.76 | 339 | 14 | 47 |
| | | 10/08 | 19,841 | 12.98 | 440 | 14 | 46 |
| | | 11/08 | 19,037 | 13.67 | 444 | 14 | 45 |
| | | 12/08 | 20,219 | 13.67 | 490 | 14 | 47 |
| | | | 239,717 | | 6,459 | | |
| PETROLEUM DEVELO | KOGELMANN | 1/08 | 26,799 | 12.03 | 2,453 | 15 | 58 |
| | | 2/08 | 25,327 | 12.03 | 2,191 | 15 | 58 |
| | | 3/08 | 29,333 | 12.03 | 1,980 | 15 | 63 |
| | | 4/08 | 26,291 | 12.03 | 2,548 | 15 | 58 |
| | | 5/08 | 27,468 | 12.03 | 2,507 | 15 | 59 |
| | | 6/08 | 26,366 | 12.03 | 2,448 | 15 | 59 |
| | | 7/08 | 26,372 | 12.03 | 2,720 | 15 | 57 |
| | | 8/08 | 26,144 | 12.03 | 2,278 | 15 | 56 |
| | | 9/08 | 24,823 | 12.03 | 2,583 | 15 | 55 |
| | | 10/08 | 25,180 | 12.03 | 2,902 | 15 | 54 |
| | | 11/08 | 25,084 | 12.03 | 3,564 | 15 | 56 |
| | | 12/08 | 23,036 | 12.03 | 3,140 | 15 | 50 |
| | | | 312,223 | | 31,314 | | |
| PETROLEUM DEVELO | KRUGERRAND | 1/08 | 26,078 | 9.19 | 2,561 | 21 | 40 |
| | | 2/08 | 26,032 | 9.16 | 2,333 | 21 | 43 |
| | | 3/08 | 27,177 | 9.26 | 2,523 | 21 | 42 |
| | | 4/08 | 25,329 | 9.11 | 2,212 | 21 | 40 |
| | | 5/08 | 25,390 | 9.23 | 2,180 | 21 | 39 |
| | | 6/08 | 25,798 | 9.14 | 2,130 | 21 | 41 |
| | | 7/08 | 27,208 | 8.27 | 2,390 | 21 | 42 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------|-------------------|-----------------|-----------|----------------|-------------|---------------|--------------------------|
| PETROLEUM DEVELO | KRUGERRAND | 8/08 | 26,279 | 9.30 | 2,573 | 21 | 40 |
| | | 9/08 | 25,488 | 9.41 | 2,185 | 21 | 40 |
| | | 10/08 | 25,804 | 9.41 | 2,270 | 21 | 40 |
| | | 11/08 | 25,540 | 9.74 | 2,082 | 21 | 41 |
| | | 12/08 | 26,679 | 9.92 | 2,015 | 21 | 41 |
| | | | | 312,802 | | 27,454 | |
| PETROLEUM DEVELO | MH LAND | 1/08 | 11,504 | 7.88 | 2,351 | 9 | 41 |
| | | 2/08 | 10,644 | 7.88 | 3,544 | 9 | 41 |
| | | 3/08 | 12,289 | 7.88 | 1,703 | 9 | 44 |
| | | 4/08 | 10,554 | 7.88 | 1,677 | 9 | 39 |
| | | 5/08 | 10,656 | 7.88 | 1,705 | 9 | 38 |
| | | 6/08 | 10,256 | 7.88 | 1,650 | 9 | 38 |
| | | 7/08 | 10,712 | 7.88 | 1,705 | 9 | 38 |
| | | 8/08 | 10,476 | 7.88 | 1,705 | 9 | 38 |
| | | 9/08 | 11,243 | 7.88 | 1,650 | 9 | 42 |
| | | 10/08 | 11,851 | 7.88 | 1,705 | 9 | 42 |
| | | 11/08 | 12,026 | 7.88 | 1,700 | 9 | 45 |
| | | 12/08 | 12,451 | 7.88 | 1,705 | 9 | 45 |
| | | | | 134,662 | | 22,800 | |
| PETROLEUM DEVELO | SILVERBROOK | 1/08 | 1,101 | 5.75 | 4,950 | 4 | 9 |
| | | 2/08 | 1,058 | 5.75 | 4,350 | 4 | 9 |
| | | 3/08 | 1,154 | 5.75 | 4,650 | 4 | 9 |
| | | 4/08 | 1,282 | 5.75 | 10,037 | 4 | 11 |
| | | 5/08 | 1,483 | 5.75 | 9,462 | 4 | 12 |
| | | 6/08 | 1,441 | 5.75 | 9,867 | 4 | 12 |
| | | 7/08 | 1,507 | 5.75 | 8,624 | 4 | 12 |
| | | 8/08 | 1,527 | 5.75 | 6,200 | 4 | 12 |
| | | 9/08 | 1,514 | 5.75 | 6,000 | 4 | 13 |
| | | 10/08 | 1,574 | 5.75 | 6,200 | 4 | 13 |
| | | 11/08 | 1,430 | 5.75 | 5,900 | 4 | 12 |
| | | 12/08 | 1,265 | 5.75 | 6,200 | 4 | 10 |
| | | 16,336 | | 82,440 | | | |
| PETROLEUM DEVELO | TIMM | 1/08 | 9,773 | 10.20 | 23,777 | 21 | 15 |
| | | 2/08 | 8,556 | 10.11 | 22,384 | 21 | 14 |
| | | 3/08 | 9,054 | 10.00 | 23,693 | 21 | 14 |
| | | 4/08 | 8,692 | 10.31 | 22,439 | 21 | 14 |
| | | 5/08 | 8,946 | 10.19 | 23,480 | 21 | 14 |
| | | 6/08 | 9,240 | 10.19 | 22,554 | 21 | 15 |
| | | 7/08 | 10,042 | 9.76 | 26,326 | 21 | 15 |
| | | 8/08 | 10,479 | 10.26 | 33,949 | 21 | 16 |
| | | 9/08 | 8,888 | 9.65 | 26,424 | 21 | 14 |
| | | 10/08 | 9,180 | 10.33 | 26,314 | 21 | 14 |
| | | 11/08 | 8,849 | 11.00 | 25,612 | 21 | 14 |
| | | 12/08 | 8,972 | 10.80 | 24,991 | 21 | 14 |
| | | 110,671 | | 301,943 | | | |
| PETROLEUM DEVELO | WINSTON CHURCHILL | 1/08 | 5,757 | 3.67 | 4,814 | 15 | 12 |
| | | 2/08 | 5,084 | 3.67 | 3,864 | 15 | 12 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|------------------|-------------------|--|----------------|-------|------------------|---------------|--------------------------|--|--|
| PETROLEUM DEVELO | WINSTON CHURCHILL | 3/08 | 5,718 | 3.67 | 4,580 | 15 | 12 | | |
| | | 4/08 | 5,360 | 3.67 | 4,124 | 15 | 12 | | |
| | | 5/08 | 5,565 | 3.67 | 4,623 | 15 | 12 | | |
| | | 6/08 | 5,171 | 3.67 | 4,731 | 15 | 11 | | |
| | | 7/08 | 5,197 | 3.67 | 4,376 | 15 | 11 | | |
| | | 8/08 | 4,964 | 3.67 | 4,408 | 15 | 11 | | |
| | | 9/08 | 5,618 | 3.67 | 4,728 | 15 | 12 | | |
| | | 10/08 | 5,424 | 3.67 | 4,404 | 15 | 12 | | |
| | | 11/08 | 5,303 | 3.67 | 5,167 | 15 | 12 | | |
| | | 12/08 | 5,395 | 3.67 | 4,398 | 15 | 12 | | |
| | | | | | 64,556 | | 54,217 | | |
| | | PETROLEUM DEVELOPMEN - REPORTER TOTALS: | | | 2,869,197 | | 1,234,490 | | |
| SAMSON RESOURCE | BEYER | 1/08 | 13,608 | 7.51 | 9,021 | 19 | 23 | | |
| | | 2/08 | 13,016 | 7.51 | 8,674 | 19 | 24 | | |
| | | 3/08 | 13,536 | 7.51 | 9,655 | 19 | 23 | | |
| | | 4/08 | 13,029 | 7.51 | 8,543 | 19 | 23 | | |
| | | 5/08 | 13,002 | 7.51 | 8,597 | 19 | 22 | | |
| | | 6/08 | 12,632 | 7.51 | 8,847 | 19 | 22 | | |
| | | 7/08 | 12,961 | 7.51 | 9,094 | 19 | 22 | | |
| | | 8/08 | 13,045 | 7.51 | 9,743 | 19 | 22 | | |
| | | 9/08 | 12,544 | 7.51 | 10,513 | 19 | 22 | | |
| | | 10/08 | 12,757 | 7.51 | 10,797 | 19 | 22 | | |
| | | 11/08 | 12,384 | 7.51 | 11,245 | 19 | 22 | | |
| | | 12/08 | 12,067 | 7.51 | 12,978 | 19 | 20 | | |
| | | | 154,581 | | 117,707 | | | | |
| SAMSON RESOURCE | BLACK BEAN #1 | 1/08 | 11,399 | 1.68 | 17,383 | 15 | 24 | | |
| | | 2/08 | 10,218 | 1.68 | 16,404 | 15 | 23 | | |
| | | 3/08 | 10,898 | 1.68 | 19,487 | 15 | 23 | | |
| | | 4/08 | 10,420 | 1.68 | 15,605 | 15 | 23 | | |
| | | 5/08 | 10,890 | 1.68 | 21,166 | 15 | 23 | | |
| | | 6/08 | 10,674 | 1.68 | 20,946 | 15 | 24 | | |
| | | 7/08 | 10,626 | 1.68 | 20,618 | 15 | 23 | | |
| | | 8/08 | 11,054 | 1.68 | 16,925 | 15 | 24 | | |
| | | 9/08 | 10,625 | 1.68 | 17,598 | 15 | 24 | | |
| | | 10/08 | 10,487 | 1.68 | 16,380 | 15 | 23 | | |
| | | 11/08 | 9,681 | 1.68 | 15,283 | 15 | 22 | | |
| | | 12/08 | 9,857 | 1.68 | 15,934 | 15 | 21 | | |
| | | | 126,829 | | 213,729 | | | | |
| SAMSON RESOURCE | BLACK BEAN #2 | 1/08 | 6,158 | 2.95 | 9,356 | 8 | 25 | | |
| | | 2/08 | 5,793 | 2.95 | 9,302 | 8 | 25 | | |
| | | 3/08 | 6,154 | 2.95 | 11,010 | 8 | 25 | | |
| | | 4/08 | 5,600 | 2.95 | 8,377 | 8 | 23 | | |
| | | 5/08 | 5,829 | 2.95 | 11,337 | 8 | 23 | | |
| | | 6/08 | 5,532 | 2.95 | 10,861 | 8 | 23 | | |
| | | 7/08 | 5,623 | 2.95 | 10,910 | 8 | 23 | | |
| | | 8/08 | 5,706 | 2.95 | 8,725 | 8 | 23 | | |
| | | 9/08 | 5,522 | 2.95 | 9,150 | 8 | 23 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-----------------|---------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| SAMSON RESOURCE | BLACK BEAN #2 | 10/08 | 5,440 | 2.95 | 8,496 | 8 | 22 |
| | | 11/08 | 5,471 | 2.95 | 8,639 | 8 | 23 |
| | | 12/08 | 5,829 | 2.95 | 9,426 | 8 | 23 |
| | | | 68,657 | | 115,589 | | |
| SAMSON RESOURCE | BLACK BEAN #3 | 1/08 | 4,613 | 0.33 | 7,023 | 5 | 30 |
| | | 2/08 | 4,225 | 0.33 | 6,783 | 5 | 29 |
| | | 3/08 | 4,601 | 0.33 | 8,228 | 5 | 30 |
| | | 4/08 | 4,384 | 0.33 | 6,572 | 5 | 29 |
| | | 5/08 | 4,406 | 0.33 | 8,564 | 5 | 28 |
| | | 6/08 | 4,259 | 0.33 | 8,363 | 5 | 28 |
| | | 7/08 | 4,122 | 0.33 | 7,999 | 5 | 27 |
| | | 8/08 | 4,616 | 0.33 | 7,039 | 5 | 30 |
| | | 9/08 | 4,457 | 0.33 | 7,380 | 5 | 30 |
| | | 10/08 | 4,356 | 0.33 | 6,804 | 5 | 28 |
| | | 11/08 | 4,225 | 0.33 | 6,669 | 5 | 28 |
| | | 12/08 | 4,599 | 0.33 | 7,437 | 5 | 30 |
| | | | 52,863 | | 88,861 | | |
| SAMSON RESOURCE | CLEAR LAKE | 1/08 | 22,041 | 4.70 | 11,732 | 13 | 55 |
| | | 2/08 | 18,792 | 4.70 | 9,992 | 13 | 50 |
| | | 3/08 | 21,468 | 4.70 | 10,676 | 13 | 53 |
| | | 4/08 | 19,939 | 4.70 | 10,166 | 13 | 51 |
| | | 5/08 | 20,282 | 4.70 | 10,724 | 13 | 50 |
| | | 6/08 | 19,640 | 4.70 | 10,533 | 13 | 50 |
| | | 7/08 | 20,725 | 4.70 | 10,581 | 13 | 51 |
| | | 8/08 | 18,605 | 4.70 | 10,085 | 13 | 46 |
| | | 9/08 | 19,403 | 4.70 | 9,575 | 13 | 50 |
| | | 10/08 | 19,532 | 4.70 | 9,512 | 13 | 48 |
| | | 11/08 | 19,970 | 4.70 | 8,995 | 13 | 51 |
| | | 12/08 | 17,881 | 4.70 | 9,898 | 13 | 44 |
| | | | 238,278 | | 122,469 | | |
| SAMSON RESOURCE | DISCARD | 1/08 | 14,004 | 2.12 | 21,296 | 10 | 45 |
| | | 2/08 | 12,985 | 2.12 | 20,842 | 10 | 45 |
| | | 3/08 | 14,110 | 2.12 | 25,237 | 10 | 46 |
| | | 4/08 | 17,562 | 2.12 | 26,391 | 10 | 59 |
| | | 5/08 | 17,378 | 2.12 | 33,601 | 10 | 56 |
| | | 6/08 | 16,508 | 2.12 | 32,377 | 10 | 55 |
| | | 7/08 | 16,777 | 2.12 | 32,555 | 10 | 54 |
| | | 8/08 | 15,721 | 2.12 | 24,306 | 10 | 51 |
| | | 9/08 | 14,781 | 2.12 | 24,402 | 10 | 49 |
| | | 10/08 | 18,170 | 2.12 | 28,379 | 10 | 59 |
| | | 11/08 | 18,010 | 2.12 | 28,411 | 10 | 60 |
| | | 12/08 | 18,361 | 2.12 | 29,687 | 10 | 59 |
| | | | 194,367 | | 327,484 | | |
| SAMSON RESOURCE | GEHRKE | 1/08 | 32,390 | 6.47 | 20,070 | 26 | 40 |
| | | 2/08 | 29,602 | 6.47 | 22,129 | 26 | 39 |
| | | 3/08 | 30,238 | 6.47 | 26,522 | 26 | 38 |
| | | 4/08 | 28,551 | 6.47 | 23,081 | 26 | 37 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|-----------------|---------------|-----------------|---------------|-------|----------------|---------------|--------------------------|----|----|
| SAMSON RESOURCE | GEHRKE | 5/08 | 30,150 | 6.47 | 21,549 | 26 | 37 | | |
| | | 6/08 | 27,529 | 6.47 | 21,485 | 26 | 35 | | |
| | | 7/08 | 27,465 | 6.47 | 22,994 | 26 | 34 | | |
| | | 8/08 | 28,306 | 6.47 | 24,487 | 26 | 35 | | |
| | | 9/08 | 27,530 | 6.47 | 26,670 | 26 | 35 | | |
| | | 10/08 | 28,211 | 6.47 | 26,382 | 26 | 35 | | |
| | | 11/08 | 26,960 | 6.47 | 25,302 | 26 | 35 | | |
| | | 12/08 | 27,703 | 6.47 | 18,869 | 26 | 34 | | |
| | | | | | 344,635 | | 279,540 | | |
| | | SAMSON RESOURCE | GREEN BEAN #1 | 1/08 | 3,015 | 1.82 | 9,015 | 10 | 10 |
| 2/08 | 3,012 | | | 1.82 | 9,209 | 10 | 10 | | |
| 3/08 | 3,219 | | | 1.82 | 10,203 | 10 | 10 | | |
| 4/08 | 2,771 | | | 1.82 | 9,476 | 10 | 9 | | |
| 5/08 | 2,895 | | | 1.82 | 9,374 | 10 | 9 | | |
| 6/08 | 2,336 | | | 1.82 | 8,315 | 10 | 8 | | |
| 7/08 | 1,851 | | | 1.82 | 6,128 | 10 | 6 | | |
| 8/08 | 1,904 | | | 1.82 | 6,825 | 10 | 6 | | |
| 9/08 | 2,067 | | | 1.82 | 7,355 | 10 | 7 | | |
| 10/08 | 2,289 | | | 1.82 | 8,361 | 10 | 7 | | |
| 11/08 | 2,865 | | | 1.82 | 10,277 | 10 | 10 | | |
| 12/08 | 3,727 | | | 1.82 | 11,409 | 10 | 12 | | |
| | | | 31,951 | | 105,947 | | | | |
| SAMSON RESOURCE | GREEN BEAN #2 | 1/08 | 8,414 | 2.51 | 25,169 | 8 | 34 | | |
| | | 2/08 | 7,636 | 2.51 | 23,362 | 8 | 33 | | |
| | | 3/08 | 7,886 | 2.51 | 24,998 | 8 | 32 | | |
| | | 4/08 | 7,320 | 2.51 | 25,044 | 8 | 31 | | |
| | | 5/08 | 7,350 | 2.51 | 23,769 | 8 | 30 | | |
| | | 6/08 | 6,652 | 2.51 | 23,776 | 8 | 28 | | |
| | | 7/08 | 6,628 | 2.51 | 21,949 | 8 | 27 | | |
| | | 8/08 | 6,918 | 2.51 | 24,886 | 8 | 28 | | |
| | | 9/08 | 6,687 | 2.51 | 23,823 | 8 | 28 | | |
| | | 10/08 | 6,839 | 2.51 | 25,008 | 8 | 28 | | |
| | | 11/08 | 6,705 | 2.51 | 23,965 | 8 | 28 | | |
| | | 12/08 | 5,453 | 2.51 | 16,681 | 8 | 22 | | |
| | | | 84,488 | | 282,430 | | | | |
| SAMSON RESOURCE | LEESEBERG # 2 | 1/08 | 7,486 | 4.18 | 10,550 | 7 | 34 | | |
| | | 2/08 | 6,978 | 4.18 | 7,980 | 7 | 34 | | |
| | | 3/08 | 6,517 | 4.18 | 7,785 | 7 | 30 | | |
| | | 4/08 | 5,862 | 4.18 | 8,954 | 7 | 28 | | |
| | | 5/08 | 6,409 | 4.18 | 9,412 | 7 | 30 | | |
| | | 6/08 | 6,080 | 4.18 | 9,249 | 7 | 29 | | |
| | | 7/08 | 6,360 | 4.18 | 10,115 | 7 | 29 | | |
| | | 8/08 | 6,553 | 4.18 | 10,042 | 7 | 30 | | |
| | | 9/08 | 7,110 | 4.18 | 10,603 | 7 | 34 | | |
| | | 10/08 | 7,469 | 4.18 | 9,985 | 7 | 34 | | |
| | | 11/08 | 7,213 | 4.18 | 8,645 | 7 | 34 | | |
| | | 12/08 | 6,798 | 4.18 | 7,401 | 7 | 31 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------------------|--------------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| | | | 80,835 | | 110,721 | | |
| SAMSON RESOURCE | LEESEBERG #1 | 1/08 | 6,160 | 7.17 | 8,681 | 3 | 66 |
| | | 2/08 | 5,033 | 7.17 | 5,756 | 3 | 58 |
| | | 3/08 | 5,834 | 7.17 | 6,968 | 3 | 63 |
| | | 4/08 | 5,253 | 7.17 | 8,024 | 3 | 58 |
| | | 5/08 | 5,514 | 7.17 | 8,097 | 3 | 59 |
| | | 6/08 | 5,007 | 7.17 | 7,615 | 3 | 56 |
| | | 7/08 | 5,257 | 7.17 | 8,360 | 3 | 57 |
| | | 8/08 | 5,347 | 7.17 | 8,194 | 3 | 57 |
| | | 9/08 | 5,064 | 7.17 | 7,552 | 3 | 56 |
| | | 10/08 | 5,193 | 7.17 | 6,942 | 3 | 56 |
| | | 11/08 | 4,961 | 7.17 | 5,945 | 3 | 55 |
| | | 12/08 | 4,887 | 7.17 | 5,321 | 3 | 53 |
| | | | 63,510 | | 87,455 | | |
| SAMSON RESOURCE | MACKINAW #1 | 1/08 | 13,283 | 6.96 | 15,254 | 11 | 39 |
| | | 2/08 | 13,252 | 6.96 | 14,095 | 11 | 42 |
| | | 3/08 | 13,384 | 6.96 | 14,291 | 11 | 39 |
| | | 4/08 | 12,739 | 6.96 | 13,699 | 11 | 39 |
| | | 5/08 | 12,803 | 6.96 | 15,620 | 11 | 38 |
| | | 6/08 | 12,230 | 6.96 | 12,918 | 11 | 37 |
| | | 7/08 | 12,697 | 6.96 | 12,373 | 11 | 37 |
| | | 8/08 | 12,646 | 6.96 | 12,277 | 11 | 37 |
| | | 9/08 | 11,942 | 6.96 | 13,656 | 11 | 36 |
| | | 10/08 | 12,090 | 6.96 | 12,823 | 11 | 35 |
| | | 11/08 | 11,648 | 6.96 | 11,541 | 11 | 35 |
| | | 12/08 | 10,788 | 6.96 | 11,586 | 11 | 32 |
| | | | 149,502 | | 160,133 | | |
| SAMSON RESOURCE | MACKINAW #2 | 1/08 | 15,331 | 6.44 | 17,605 | 13 | 38 |
| | | 2/08 | 14,654 | 6.44 | 15,587 | 13 | 39 |
| | | 3/08 | 15,096 | 6.44 | 16,119 | 13 | 37 |
| | | 4/08 | 14,262 | 6.44 | 15,336 | 13 | 37 |
| | | 5/08 | 14,296 | 6.44 | 17,441 | 13 | 35 |
| | | 6/08 | 14,118 | 6.44 | 14,912 | 13 | 36 |
| | | 7/08 | 14,558 | 6.44 | 14,187 | 13 | 36 |
| | | 8/08 | 14,482 | 6.44 | 14,060 | 13 | 36 |
| | | 9/08 | 13,728 | 6.44 | 15,698 | 13 | 35 |
| | | 10/08 | 13,508 | 6.44 | 14,328 | 13 | 34 |
| | | 11/08 | 14,162 | 6.44 | 14,032 | 13 | 36 |
| | | 12/08 | 13,223 | 6.44 | 14,201 | 13 | 33 |
| | | | 171,418 | | 183,506 | | |
| SAMSON RESOURCE | NICHOLSON HILL #1 | 1/08 | 345 | 1.75 | 491 | 2 | 6 |
| | | 2/08 | 301 | 1.75 | 344 | 2 | 5 |
| | | 3/08 | 279 | 1.75 | 333 | 2 | 4 |
| | | 4/08 | 237 | 1.75 | 362 | 2 | 4 |
| | | 5/08 | 247 | 1.75 | 363 | 2 | 4 |
| | | 6/08 | 210 | 1.75 | 319 | 2 | 4 |
| | | 7/08 | 257 | 1.75 | 408 | 2 | 4 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-----------------|-------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| SAMSON RESOURCE | NICHOLSON HILL #1 | 8/08 | 266 | 1.75 | 408 | 2 | 4 |
| | | 9/08 | 257 | 1.75 | 384 | 2 | 4 |
| | | 10/08 | 244 | 1.75 | 326 | 2 | 4 |
| | | 11/08 | 214 | 1.75 | 257 | 2 | 4 |
| | | 12/08 | 183 | 1.75 | 200 | 2 | 3 |
| | | | | | 3,040 | | 4,195 |
| SAMSON RESOURCE | NICHOLSON HILL #2 | 1/08 | 10,519 | 5.05 | 6,518 | 7 | 48 |
| | | 2/08 | 10,280 | 5.05 | 7,685 | 7 | 51 |
| | | 3/08 | 10,845 | 5.05 | 9,513 | 7 | 50 |
| | | 4/08 | 10,379 | 5.05 | 8,390 | 7 | 49 |
| | | 5/08 | 10,725 | 5.05 | 7,665 | 7 | 49 |
| | | 6/08 | 9,924 | 5.05 | 7,745 | 7 | 47 |
| | | 7/08 | 10,825 | 5.05 | 9,063 | 7 | 50 |
| | | 8/08 | 10,667 | 5.05 | 9,228 | 7 | 49 |
| | | 9/08 | 10,294 | 5.05 | 9,973 | 7 | 49 |
| | | 10/08 | 10,705 | 5.05 | 10,011 | 7 | 49 |
| | | 11/08 | 10,525 | 5.05 | 9,877 | 7 | 50 |
| | | 12/08 | 10,577 | 5.05 | 7,205 | 7 | 49 |
| | | | | | 126,265 | | 102,873 |
| SAMSON RESOURCE | PAXTON QUARRY | 1/08 | 5,153 | 5.17 | 60,435 | 16 | 10 |
| | | 2/08 | 4,785 | 5.17 | 55,123 | 16 | 10 |
| | | 3/08 | 5,193 | 5.17 | 62,429 | 16 | 10 |
| | | 4/08 | 4,651 | 5.17 | 60,812 | 16 | 10 |
| | | 5/08 | 5,274 | 5.17 | 58,723 | 16 | 11 |
| | | 6/08 | 5,230 | 5.17 | 55,712 | 16 | 11 |
| | | 7/08 | 5,671 | 5.17 | 57,720 | 16 | 11 |
| | | 8/08 | 5,139 | 5.17 | 60,251 | 16 | 10 |
| | | 9/08 | 5,232 | 5.17 | 56,371 | 16 | 11 |
| | | 10/08 | 5,597 | 2.09 | 58,076 | 16 | 11 |
| | | 11/08 | 5,228 | 2.09 | 50,875 | 16 | 11 |
| | | 12/08 | 5,346 | 2.09 | 64,057 | 16 | 11 |
| | | | 62,499 | | 700,584 | | |
| SAMSON RESOURCE | SEGUIN | 1/08 | 19,745 | 5.96 | 12,235 | 18 | 35 |
| | | 2/08 | 18,841 | 5.96 | 14,085 | 18 | 36 |
| | | 3/08 | 19,630 | 5.96 | 17,218 | 18 | 35 |
| | | 4/08 | 18,575 | 5.96 | 15,016 | 18 | 34 |
| | | 5/08 | 19,889 | 5.96 | 14,216 | 18 | 36 |
| | | 6/08 | 18,305 | 5.96 | 14,286 | 18 | 34 |
| | | 7/08 | 18,811 | 5.96 | 15,749 | 18 | 34 |
| | | 8/08 | 19,008 | 5.96 | 16,443 | 18 | 34 |
| | | 9/08 | 19,447 | 5.96 | 18,840 | 18 | 36 |
| | | 10/08 | 18,945 | 5.96 | 17,716 | 18 | 34 |
| | | 11/08 | 17,525 | 5.96 | 16,447 | 18 | 32 |
| | | 12/08 | 17,564 | 5.96 | 11,963 | 18 | 31 |
| | | | 226,285 | | 184,214 | | |
| SAMSON RESOURCE | SNOWPLOW 1 | 1/08 | 3,506 | 8.20 | 2,024 | 3 | 38 |
| | | 2/08 | 3,275 | 8.20 | 2,069 | 3 | 38 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|-----------------|-----------------|-----------------|------------|-------|----------------|---------------|--------------------------|---|----|
| SAMSON RESOURCE | SNOWFLOW 1 | 3/08 | 4,296 | 8.20 | 2,328 | 3 | 46 | | |
| | | 4/08 | 3,583 | 8.20 | 2,522 | 3 | 40 | | |
| | | 5/08 | 3,452 | 8.20 | 2,462 | 3 | 37 | | |
| | | 6/08 | 4,048 | 8.20 | 2,152 | 3 | 45 | | |
| | | 7/08 | 3,092 | 8.20 | 2,204 | 3 | 33 | | |
| | | 8/08 | 3,055 | 8.20 | 1,903 | 3 | 33 | | |
| | | 9/08 | 2,123 | 8.20 | 1,866 | 3 | 24 | | |
| | | 10/08 | 3,034 | 8.20 | 1,648 | 3 | 33 | | |
| | | 11/08 | 2,775 | 8.20 | 1,205 | 3 | 31 | | |
| | | 12/08 | 2,786 | 8.20 | 886 | 3 | 30 | | |
| | | | | | 39,025 | | 23,269 | | |
| | | SAMSON RESOURCE | SNOWFLOW 2 | 1/08 | 589 | 8.79 | 886 | 1 | 19 |
| | | | | 2/08 | 570 | 8.79 | 743 | 1 | 20 |
| 3/08 | 786 | | | 8.79 | 505 | 1 | 25 | | |
| 4/08 | 669 | | | 8.79 | 0 | 1 | 22 | | |
| 5/08 | 659 | | | 8.79 | 297 | 1 | 21 | | |
| 6/08 | 794 | | | 8.79 | 322 | 1 | 26 | | |
| 7/08 | 570 | | | 8.79 | 282 | 1 | 18 | | |
| 8/08 | 511 | | | 8.79 | 238 | 1 | 16 | | |
| 9/08 | 314 | | | 8.79 | 242 | 1 | 10 | | |
| 10/08 | 536 | | | 8.79 | 245 | 1 | 17 | | |
| 11/08 | 513 | | | 8.79 | 213 | 1 | 17 | | |
| 12/08 | 564 | | | 8.79 | 328 | 1 | 18 | | |
| | | | | | 7,075 | | 4,301 | | |
| SAMSON RESOURCE | SNOWFLOW 3 | 1/08 | 19,110 | 9.93 | 5,263 | 14 | 44 | | |
| | | 2/08 | 16,639 | 9.93 | 3,676 | 14 | 41 | | |
| | | 3/08 | 20,410 | 9.93 | 4,326 | 14 | 47 | | |
| | | 4/08 | 16,719 | 9.93 | 3,657 | 14 | 40 | | |
| | | 5/08 | 17,845 | 9.93 | 3,911 | 14 | 41 | | |
| | | 6/08 | 21,356 | 9.93 | 3,722 | 14 | 51 | | |
| | | 7/08 | 17,298 | 9.93 | 3,926 | 14 | 40 | | |
| | | 8/08 | 17,027 | 9.93 | 3,179 | 14 | 39 | | |
| | | 9/08 | 12,678 | 9.93 | 3,369 | 14 | 30 | | |
| | | 10/08 | 18,237 | 9.93 | 3,319 | 14 | 42 | | |
| | | 11/08 | 17,364 | 9.93 | 2,959 | 14 | 41 | | |
| | | 12/08 | 18,839 | 9.93 | 4,382 | 14 | 43 | | |
| | | | | | 213,522 | | 45,689 | | |
| SAMSON RESOURCE | TREASURE ISLAND | 1/08 | 18,654 | 7.23 | 26,287 | 23 | 26 | | |
| | | 2/08 | 18,787 | 7.23 | 21,484 | 23 | 28 | | |
| | | 3/08 | 19,325 | 7.23 | 23,083 | 23 | 27 | | |
| | | 4/08 | 17,603 | 7.23 | 26,889 | 23 | 26 | | |
| | | 5/08 | 18,883 | 7.23 | 27,729 | 23 | 26 | | |
| | | 6/08 | 17,054 | 7.23 | 25,941 | 23 | 25 | | |
| | | 7/08 | 17,484 | 7.23 | 27,806 | 23 | 25 | | |
| | | 8/08 | 17,331 | 7.23 | 26,557 | 23 | 24 | | |
| | | 9/08 | 16,989 | 7.23 | 25,334 | 23 | 25 | | |
| | | 10/08 | 17,327 | 7.23 | 23,165 | 23 | 24 | | |
| | | 11/08 | 16,276 | 7.23 | 19,506 | 23 | 24 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--|-----------------|-----------------|------------------|-------|------------------|---------------|--------------------------|
| SAMSON RESOURCE | TREASURE ISLAND | 12/08 | 15,932 | 7.23 | 17,347 | 23 | 22 |
| | | | 211,645 | | 291,128 | | |
| SAMSON RESOURCE | WERTH WHILE | 1/08 | 2,899 | 5.56 | 3,329 | 4 | 23 |
| | | 2/08 | 2,754 | 5.56 | 2,929 | 4 | 24 |
| | | 3/08 | 2,697 | 5.56 | 2,880 | 4 | 22 |
| | | 4/08 | 2,442 | 5.56 | 2,626 | 4 | 20 |
| | | 5/08 | 2,358 | 5.56 | 2,876 | 4 | 19 |
| | | 6/08 | 2,466 | 5.56 | 2,605 | 4 | 21 |
| | | 7/08 | 2,472 | 5.56 | 2,408 | 4 | 20 |
| | | 8/08 | 2,409 | 5.56 | 2,339 | 4 | 19 |
| | | 9/08 | 2,375 | 5.56 | 2,716 | 4 | 20 |
| | | 10/08 | 3,076 | 5.56 | 3,263 | 4 | 25 |
| | | 11/08 | 3,066 | 5.56 | 3,038 | 4 | 26 |
| | | 12/08 | 2,844 | 5.56 | 3,054 | 4 | 23 |
| | | | 31,858 | | 34,063 | | |
| SAMSON RESOURCES COMPANY - REPORTER TOTALS: | | | 2,683,128 | | 3,585,887 | | |
| SAVOY ENERGY LP | DOVER 1/12 | 1/08 | 17,016 | 3.96 | 4,551 | 2 | 274 |
| | | 2/08 | 15,715 | 4.02 | 4,092 | 2 | 271 |
| | | 3/08 | 16,872 | 4.02 | 4,277 | 2 | 272 |
| | | 4/08 | 15,845 | 3.93 | 3,897 | 2 | 264 |
| | | 5/08 | 15,621 | 3.92 | 3,900 | 2 | 252 |
| | | 6/08 | 15,571 | 3.95 | 4,100 | 2 | 260 |
| | | 7/08 | 11,484 | 3.94 | 3,260 | 2 | 185 |
| | | 8/08 | 11,929 | 4.24 | 3,150 | 2 | 192 |
| | | 9/08 | 10,890 | 4.18 | 2,813 | 2 | 182 |
| | | 10/08 | 10,656 | 4.32 | 2,864 | 2 | 172 |
| | | 11/08 | 10,230 | 4.32 | 2,766 | 2 | 171 |
| | | 12/08 | 10,099 | 4.47 | 2,771 | 2 | 163 |
| | | | 161,928 | | 42,441 | | |
| SAVOY ENERGY LP - REPORTER TOTALS: | | | 161,928 | | 42,441 | | |
| SCHMUDE OIL | CORWITH 19 | 1/08 | 2,659 | 10.50 | 1,015 | 1 | 86 |
| | | 2/08 | 1,851 | 10.50 | 932 | 1 | 64 |
| | | 3/08 | 1,963 | 10.50 | 948 | 1 | 63 |
| | | 4/08 | 1,965 | 10.50 | 1,032 | 1 | 66 |
| | | 5/08 | 1,944 | 10.50 | 1,004 | 1 | 63 |
| | | 6/08 | 1,815 | 10.50 | 930 | 1 | 61 |
| | | 7/08 | 1,808 | 10.50 | 927 | 1 | 58 |
| | | 8/08 | 1,852 | 10.50 | 998 | 1 | 60 |
| | | 9/08 | 1,968 | 10.50 | 1,115 | 1 | 66 |
| | | 10/08 | 1,992 | 10.50 | 1,304 | 1 | 64 |
| | | 11/08 | 1,798 | 10.50 | 1,181 | 1 | 60 |
| | | 12/08 | 1,804 | 10.50 | 1,208 | 1 | 58 |
| | | | 23,419 | | 12,594 | | |
| SCHMUDE OIL | HARTL | 1/08 | 9,081 | 4.19 | 0 | 6 | 49 |
| | | 2/08 | 8,428 | 4.31 | 0 | 6 | 48 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|---------------------------------------|-----------------|-----------------|----------------|----------------|----------------|---------------|--------------------------|---|----|
| SCHMUDE OIL | HARTL | 3/08 | 9,101 | 3.69 | 0 | 6 | 49 | | |
| | | 4/08 | 8,535 | 4.24 | 0 | 6 | 47 | | |
| | | 5/08 | 9,177 | 4.24 | 0 | 6 | 49 | | |
| | | 6/08 | 8,600 | 4.24 | 0 | 6 | 48 | | |
| | | 7/08 | 8,578 | 4.24 | 0 | 6 | 46 | | |
| | | 8/08 | 8,958 | 4.24 | 0 | 6 | 48 | | |
| | | 9/08 | 8,491 | 4.24 | 0 | 6 | 47 | | |
| | | 10/08 | 8,548 | 4.24 | 0 | 6 | 46 | | |
| | | 11/08 | 8,163 | 4.33 | 0 | 6 | 45 | | |
| | | 12/08 | 8,076 | 4.33 | 0 | 6 | 43 | | |
| | | | | | 103,736 | | 0 | | |
| | | SCHMUDE OIL | MARTIN IDE | 1/08 | 10,550 | 3.59 | 5,075 | 5 | 68 |
| | | | | 2/08 | 11,744 | 3.59 | 4,660 | 5 | 81 |
| 3/08 | 11,048 | | | 3.59 | 4,742 | 5 | 71 | | |
| 4/08 | 10,674 | | | 3.59 | 5,157 | 5 | 71 | | |
| 5/08 | 11,380 | | | 3.59 | 5,017 | 5 | 73 | | |
| 6/08 | 10,904 | | | 3.59 | 4,651 | 5 | 73 | | |
| 7/08 | 11,137 | | | 3.59 | 4,637 | 5 | 72 | | |
| 8/08 | 10,945 | | | 3.59 | 4,988 | 5 | 71 | | |
| 9/08 | 10,886 | | | 3.59 | 5,576 | 5 | 73 | | |
| 10/08 | 10,876 | | | 3.59 | 6,518 | 5 | 70 | | |
| 11/08 | 10,451 | | | 3.59 | 5,905 | 5 | 70 | | |
| 12/08 | 10,145 | | | 3.59 | 6,025 | 5 | 65 | | |
| | | | | 130,740 | | 62,951 | | | |
| SCHMUDE OIL | NESSEN CITY | 11/08 | 1,137 | 4.67 | 17,506 | 2 | 19 | | |
| | | 12/08 | 783 | 4.67 | 16,612 | 2 | 13 | | |
| | | | | | 1,920 | | 34,118 | | |
| SCHMUDE OIL - REPORTER TOTALS: | | | 259,815 | | 109,663 | | | | |
| SRW | CENTRAL LAKE 13 | 1/08 | 28,747 | 1.15 | 109,333 | 28 | 33 | | |
| | | 2/08 | 26,215 | 1.15 | 102,117 | 28 | 32 | | |
| | | 3/08 | 28,551 | 1.17 | 113,148 | 30 | 31 | | |
| | | 4/08 | 27,622 | 1.17 | 106,267 | 30 | 31 | | |
| | | 5/08 | 27,802 | 1.17 | 116,355 | 30 | 30 | | |
| | | 6/08 | 26,412 | 1.25 | 127,902 | 30 | 29 | | |
| | | 7/08 | 27,275 | 1.25 | 122,820 | 30 | 29 | | |
| | | 8/08 | 26,641 | 1.25 | 103,500 | 30 | 29 | | |
| | | 9/08 | 23,991 | 1.24 | 101,843 | 30 | 27 | | |
| | | 10/08 | 23,890 | 1.24 | 111,779 | 30 | 26 | | |
| | | 11/08 | 22,300 | 1.24 | 113,186 | 30 | 25 | | |
| | | 12/08 | 23,030 | 1.30 | 119,432 | 30 | 25 | | |
| | | | | | 312,476 | | 1,347,682 | | |
| SRW | CENTRAL LAKE 36 | 1/08 | 1,913 | 1.83 | 26,710 | 3 | 21 | | |
| | | 2/08 | 1,779 | 1.83 | 24,938 | 3 | 20 | | |
| | | 3/08 | 1,836 | 2.03 | 30,474 | 3 | 20 | | |
| | | 4/08 | 1,890 | 2.03 | 31,609 | 3 | 21 | | |
| | | 5/08 | 2,093 | 2.03 | 31,629 | 3 | 22 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| SRW | CENTRAL LAKE 36 | 6/08 | 1,809 | 2.05 | 30,381 | 3 | 20 |
| | | 7/08 | 1,394 | 2.05 | 31,169 | 3 | 15 |
| | | 8/08 | 1,573 | 2.05 | 27,159 | 3 | 17 |
| | | 9/08 | 1,486 | 1.88 | 24,673 | 3 | 17 |
| | | 10/08 | 1,510 | 1.88 | 24,286 | 3 | 16 |
| | | 11/08 | 925 | 1.88 | 21,797 | 3 | 10 |
| | | 12/08 | 906 | 2.09 | 23,347 | 3 | 10 |
| | | | | | 19,114 | | 328,172 |
| SRW | CHARLTON 16 1-89 | 1/08 | 16,339 | 24.61 | 480 | 18 | 29 |
| | | 2/08 | 14,921 | 23.79 | 715 | 18 | 29 |
| | | 3/08 | 15,774 | 24.59 | 865 | 18 | 28 |
| | | 4/08 | 15,380 | 24.52 | 1,461 | 18 | 28 |
| | | 5/08 | 15,705 | 24.78 | 1,565 | 18 | 28 |
| | | 6/08 | 16,295 | 24.62 | 1,522 | 18 | 30 |
| | | 7/08 | 16,479 | 24.60 | 1,572 | 18 | 30 |
| | | 8/08 | 16,515 | 24.82 | 776 | 18 | 30 |
| | | 9/08 | 15,640 | 24.63 | 1,469 | 18 | 29 |
| | | 10/08 | 16,032 | 24.63 | 1,544 | 18 | 29 |
| | | 11/08 | 15,540 | 25.76 | 1,412 | 18 | 29 |
| | | 12/08 | 14,606 | 26.08 | 1,393 | 18 | 26 |
| | | | 189,226 | | 14,774 | | |
| SRW | CHARLTON 19 3-88 | 1/08 | 3,873 | 21.10 | 247 | 16 | 8 |
| | | 2/08 | 3,529 | 20.43 | 0 | 16 | 8 |
| | | 3/08 | 4,100 | 20.91 | 336 | 16 | 8 |
| | | 4/08 | 4,003 | 20.99 | 497 | 16 | 8 |
| | | 5/08 | 4,030 | 20.47 | 638 | 16 | 8 |
| | | 6/08 | 4,106 | 20.49 | 238 | 16 | 9 |
| | | 7/08 | 4,317 | 20.63 | 528 | 16 | 9 |
| | | 8/08 | 4,479 | 20.66 | 532 | 16 | 9 |
| | | 9/08 | 4,310 | 20.67 | 320 | 16 | 9 |
| | | 10/08 | 4,601 | 20.67 | 647 | 16 | 9 |
| | | 11/08 | 4,322 | 21.49 | 448 | 16 | 9 |
| | | 12/08 | 4,238 | 21.22 | 549 | 16 | 9 |
| | | | 49,908 | | 4,980 | | |
| SRW | CHESTER 22 1-02 | 1/08 | 1,925 | 18.58 | 5,082 | 3 | 21 |
| | | 2/08 | 2,020 | 18.58 | 3,785 | 3 | 23 |
| | | 3/08 | 1,624 | 18.58 | 4,151 | 3 | 17 |
| | | 4/08 | 2,173 | 18.58 | 4,182 | 3 | 24 |
| | | 5/08 | 2,279 | 18.77 | 4,114 | 3 | 24 |
| | | 6/08 | 2,211 | 18.70 | 4,387 | 3 | 25 |
| | | 7/08 | 2,401 | 18.50 | 4,161 | 3 | 26 |
| | | 8/08 | 2,197 | 18.27 | 5,526 | 3 | 24 |
| | | 9/08 | 2,597 | 18.27 | 5,386 | 3 | 29 |
| | | 10/08 | 3,504 | 18.27 | 5,405 | 3 | 38 |
| | | 11/08 | 5,772 | 18.79 | 5,384 | 3 | 64 |
| | | 12/08 | 6,508 | 18.68 | 5,274 | 3 | 70 |
| | | | 35,211 | | 56,837 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-----------------|-----------------|-----------|-------|----------------|---------------|--------------------------|
| SRW | CHESTER 22 4-90 | 1/08 | 21,759 | 18.58 | 18,632 | 11 | 64 |
| | | 2/08 | 18,582 | 18.58 | 13,880 | 11 | 58 |
| | | 3/08 | 23,207 | 18.58 | 15,219 | 11 | 68 |
| | | 4/08 | 20,656 | 18.58 | 15,333 | 11 | 63 |
| | | 5/08 | 22,156 | 18.77 | 15,086 | 11 | 65 |
| | | 6/08 | 19,837 | 18.70 | 16,086 | 11 | 60 |
| | | 7/08 | 20,483 | 18.50 | 15,257 | 11 | 60 |
| | | 8/08 | 20,266 | 18.27 | 20,263 | 11 | 59 |
| | | 9/08 | 21,978 | 18.27 | 19,748 | 11 | 67 |
| | | 10/08 | 24,350 | 18.27 | 19,818 | 11 | 71 |
| | | 11/08 | 21,609 | 18.79 | 19,743 | 11 | 65 |
| | | 12/08 | 22,677 | 18.68 | 19,338 | 11 | 66 |
| | | | | | 257,560 | | 208,403 |
| SRW | CHESTER 31 | 1/08 | 2,636 | 24.09 | 139 | 5 | 17 |
| | | 2/08 | 2,134 | 24.20 | 121 | 5 | 15 |
| | | 3/08 | 2,431 | 23.62 | 232 | 5 | 16 |
| | | 4/08 | 2,257 | 23.97 | 210 | 5 | 15 |
| | | 5/08 | 2,536 | 23.89 | 265 | 5 | 16 |
| | | 6/08 | 2,579 | 23.94 | 206 | 5 | 17 |
| | | 7/08 | 2,715 | 24.23 | 190 | 5 | 18 |
| | | 8/08 | 2,430 | 23.90 | 159 | 5 | 16 |
| | | 9/08 | 2,194 | 23.90 | 149 | 5 | 15 |
| | | 10/08 | 2,204 | 23.90 | 140 | 5 | 14 |
| | | 11/08 | 2,028 | 24.61 | 177 | 5 | 14 |
| | | 12/08 | 2,044 | 24.75 | 172 | 5 | 13 |
| | | | | | 28,188 | | 2,160 |
| SRW | CHESTER 7 1-91 | 1/08 | 19,120 | 27.78 | 552 | 26 | 24 |
| | | 2/08 | 15,912 | 27.80 | 489 | 26 | 21 |
| | | 3/08 | 18,177 | 27.16 | 582 | 26 | 23 |
| | | 4/08 | 18,872 | 27.31 | 567 | 26 | 24 |
| | | 5/08 | 18,838 | 27.88 | 587 | 26 | 23 |
| | | 6/08 | 18,091 | 27.63 | 583 | 26 | 23 |
| | | 7/08 | 18,337 | 27.81 | 486 | 26 | 23 |
| | | 8/08 | 16,443 | 27.58 | 493 | 26 | 20 |
| | | 9/08 | 16,120 | 26.96 | 446 | 26 | 21 |
| | | 10/08 | 17,320 | 26.96 | 527 | 26 | 21 |
| | | 11/08 | 16,754 | 28.02 | 535 | 26 | 21 |
| | | 12/08 | 16,274 | 28.04 | 526 | 26 | 20 |
| | | | | | 210,258 | | 6,373 |
| SRW | ECHO 30 | 1/08 | 26,551 | 1.83 | 160,260 | 18 | 48 |
| | | 2/08 | 24,148 | 1.83 | 149,627 | 18 | 46 |
| | | 3/08 | 27,263 | 2.03 | 182,845 | 19 | 46 |
| | | 4/08 | 25,631 | 2.03 | 189,654 | 19 | 45 |
| | | 5/08 | 25,898 | 2.03 | 200,314 | 19 | 44 |
| | | 6/08 | 25,648 | 2.05 | 192,414 | 19 | 45 |
| | | 7/08 | 26,196 | 2.05 | 197,405 | 19 | 44 |
| | | 8/08 | 24,291 | 2.05 | 172,009 | 19 | 41 |
| | | 9/08 | 21,924 | 1.88 | 156,265 | 19 | 38 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|----------------|-----------------|----------------|-------|------------------|---------------|--------------------------|
| SRW | ECHO 30 | 10/08 | 22,089 | 1.88 | 153,811 | 19 | 37 |
| | | 11/08 | 18,996 | 1.88 | 138,049 | 19 | 33 |
| | | 12/08 | 18,300 | 2.09 | 147,864 | 19 | 31 |
| | | | 286,935 | | 2,040,517 | | |
| SRW | ECHO 33 | 1/08 | 9,294 | 4.27 | 242,599 | 19 | 16 |
| | | 2/08 | 8,690 | 4.27 | 192,455 | 19 | 16 |
| | | 3/08 | 8,994 | 4.53 | 258,136 | 19 | 15 |
| | | 4/08 | 8,669 | 4.53 | 241,400 | 19 | 15 |
| | | 5/08 | 8,287 | 4.53 | 212,846 | 19 | 14 |
| | | 6/08 | 6,974 | 4.55 | 189,583 | 19 | 12 |
| | | 7/08 | 7,737 | 4.55 | 226,780 | 19 | 13 |
| | | 8/08 | 8,073 | 4.55 | 206,985 | 19 | 14 |
| | | 9/08 | 8,487 | 4.58 | 218,142 | 19 | 15 |
| | | 10/08 | 8,295 | 4.58 | 237,172 | 19 | 14 |
| | | 11/08 | 7,494 | 4.58 | 234,226 | 19 | 13 |
| | | 12/08 | 6,398 | 4.93 | 208,849 | 19 | 11 |
| | | | 97,392 | | 2,669,173 | | |
| SRW | ECHO 9 | 1/08 | 19,681 | 1.70 | 91,215 | 24 | 26 |
| | | 2/08 | 19,180 | 1.70 | 79,953 | 24 | 28 |
| | | 3/08 | 22,834 | 1.86 | 106,167 | 24 | 31 |
| | | 4/08 | 21,834 | 1.86 | 98,784 | 24 | 30 |
| | | 5/08 | 21,178 | 1.86 | 96,813 | 24 | 28 |
| | | 6/08 | 20,340 | 1.86 | 88,589 | 24 | 28 |
| | | 7/08 | 20,954 | 1.86 | 98,687 | 24 | 28 |
| | | 8/08 | 16,089 | 1.86 | 96,953 | 24 | 22 |
| | | 9/08 | 15,767 | 1.64 | 94,462 | 24 | 22 |
| | | 10/08 | 16,680 | 1.64 | 99,963 | 24 | 22 |
| | | 11/08 | 15,086 | 1.64 | 99,458 | 24 | 21 |
| | | 12/08 | 13,996 | 1.66 | 98,103 | 24 | 19 |
| | | | 223,619 | | 1,149,147 | | |
| SRW | FOREST HOME 12 | 1/08 | 3,760 | 3.92 | 13,198 | 11 | 11 |
| | | 2/08 | 3,607 | 3.92 | 11,923 | 11 | 11 |
| | | 3/08 | 3,862 | 3.92 | 11,515 | 11 | 11 |
| | | 4/08 | 4,269 | 3.92 | 10,387 | 11 | 13 |
| | | 5/08 | 4,631 | 3.92 | 10,701 | 11 | 14 |
| | | 6/08 | 4,590 | 3.92 | 9,713 | 11 | 14 |
| | | 7/08 | 4,670 | 3.92 | 9,825 | 11 | 14 |
| | | 8/08 | 4,378 | 3.92 | 8,893 | 11 | 13 |
| | | 9/08 | 4,407 | 3.30 | 9,012 | 11 | 13 |
| | | 10/08 | 4,750 | 3.30 | 9,028 | 11 | 14 |
| | | 11/08 | 4,217 | 3.30 | 8,143 | 11 | 13 |
| | | 12/08 | 4,804 | 3.42 | 8,671 | 11 | 14 |
| | | | 51,945 | | 121,009 | | |
| SRW | KEARNEY 2 | 1/08 | 18,333 | 4.13 | 3,933 | 7 | 84 |
| | | 2/08 | 16,819 | 4.13 | 3,562 | 7 | 83 |
| | | 3/08 | 17,064 | 4.13 | 3,773 | 7 | 79 |
| | | 4/08 | 16,400 | 4.13 | 3,524 | 7 | 78 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|---|----|
| SRW | KEARNEY 2 | 5/08 | 16,925 | 4.13 | 3,922 | 7 | 78 | | |
| | | 6/08 | 17,143 | 4.13 | 3,729 | 7 | 82 | | |
| | | 7/08 | 17,065 | 4.13 | 3,911 | 7 | 79 | | |
| | | 8/08 | 16,465 | 4.13 | 5,815 | 7 | 76 | | |
| | | 9/08 | 15,240 | 4.13 | 5,744 | 7 | 73 | | |
| | | 10/08 | 15,492 | 4.13 | 5,502 | 7 | 71 | | |
| | | 11/08 | 13,939 | 4.13 | 4,959 | 7 | 66 | | |
| | | 12/08 | 15,098 | 4.13 | 5,255 | 7 | 70 | | |
| | | | | | 195,983 | | 53,629 | | |
| | | SRW | OPAL LAKE 1-90 | 1/08 | 5,922 | 24.09 | 434 | 9 | 21 |
| | | | | 2/08 | 4,936 | 24.20 | 380 | 9 | 19 |
| | | | | 3/08 | 6,137 | 23.62 | 481 | 9 | 22 |
| 4/08 | 5,837 | | | 23.97 | 297 | 9 | 22 | | |
| 5/08 | 5,781 | | | 23.89 | 316 | 9 | 21 | | |
| 6/08 | 5,524 | | | 23.94 | 271 | 9 | 20 | | |
| 7/08 | 5,552 | | | 24.23 | 298 | 9 | 20 | | |
| 8/08 | 5,373 | | | 23.90 | 320 | 9 | 19 | | |
| 9/08 | 4,998 | | | 23.90 | 304 | 9 | 19 | | |
| 10/08 | 5,186 | | | 23.90 | 329 | 9 | 19 | | |
| 11/08 | 5,231 | | | 24.61 | 309 | 9 | 19 | | |
| 12/08 | 4,966 | | | 24.75 | 264 | 9 | 18 | | |
| | | | 65,443 | | 4,003 | | | | |
| SRW | OTSEGO LAKE 1-88 | 1/08 | 17,021 | 29.01 | 196 | 26 | 21 | | |
| | | 2/08 | 13,460 | 29.04 | 257 | 26 | 18 | | |
| | | 3/08 | 17,016 | 28.24 | 0 | 26 | 21 | | |
| | | 4/08 | 15,753 | 28.98 | 220 | 26 | 20 | | |
| | | 5/08 | 16,402 | 28.96 | 155 | 26 | 20 | | |
| | | 6/08 | 16,510 | 29.12 | 222 | 26 | 21 | | |
| | | 7/08 | 16,833 | 29.13 | 210 | 26 | 21 | | |
| | | 8/08 | 16,219 | 29.00 | 137 | 26 | 20 | | |
| | | 9/08 | 15,651 | 28.56 | 159 | 26 | 20 | | |
| | | 10/08 | 16,241 | 28.56 | 189 | 26 | 20 | | |
| | | 11/08 | 15,168 | 29.77 | 172 | 26 | 19 | | |
| | | 12/08 | 15,451 | 29.92 | 276 | 26 | 19 | | |
| | | | 191,725 | | 2,193 | | | | |
| SRW | SOUTH ARM 32 | 1/08 | 15,460 | 1.26 | 115,716 | 18 | 28 | | |
| | | 2/08 | 14,103 | 1.26 | 117,040 | 18 | 27 | | |
| | | 3/08 | 14,571 | 1.15 | 117,498 | 18 | 26 | | |
| | | 4/08 | 14,764 | 1.15 | 118,309 | 18 | 27 | | |
| | | 5/08 | 15,749 | 1.15 | 122,638 | 18 | 28 | | |
| | | 6/08 | 15,614 | 1.15 | 117,352 | 18 | 29 | | |
| | | 7/08 | 14,705 | 1.15 | 118,714 | 18 | 26 | | |
| | | 8/08 | 12,864 | 1.15 | 116,649 | 18 | 23 | | |
| | | 9/08 | 12,159 | 1.15 | 112,832 | 18 | 23 | | |
| | | 10/08 | 12,288 | 1.15 | 114,520 | 18 | 22 | | |
| | | 11/08 | 11,886 | 1.15 | 110,478 | 18 | 22 | | |
| | | 12/08 | 12,008 | 1.18 | 106,070 | 18 | 22 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-------------------------------|-----------------|------------------|-------|------------------|---------------|--------------------------|
| | | | 166,171 | | 1,387,816 | | |
| | SRW - REPORTER TOTALS: | | 2,381,154 | | 9,396,868 | | |
| TERRA | ACE OF HEARTS | 1/08 | 7,344 | 8.00 | 4,732 | 10 | 24 |
| | | 2/08 | 7,294 | 8.00 | 4,740 | 10 | 25 |
| | | 3/08 | 7,798 | 8.00 | 4,671 | 10 | 25 |
| | | 4/08 | 7,136 | 8.90 | 3,830 | 10 | 24 |
| | | 5/08 | 7,064 | 8.90 | 4,868 | 10 | 23 |
| | | 6/08 | 6,602 | 8.90 | 4,712 | 10 | 22 |
| | | 7/08 | 6,623 | 8.90 | 4,983 | 10 | 21 |
| | | 8/08 | 6,133 | 8.90 | 4,858 | 10 | 20 |
| | | 9/08 | 6,533 | 8.90 | 4,811 | 10 | 22 |
| | | 10/08 | 6,623 | 8.90 | 4,719 | 10 | 21 |
| | | 11/08 | 5,740 | 8.86 | 4,837 | 10 | 19 |
| | | 12/08 | 4,683 | 8.87 | 4,511 | 10 | 15 |
| | | | 79,573 | | 56,272 | | |
| TERRA | AGGIELAND | 1/08 | 10,172 | 11.07 | 22,383 | 13 | 25 |
| | | 2/08 | 9,428 | 11.07 | 25,433 | 13 | 25 |
| | | 3/08 | 10,354 | 11.07 | 27,278 | 13 | 26 |
| | | 4/08 | 10,035 | 11.41 | 24,499 | 13 | 26 |
| | | 5/08 | 10,617 | 11.41 | 25,579 | 13 | 26 |
| | | 6/08 | 10,263 | 11.23 | 26,037 | 13 | 26 |
| | | 7/08 | 9,080 | 11.23 | 25,805 | 13 | 23 |
| | | 8/08 | 18,858 | 11.23 | 27,716 | 13 | 47 |
| | | 9/08 | 10,564 | 9.15 | 25,236 | 13 | 27 |
| | | 10/08 | 9,079 | 9.15 | 23,932 | 13 | 23 |
| | | 11/08 | 10,138 | 9.15 | 24,159 | 13 | 26 |
| | | 12/08 | 9,521 | 9.57 | 23,835 | 13 | 24 |
| | | | 128,109 | | 301,892 | | |
| TERRA | BAGLEY 11 D | 1/08 | 1,425 | 8.55 | 1,751 | 3 | 15 |
| | | 2/08 | 1,448 | 8.55 | 1,571 | 3 | 17 |
| | | 3/08 | 1,643 | 8.55 | 1,699 | 3 | 18 |
| | | 4/08 | 1,611 | 8.55 | 1,685 | 3 | 18 |
| | | 5/08 | 1,727 | 8.55 | 1,686 | 3 | 19 |
| | | 6/08 | 1,358 | 7.65 | 1,814 | 4 | 11 |
| | | 7/08 | 1,093 | 7.65 | 1,810 | 4 | 9 |
| | | 8/08 | 3,688 | 7.65 | 1,878 | 4 | 30 |
| | | 9/08 | 1,245 | 8.43 | 1,821 | 4 | 10 |
| | | 10/08 | 1,093 | 8.43 | 1,861 | 4 | 9 |
| | | 11/08 | 762 | 8.43 | 1,808 | 4 | 6 |
| | | 12/08 | 1,107 | 8.43 | 1,769 | 4 | 9 |
| | | | 18,200 | | 21,153 | | |
| TERRA | BAGLEY 14 | 1/08 | 7,674 | 18.69 | 0 | 6 | 41 |
| | | 2/08 | 6,713 | 18.69 | 0 | 6 | 39 |
| | | 3/08 | 7,068 | 21.10 | 0 | 6 | 38 |
| | | 4/08 | 6,989 | 21.10 | 0 | 6 | 39 |
| | | 5/08 | 6,546 | 21.10 | 0 | 6 | 35 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|----------------|-----------------|-----------|---------------|-------------|---------------|--------------------------|
| TERRA | BAGLEY 14 | 6/08 | 6,285 | 19.42 | 0 | 6 | 35 |
| | | 7/08 | 6,897 | 19.42 | 0 | 6 | 37 |
| | | 8/08 | 7,140 | 19.42 | 0 | 6 | 38 |
| | | 9/08 | 6,670 | 19.63 | 0 | 6 | 37 |
| | | 10/08 | 6,896 | 19.63 | 0 | 6 | 37 |
| | | 11/08 | 5,258 | 19.63 | 0 | 6 | 29 |
| | | 12/08 | 6,373 | 13.54 | 0 | 6 | 34 |
| | | | | 80,509 | | 0 | |
| TERRA | BAGLEY 15 EAST | 1/08 | 1,675 | 20.32 | 3 | 1 | 54 |
| | | 2/08 | 1,389 | 20.32 | 2 | 1 | 48 |
| | | 3/08 | 1,500 | 20.32 | 3 | 1 | 48 |
| | | 4/08 | 1,425 | 20.32 | 5 | 1 | 48 |
| | | 5/08 | 1,508 | 20.32 | 1 | 1 | 49 |
| | | 6/08 | 1,570 | 20.32 | 0 | 1 | 52 |
| | | 7/08 | 1,629 | 20.32 | 0 | 1 | 53 |
| | | 8/08 | 1,654 | 20.32 | 0 | 1 | 53 |
| | | 9/08 | 1,548 | 20.32 | 0 | 1 | 52 |
| | | 10/08 | 1,629 | 20.32 | 0 | 1 | 53 |
| | | 11/08 | 1,236 | 20.32 | 0 | 1 | 41 |
| | | 12/08 | 1,471 | 20.32 | 0 | 1 | 47 |
| | | 18,234 | | 14 | | | |
| TERRA | BAGLEY 15 WEST | 1/08 | 3,335 | 20.32 | 0 | 1 | 108 |
| | | 2/08 | 3,034 | 20.32 | 0 | 1 | 105 |
| | | 3/08 | 3,156 | 20.32 | 0 | 1 | 102 |
| | | 4/08 | 3,078 | 20.32 | 0 | 1 | 103 |
| | | 5/08 | 3,091 | 20.32 | 1 | 1 | 100 |
| | | 6/08 | 3,160 | 20.32 | 0 | 1 | 105 |
| | | 7/08 | 3,235 | 20.32 | 0 | 1 | 104 |
| | | 8/08 | 2,385 | 20.32 | 0 | 1 | 77 |
| | | 9/08 | 2,475 | 20.32 | 0 | 1 | 83 |
| | | 10/08 | 3,234 | 20.32 | 0 | 1 | 104 |
| | | 11/08 | 2,382 | 20.32 | 0 | 1 | 79 |
| | | 12/08 | 2,862 | 20.32 | 0 | 1 | 92 |
| | | 35,427 | | 1 | | | |
| TERRA | BAGLEY 700 | 1/08 | 4,508 | 15.42 | 95 | 15 | 10 |
| | | 2/08 | 2,933 | 15.42 | 203 | 15 | 7 |
| | | 3/08 | 2,357 | 15.25 | 154 | 15 | 5 |
| | | 4/08 | 2,733 | 15.25 | 334 | 15 | 6 |
| | | 5/08 | 3,159 | 15.25 | 431 | 15 | 7 |
| | | 6/08 | 2,619 | 16.30 | 290 | 15 | 6 |
| | | 7/08 | 3,038 | 16.30 | 544 | 15 | 7 |
| | | 8/08 | 1,738 | 16.30 | 496 | 15 | 4 |
| | | 9/08 | 1,930 | 16.15 | 0 | 15 | 4 |
| | | 10/08 | 3,038 | 16.15 | 1 | 15 | 7 |
| | | 11/08 | 2,943 | 16.15 | 0 | 15 | 7 |
| | | 12/08 | 2,964 | 16.91 | 67 | 15 | 6 |
| | | 33,960 | | 2,615 | | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|--------------|-----------------|-----------|-------|----------------|---------------|--------------------------|
| TERRA | BART STAR | 1/08 | 55,365 | 11.68 | 4,930 | 33 | 54 |
| | | 2/08 | 51,506 | 11.33 | 3,734 | 33 | 54 |
| | | 3/08 | 52,855 | 11.63 | 4,529 | 33 | 52 |
| | | 4/08 | 50,359 | 11.63 | 2,380 | 33 | 51 |
| | | 5/08 | 54,205 | 11.63 | 2,897 | 33 | 53 |
| | | 6/08 | 50,679 | 12.56 | 3,118 | 33 | 51 |
| | | 7/08 | 51,487 | 12.56 | 4,138 | 33 | 50 |
| | | 8/08 | 50,660 | 12.56 | 3,636 | 33 | 50 |
| | | 9/08 | 49,438 | 8.87 | 3,430 | 33 | 50 |
| | | 10/08 | 51,499 | 8.87 | 4,249 | 33 | 50 |
| | | 11/08 | 45,943 | 8.87 | 4,175 | 33 | 46 |
| | | 12/08 | 48,293 | 11.00 | 3,669 | 33 | 47 |
| | | | | | 612,289 | | 44,885 |
| TERRA | BEAVER LAKE | 1/08 | 31,717 | 13.46 | 4,016 | 21 | 49 |
| | | 2/08 | 29,115 | 13.46 | 3,877 | 21 | 48 |
| | | 3/08 | 31,361 | 13.26 | 4,091 | 21 | 48 |
| | | 4/08 | 29,145 | 13.26 | 3,961 | 21 | 46 |
| | | 5/08 | 30,512 | 13.26 | 4,108 | 21 | 47 |
| | | 6/08 | 30,672 | 13.33 | 4,024 | 21 | 49 |
| | | 7/08 | 33,619 | 13.33 | 4,041 | 21 | 52 |
| | | 8/08 | 32,205 | 13.33 | 4,008 | 21 | 49 |
| | | 9/08 | 31,844 | 13.33 | 3,871 | 21 | 51 |
| | | 10/08 | 33,618 | 13.89 | 3,870 | 21 | 52 |
| | | 11/08 | 30,066 | 13.89 | 3,741 | 21 | 48 |
| | | 12/08 | 28,608 | 13.77 | 3,835 | 21 | 44 |
| | | | | | 372,482 | | 47,443 |
| TERRA | BLUE HERRON | 1/08 | 22,165 | 13.21 | 1,030 | 13 | 55 |
| | | 2/08 | 20,877 | 13.21 | 881 | 13 | 55 |
| | | 3/08 | 21,510 | 0.14 | 888 | 13 | 53 |
| | | 4/08 | 20,833 | 0.14 | 970 | 13 | 53 |
| | | 5/08 | 21,576 | 0.14 | 966 | 13 | 54 |
| | | 6/08 | 21,735 | 14.52 | 1,067 | 13 | 56 |
| | | 7/08 | 22,065 | 14.52 | 1,190 | 13 | 55 |
| | | 8/08 | 23,043 | 14.52 | 1,434 | 13 | 57 |
| | | 9/08 | 21,824 | 14.74 | 1,473 | 13 | 56 |
| | | 10/08 | 22,064 | 14.74 | 1,735 | 13 | 55 |
| | | 11/08 | 20,977 | 14.74 | 1,312 | 13 | 54 |
| | | 12/08 | 21,421 | 14.44 | 1,322 | 13 | 53 |
| | | | | | 260,090 | | 14,268 |
| TERRA | BRADY BUNCH | 1/08 | 10,665 | 6.49 | 576 | 11 | 31 |
| | | 2/08 | 8,469 | 6.49 | 700 | 11 | 27 |
| | | 3/08 | 10,859 | 6.49 | 1,702 | 11 | 32 |
| | | 4/08 | 10,432 | 6.49 | 1,639 | 11 | 32 |
| | | 5/08 | 10,613 | 6.49 | 1,561 | 11 | 31 |
| | | 6/08 | 10,476 | 6.49 | 1,510 | 11 | 32 |
| | | 7/08 | 11,065 | 6.49 | 1,483 | 11 | 32 |
| | | 8/08 | 12,363 | 6.49 | 1,761 | 11 | 36 |
| | | 9/08 | 10,856 | 6.49 | 1,370 | 11 | 33 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|----------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| TERRA | BRADY BUNCH | 10/08 | 11,064 | 6.49 | 1,171 | 11 | 32 |
| | | 11/08 | 10,096 | 6.49 | 1,118 | 11 | 31 |
| | | 12/08 | 9,729 | 6.49 | 1,034 | 11 | 29 |
| | | | 126,687 | | 15,625 | | |
| TERRA | BUSHMAN | 1/08 | 45,596 | 12.87 | 996 | 14 | 105 |
| | | 2/08 | 42,374 | 12.87 | 1,052 | 14 | 104 |
| | | 3/08 | 43,913 | 12.87 | 1,481 | 14 | 101 |
| | | 4/08 | 41,644 | 12.90 | 1,279 | 14 | 99 |
| | | 5/08 | 43,269 | 12.90 | 1,507 | 14 | 100 |
| | | 6/08 | 41,122 | 12.83 | 1,509 | 14 | 98 |
| | | 7/08 | 42,000 | 12.83 | 1,486 | 14 | 97 |
| | | 8/08 | 40,724 | 12.83 | 1,826 | 15 | 88 |
| | | 9/08 | 40,066 | 12.83 | 1,709 | 15 | 89 |
| | | 10/08 | 41,998 | 13.32 | 1,848 | 15 | 90 |
| | | 11/08 | 41,476 | 13.32 | 1,892 | 15 | 92 |
| | | 12/08 | 42,384 | 13.32 | 1,858 | 15 | 91 |
| | 506,566 | | 18,443 | | | | |
| TERRA | CARBON BLACK | 1/08 | 22,174 | 11.08 | 1,753 | 17 | 42 |
| | | 2/08 | 20,300 | 11.08 | 1,664 | 17 | 41 |
| | | 3/08 | 21,587 | 11.08 | 1,430 | 17 | 41 |
| | | 4/08 | 19,549 | 11.08 | 1,051 | 17 | 38 |
| | | 5/08 | 21,038 | 11.08 | 1,008 | 17 | 40 |
| | | 6/08 | 19,282 | 11.23 | 948 | 17 | 38 |
| | | 7/08 | 20,224 | 11.23 | 2,128 | 17 | 38 |
| | | 8/08 | 15,299 | 11.23 | 1,070 | 17 | 29 |
| | | 9/08 | 20,505 | 10.61 | 1,087 | 17 | 40 |
| | | 10/08 | 20,224 | 10.61 | 1,266 | 17 | 38 |
| | | 11/08 | 20,087 | 10.61 | 1,188 | 17 | 39 |
| | | 12/08 | 20,829 | 12.07 | 2,832 | 17 | 40 |
| | 241,098 | | 17,425 | | | | |
| TERRA | CATTLE | 1/08 | 10,939 | 18.03 | 397 | 14 | 25 |
| | | 2/08 | 9,963 | 18.03 | 343 | 14 | 25 |
| | | 3/08 | 11,497 | 18.03 | 412 | 14 | 26 |
| | | 4/08 | 10,461 | 18.03 | 345 | 14 | 25 |
| | | 5/08 | 11,004 | 18.03 | 370 | 14 | 25 |
| | | 6/08 | 11,060 | 18.03 | 309 | 14 | 26 |
| | | 7/08 | 10,429 | 18.03 | 320 | 14 | 24 |
| | | 8/08 | 9,837 | 18.03 | 333 | 14 | 23 |
| | | 9/08 | 8,911 | 18.03 | 311 | 14 | 21 |
| | | 10/08 | 10,428 | 18.03 | 328 | 14 | 24 |
| | | 11/08 | 8,591 | 18.03 | 309 | 14 | 20 |
| | | 12/08 | 7,921 | 18.03 | 328 | 14 | 18 |
| | 121,041 | | 4,105 | | | | |
| TERRA | CHARLTON EAST | 1/08 | 22,211 | 24.06 | 0 | 30 | 24 |
| | | 2/08 | 20,878 | 24.06 | 0 | 30 | 24 |
| | | 3/08 | 23,993 | 0.00 | 0 | 30 | 26 |
| | | 4/08 | 22,267 | 0.00 | 0 | 30 | 25 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|---------------|-----------------|---------------|----------------|----------------|---------------|--------------------------|----|---|
| TERRA | CHARLTON EAST | 5/08 | 23,630 | 24.75 | 0 | 30 | 25 | | |
| | | 6/08 | 22,627 | 24.84 | 0 | 30 | 25 | | |
| | | 7/08 | 20,655 | 24.84 | 0 | 30 | 22 | | |
| | | 8/08 | 21,440 | 24.84 | 0 | 30 | 23 | | |
| | | 9/08 | 23,578 | 24.26 | 0 | 30 | 26 | | |
| | | 10/08 | 20,653 | 24.26 | 0 | 30 | 22 | | |
| | | 11/08 | 23,065 | 24.26 | 0 | 30 | 26 | | |
| | | 12/08 | 21,440 | 24.51 | 0 | 30 | 23 | | |
| | | | | | 266,437 | | 0 | | |
| | | TERRA | CHARLTON WEST | 1/08 | 10,849 | 27.28 | 0 | 42 | 8 |
| 2/08 | 10,229 | | | 27.28 | 0 | 42 | 8 | | |
| 3/08 | 10,079 | | | 26.69 | 0 | 42 | 8 | | |
| 4/08 | 10,487 | | | 26.69 | 0 | 42 | 8 | | |
| 5/08 | 9,747 | | | 26.69 | 0 | 42 | 7 | | |
| 6/08 | 10,620 | | | 26.94 | 0 | 42 | 8 | | |
| 7/08 | 11,979 | | | 26.94 | 0 | 42 | 9 | | |
| 8/08 | 10,727 | | | 26.94 | 0 | 42 | 8 | | |
| 9/08 | 11,104 | | | 26.82 | 0 | 42 | 9 | | |
| 10/08 | 11,978 | | | 26.82 | 0 | 42 | 9 | | |
| 11/08 | 11,196 | | | 26.82 | 0 | 42 | 9 | | |
| 12/08 | 10,089 | | | 27.16 | 0 | 44 | 7 | | |
| | | | | 129,084 | | 0 | | | |
| TERRA | CHESTER 7-11 | 1/08 | 6,103 | 16.75 | 2,792 | 13 | 15 | | |
| | | 2/08 | 6,228 | 16.75 | 2,514 | 13 | 17 | | |
| | | 3/08 | 7,907 | 17.74 | 3,033 | 13 | 20 | | |
| | | 4/08 | 6,966 | 17.74 | 2,416 | 13 | 18 | | |
| | | 5/08 | 6,932 | 17.74 | 2,669 | 13 | 17 | | |
| | | 6/08 | 5,962 | 17.18 | 3,315 | 13 | 15 | | |
| | | 7/08 | 6,220 | 17.18 | 1,515 | 13 | 15 | | |
| | | 8/08 | 3,635 | 17.18 | 1,980 | 13 | 9 | | |
| | | 9/08 | 6,326 | 17.05 | 2,027 | 13 | 16 | | |
| | | 10/08 | 6,220 | 17.05 | 1,997 | 13 | 15 | | |
| | | 11/08 | 7,704 | 17.05 | 2,263 | 13 | 20 | | |
| | | 12/08 | 7,628 | 17.46 | 2,141 | 13 | 19 | | |
| | | | | | 77,831 | | 28,662 | | |
| TERRA | CORWITH | 1/08 | 26,553 | 9.10 | 0 | 29 | 30 | | |
| | | 2/08 | 23,856 | 9.42 | 0 | 29 | 28 | | |
| | | 3/08 | 26,372 | 9.40 | 0 | 29 | 29 | | |
| | | 4/08 | 25,727 | 9.40 | 0 | 29 | 30 | | |
| | | 5/08 | 26,339 | 9.40 | 0 | 29 | 29 | | |
| | | 6/08 | 26,097 | 9.92 | 0 | 29 | 30 | | |
| | | 7/08 | 26,869 | 9.92 | 0 | 29 | 30 | | |
| | | 8/08 | 26,662 | 9.92 | 0 | 29 | 30 | | |
| | | 9/08 | 24,589 | 10.15 | 0 | 29 | 28 | | |
| | | 10/08 | 26,794 | 10.15 | 0 | 29 | 30 | | |
| | | 11/08 | 35,073 | 10.15 | 0 | 29 | 40 | | |
| | | 12/08 | 28,604 | 10.50 | 0 | 29 | 32 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-----------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| | | | 323,535 | | 0 | | |
| TERRA | DUBIE BROTHERS | 1/08 | 14,064 | 7.68 | 17,494 | 16 | 28 |
| | | 2/08 | 13,683 | 7.68 | 17,606 | 16 | 29 |
| | | 3/08 | 14,213 | 7.68 | 18,291 | 16 | 29 |
| | | 4/08 | 13,714 | 8.90 | 17,327 | 16 | 29 |
| | | 5/08 | 14,606 | 8.90 | 18,508 | 16 | 29 |
| | | 6/08 | 14,081 | 8.90 | 17,081 | 16 | 29 |
| | | 7/08 | 14,259 | 8.90 | 16,453 | 16 | 29 |
| | | 8/08 | 15,105 | 8.90 | 18,046 | 16 | 30 |
| | | 9/08 | 13,888 | 8.90 | 16,983 | 16 | 29 |
| | | 10/08 | 14,259 | 8.90 | 17,135 | 16 | 29 |
| | | 11/08 | 14,043 | 8.90 | 16,921 | 16 | 29 |
| | | 12/08 | 15,283 | 8.90 | 18,280 | 16 | 31 |
| | | | 171,198 | | 210,125 | | |
| TERRA | ELK RIDGE | 1/08 | 17,578 | 6.72 | 0 | 17 | 33 |
| | | 2/08 | 14,839 | 6.72 | 0 | 17 | 30 |
| | | 3/08 | 17,282 | 6.72 | 0 | 17 | 33 |
| | | 4/08 | 16,909 | 6.72 | 0 | 17 | 33 |
| | | 5/08 | 17,523 | 6.72 | 0 | 17 | 33 |
| | | 6/08 | 16,960 | 6.24 | 0 | 17 | 33 |
| | | 7/08 | 17,110 | 6.24 | 0 | 17 | 32 |
| | | 8/08 | 15,748 | 6.24 | 0 | 17 | 30 |
| | | 9/08 | 17,356 | 6.15 | 0 | 17 | 34 |
| | | 10/08 | 17,110 | 6.15 | 0 | 17 | 32 |
| | | 11/08 | 16,970 | 6.15 | 0 | 17 | 33 |
| | | 12/08 | 17,434 | 6.15 | 0 | 17 | 33 |
| | | | 202,819 | | 0 | | |
| TERRA | ELMER FUDD 1-A | 1/08 | 24,982 | 9.48 | 12,135 | 35 | 23 |
| | | 2/08 | 39,090 | 9.48 | 18,912 | 35 | 38 |
| | | 3/08 | 41,984 | 9.55 | 17,899 | 35 | 39 |
| | | 4/08 | 38,752 | 9.55 | 16,530 | 35 | 37 |
| | | 5/08 | 37,366 | 9.55 | 14,924 | 35 | 34 |
| | | 6/08 | 38,258 | 10.02 | 14,650 | 35 | 36 |
| | | 7/08 | 44,594 | 10.02 | 17,533 | 35 | 41 |
| | | 8/08 | 53,878 | 10.02 | 19,669 | 35 | 50 |
| | | 9/08 | 41,838 | 10.02 | 19,483 | 35 | 40 |
| | | 10/08 | 44,347 | 10.02 | 21,511 | 35 | 41 |
| | | 11/08 | 44,088 | 9.96 | 18,729 | 35 | 42 |
| | | 12/08 | 42,969 | 10.37 | 17,356 | 35 | 40 |
| | | | 492,146 | | 209,331 | | |
| TERRA | ELMER FUDD EAST | 1/08 | 63,161 | 12.83 | 10,002 | 24 | 85 |
| | | 2/08 | 61,095 | 12.83 | 10,018 | 24 | 88 |
| | | 3/08 | 60,858 | 12.83 | 9,475 | 24 | 82 |
| | | 4/08 | 59,267 | 13.00 | 9,936 | 24 | 82 |
| | | 5/08 | 63,213 | 13.00 | 10,597 | 24 | 85 |
| | | 6/08 | 61,058 | 12.52 | 8,901 | 24 | 85 |
| | | 7/08 | 66,568 | 12.52 | 8,092 | 24 | 89 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|--------------------|-----------------|-----------|----------------|-------------|----------------|--------------------------|
| TERRA | ELMER FUDD EAST | 8/08 | 60,041 | 12.52 | 8,724 | 24 | 81 |
| | | 9/08 | 61,829 | 12.52 | 9,234 | 24 | 86 |
| | | 10/08 | 66,566 | 12.52 | 8,980 | 24 | 89 |
| | | 11/08 | 59,899 | 13.68 | 7,955 | 24 | 83 |
| | | 12/08 | 61,020 | 13.68 | 7,829 | 24 | 82 |
| | | | | 744,575 | | 109,743 | |
| TERRA | ELMIRA THRIVE EAST | 1/08 | 10,441 | 0.70 | 52,670 | 15 | 22 |
| | | 2/08 | 9,763 | 0.00 | 49,136 | 14 | 24 |
| | | 3/08 | 11,250 | 7.21 | 46,182 | 14 | 26 |
| | | 4/08 | 10,950 | 7.21 | 41,478 | 14 | 26 |
| | | 5/08 | 8,457 | 7.21 | 48,985 | 14 | 19 |
| | | 6/08 | 10,039 | 7.24 | 47,746 | 15 | 22 |
| | | 7/08 | 10,457 | 7.24 | 44,316 | 15 | 22 |
| | | 8/08 | 9,705 | 7.24 | 53,954 | 15 | 21 |
| | | 9/08 | 9,694 | 7.85 | 54,884 | 15 | 22 |
| | | 10/08 | 10,457 | 7.85 | 48,631 | 15 | 22 |
| | | 11/08 | 9,729 | 7.85 | 55,646 | 15 | 22 |
| | | 12/08 | 10,098 | 7.79 | 41,741 | 15 | 22 |
| | | | | 121,040 | | 585,369 | |
| TERRA | ESS LAKE | 1/08 | 692 | 3.23 | 0 | 1 | 22 |
| | | 2/08 | 596 | 3.23 | 0 | 1 | 21 |
| | | 3/08 | 683 | 3.23 | 0 | 1 | 22 |
| | | 4/08 | 621 | 3.23 | 0 | 1 | 21 |
| | | 5/08 | 651 | 3.23 | 0 | 1 | 21 |
| | | 6/08 | 490 | 3.32 | 0 | 1 | 16 |
| | | 7/08 | 458 | 3.32 | 0 | 1 | 15 |
| | | 8/08 | 562 | 3.32 | 0 | 1 | 18 |
| | | 9/08 | 637 | 3.26 | 0 | 1 | 21 |
| | | 10/08 | 458 | 3.26 | 0 | 1 | 15 |
| | | 11/08 | 626 | 3.26 | 0 | 1 | 21 |
| | | 12/08 | 596 | 3.26 | 0 | 1 | 19 |
| | | 7,070 | | 0 | | | |
| TERRA | HAPPY HILLMAN | 1/08 | 23,899 | 22.44 | 772 | 27 | 29 |
| | | 2/08 | 25,697 | 22.44 | 769 | 27 | 33 |
| | | 3/08 | 27,653 | 22.45 | 800 | 27 | 33 |
| | | 4/08 | 24,745 | 22.45 | 784 | 27 | 31 |
| | | 5/08 | 27,255 | 22.45 | 806 | 27 | 33 |
| | | 6/08 | 23,070 | 23.69 | 759 | 27 | 28 |
| | | 7/08 | 23,699 | 23.69 | 769 | 27 | 28 |
| | | 8/08 | 23,231 | 23.69 | 765 | 27 | 28 |
| | | 9/08 | 23,006 | 23.04 | 737 | 27 | 28 |
| | | 10/08 | 23,697 | 23.04 | 769 | 27 | 28 |
| | | 11/08 | 21,719 | 23.04 | 738 | 27 | 27 |
| | | 12/08 | 20,898 | 21.02 | 704 | 27 | 25 |
| | | 288,569 | | 9,172 | | | |
| TERRA | HEAD START | 1/08 | 18,420 | 11.50 | 3,708 | 12 | 50 |
| | | 2/08 | 16,681 | 11.50 | 3,377 | 12 | 48 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|----------------|-----------------|--------------|----------------|----------------|---------------|--------------------------|----|----|
| TERRA | HEAD START | 3/08 | 15,824 | 11.50 | 3,519 | 12 | 43 | | |
| | | 4/08 | 14,689 | 11.50 | 3,292 | 12 | 41 | | |
| | | 5/08 | 16,395 | 11.50 | 2,979 | 12 | 44 | | |
| | | 6/08 | 17,440 | 11.90 | 2,876 | 12 | 48 | | |
| | | 7/08 | 19,360 | 11.90 | 2,916 | 12 | 52 | | |
| | | 8/08 | 18,149 | 11.90 | 2,893 | 12 | 49 | | |
| | | 9/08 | 17,015 | 12.06 | 2,761 | 12 | 47 | | |
| | | 10/08 | 19,359 | 12.06 | 2,902 | 12 | 52 | | |
| | | 11/08 | 16,873 | 12.06 | 2,817 | 12 | 47 | | |
| | | 12/08 | 16,940 | 12.06 | 2,943 | 12 | 46 | | |
| | | | | | 207,145 | | 36,983 | | |
| | | TERRA | HUNT N HAYES | 1/08 | 35,374 | 21.27 | 792 | 27 | 42 |
| | | | | 2/08 | 32,243 | 21.27 | 748 | 27 | 41 |
| 3/08 | 33,504 | | | 21.05 | 788 | 27 | 40 | | |
| 4/08 | 32,771 | | | 21.05 | 771 | 27 | 40 | | |
| 5/08 | 34,701 | | | 21.05 | 793 | 27 | 41 | | |
| 6/08 | 32,925 | | | 21.10 | 749 | 27 | 41 | | |
| 7/08 | 32,734 | | | 21.10 | 753 | 27 | 39 | | |
| 8/08 | 33,247 | | | 21.10 | 757 | 27 | 40 | | |
| 9/08 | 33,153 | | | 20.95 | 741 | 27 | 41 | | |
| 10/08 | 32,732 | | | 20.95 | 761 | 27 | 39 | | |
| 11/08 | 33,053 | | | 20.95 | 735 | 27 | 41 | | |
| 12/08 | 33,653 | | | 21.45 | 759 | 30 | 36 | | |
| | | | | 400,090 | | 9,147 | | | |
| TERRA | JACK SPRATT | 1/08 | 20,126 | 12.19 | 892 | 15 | 43 | | |
| | | 2/08 | 18,149 | 12.19 | 777 | 15 | 42 | | |
| | | 3/08 | 19,029 | 12.51 | 840 | 15 | 41 | | |
| | | 4/08 | 19,181 | 12.51 | 866 | 15 | 43 | | |
| | | 5/08 | 19,903 | 12.51 | 864 | 15 | 43 | | |
| | | 6/08 | 18,102 | 12.52 | 816 | 14 | 43 | | |
| | | 7/08 | 17,018 | 12.52 | 861 | 15 | 37 | | |
| | | 8/08 | 16,390 | 12.52 | 881 | 15 | 35 | | |
| | | 9/08 | 16,947 | 12.52 | 802 | 15 | 38 | | |
| | | 10/08 | 17,018 | 12.52 | 878 | 15 | 37 | | |
| | | 11/08 | 18,155 | 12.52 | 793 | 15 | 40 | | |
| | | 12/08 | 18,772 | 11.75 | 911 | 15 | 40 | | |
| | | | | | 218,790 | | 10,181 | | |
| TERRA | LIFE OF BRILEY | 1/08 | 28,224 | 11.69 | 0 | 28 | 33 | | |
| | | 2/08 | 32,196 | 11.69 | 0 | 28 | 40 | | |
| | | 3/08 | 47,449 | 11.69 | 0 | 28 | 55 | | |
| | | 4/08 | 48,215 | 11.69 | 0 | 28 | 57 | | |
| | | 5/08 | 46,486 | 11.69 | 0 | 28 | 54 | | |
| | | 6/08 | 43,770 | 12.32 | 882 | 28 | 52 | | |
| | | 7/08 | 45,979 | 12.32 | 4,365 | 28 | 53 | | |
| | | 8/08 | 51,739 | 0.00 | 4,241 | 28 | 60 | | |
| | | 9/08 | 44,415 | 13.23 | 3,369 | 28 | 53 | | |
| | | 10/08 | 45,978 | 13.23 | 3,029 | 28 | 53 | | |
| | | 11/08 | 41,697 | 13.23 | 2,663 | 28 | 50 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|----------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| TERRA | LIFE OF BRILEY | 12/08 | 42,822 | 13.23 | 2,250 | 28 | 49 |
| | | | 518,970 | | 20,799 | | |
| | | | | | | | |
| TERRA | LITTLE RASCALS | 1/08 | 12,449 | 9.39 | 460 | 16 | 25 |
| | | 2/08 | 14,969 | 9.39 | 380 | 16 | 32 |
| | | 3/08 | 15,415 | 9.54 | 315 | 16 | 31 |
| | | 4/08 | 15,991 | 9.54 | 376 | 16 | 33 |
| | | 5/08 | 15,224 | 9.54 | 357 | 16 | 31 |
| | | 6/08 | 14,299 | 9.44 | 347 | 16 | 30 |
| | | 7/08 | 15,017 | 9.44 | 402 | 16 | 30 |
| | | 8/08 | 15,035 | 9.44 | 260 | 16 | 30 |
| | | 9/08 | 15,710 | 9.44 | 313 | 16 | 33 |
| | | 10/08 | 15,016 | 9.44 | 365 | 16 | 30 |
| | | 11/08 | 15,072 | 9.58 | 389 | 16 | 31 |
| | | 12/08 | 13,088 | 9.86 | 421 | 16 | 26 |
| | | | 177,285 | | 4,385 | | |
| TERRA | LIVINGSTON 17 | 1/08 | 21,565 | 7.63 | 7,202 | 20 | 35 |
| | | 2/08 | 19,261 | 7.63 | 4,130 | 20 | 33 |
| | | 3/08 | 21,606 | 7.53 | 5,891 | 20 | 35 |
| | | 4/08 | 24,639 | 7.53 | 6,847 | 19 | 43 |
| | | 5/08 | 24,526 | 7.53 | 7,910 | 20 | 40 |
| | | 6/08 | 23,265 | 7.51 | 6,765 | 20 | 39 |
| | | 7/08 | 22,465 | 7.51 | 5,949 | 20 | 36 |
| | | 8/08 | 22,957 | 7.51 | 5,401 | 20 | 37 |
| | | 9/08 | 23,130 | 7.66 | 6,619 | 20 | 39 |
| | | 10/08 | 22,465 | 7.66 | 6,191 | 20 | 36 |
| | | 11/08 | 22,965 | 7.66 | 5,508 | 20 | 38 |
| | | 12/08 | 22,132 | 8.07 | 5,426 | 20 | 36 |
| | | | 270,976 | | 73,839 | | |
| TERRA | LUCKY 16 | 1/08 | 10,874 | 14.48 | 0 | 17 | 21 |
| | | 2/08 | 10,137 | 14.48 | 0 | 17 | 21 |
| | | 3/08 | 10,710 | 14.48 | 0 | 17 | 20 |
| | | 4/08 | 10,001 | 14.48 | 0 | 17 | 20 |
| | | 5/08 | 10,246 | 14.48 | 0 | 17 | 19 |
| | | 6/08 | 10,159 | 14.48 | 0 | 17 | 20 |
| | | 7/08 | 10,310 | 14.48 | 0 | 17 | 20 |
| | | 8/08 | 12,079 | 14.48 | 0 | 17 | 23 |
| | | 9/08 | 11,348 | 14.48 | 0 | 17 | 22 |
| | | 10/08 | 10,278 | 14.48 | 0 | 17 | 19 |
| | | 11/08 | 9,536 | 14.48 | 0 | 17 | 19 |
| | | 12/08 | 10,331 | 14.48 | 0 | 17 | 20 |
| | | | 126,009 | | 0 | | |
| TERRA | MILLER TIME | 1/08 | 10,224 | 11.90 | 1,370 | 6 | 55 |
| | | 2/08 | 6,828 | 11.90 | 957 | 6 | 39 |
| | | 3/08 | 7,739 | 11.89 | 1,035 | 6 | 42 |
| | | 4/08 | 8,591 | 11.89 | 1,106 | 6 | 48 |
| | | 5/08 | 8,280 | 11.89 | 950 | 6 | 45 |
| | | 6/08 | 7,939 | 12.05 | 935 | 6 | 44 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-------------------------|-----------------|-----------|-------|----------------|---------------|--------------------------|
| TERRA | MILLER TIME | 7/08 | 7,874 | 12.05 | 988 | 6 | 42 |
| | | 8/08 | 10,328 | 12.05 | 1,201 | 6 | 56 |
| | | 9/08 | 9,364 | 12.74 | 1,117 | 6 | 52 |
| | | 10/08 | 7,874 | 12.74 | 1,045 | 6 | 42 |
| | | 11/08 | 7,866 | 12.74 | 965 | 6 | 44 |
| | | 12/08 | 7,865 | 12.19 | 1,049 | 6 | 42 |
| | | | | | 100,772 | | 12,718 |
| TERRA | MINKE COAT | 1/08 | 9,693 | 6.22 | 38,387 | 16 | 20 |
| | | 2/08 | 8,906 | 6.22 | 35,598 | 16 | 19 |
| | | 3/08 | 11,363 | 6.22 | 37,236 | 16 | 23 |
| | | 4/08 | 9,980 | 6.02 | 37,763 | 16 | 21 |
| | | 5/08 | 9,291 | 6.02 | 36,673 | 16 | 19 |
| | | 6/08 | 10,382 | 6.02 | 37,790 | 16 | 22 |
| | | 7/08 | 11,038 | 6.02 | 40,735 | 16 | 22 |
| | | 8/08 | 10,695 | 6.02 | 40,042 | 18 | 19 |
| | | 9/08 | 10,290 | 6.07 | 37,400 | 18 | 19 |
| | | 10/08 | 11,038 | 6.07 | 39,312 | 18 | 20 |
| | | 11/08 | 10,557 | 6.07 | 39,236 | 18 | 20 |
| | | 12/08 | 8,669 | 6.22 | 37,971 | 18 | 16 |
| | | | | | 121,902 | | 458,143 |
| TERRA | MOSSBACK | 1/08 | 25,742 | 4.59 | 28,220 | 14 | 59 |
| | | 2/08 | 22,094 | 4.59 | 24,954 | 14 | 54 |
| | | 3/08 | 24,173 | 4.59 | 33,762 | 14 | 56 |
| | | 4/08 | 24,526 | 4.59 | 31,443 | 14 | 58 |
| | | 5/08 | 0 | 4.59 | 29,559 | 14 | 0 |
| | | 6/08 | 0 | 4.59 | 31,524 | 14 | 0 |
| | | 7/08 | 25,679 | 4.59 | 26,506 | 14 | 59 |
| | | 8/08 | 0 | 4.82 | 22,397 | 16 | 0 |
| | | 9/08 | 18,949 | 4.82 | 23,265 | 16 | 39 |
| | | 10/08 | 25,187 | 4.82 | 23,261 | 16 | 51 |
| | | 11/08 | 24,260 | 4.82 | 26,624 | 16 | 51 |
| | | 12/08 | 24,365 | 4.82 | 26,547 | 16 | 49 |
| | | | | | 214,975 | | 328,062 |
| TERRA | NORTH STARMIRA 1 (NADV- | 1/08 | 10,162 | 16.83 | 420 | 10 | 33 |
| | | 2/08 | 9,110 | 16.83 | 399 | 10 | 31 |
| | | 3/08 | 9,932 | 16.84 | 427 | 10 | 32 |
| | | 4/08 | 9,618 | 16.84 | 407 | 10 | 32 |
| | | 5/08 | 9,865 | 16.84 | 402 | 10 | 32 |
| | | 6/08 | 8,863 | 17.13 | 337 | 10 | 30 |
| | | 7/08 | 10,162 | 17.13 | 400 | 10 | 33 |
| | | 8/08 | 10,705 | 17.13 | 322 | 10 | 35 |
| | | 9/08 | 8,010 | 16.71 | 321 | 10 | 27 |
| | | 10/08 | 10,163 | 16.71 | 337 | 10 | 33 |
| | | 11/08 | 8,013 | 16.71 | 324 | 10 | 27 |
| | | 12/08 | 7,482 | 17.53 | 306 | 10 | 24 |
| | | | | | 112,085 | | 4,402 |
| TERRA | NORTH STARMIRA 2 (NADV- | 1/08 | 10,932 | 16.82 | 532 | 11 | 32 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|-------------------------|-----------------|-------------------------|-------|----------------|---------------|--------------------------|----|----|
| TERRA | NORTH STARMIRA 2 (NADV- | 2/08 | 10,017 | 16.82 | 470 | 11 | 31 | | |
| | | 3/08 | 10,794 | 0.00 | 498 | 11 | 32 | | |
| | | 4/08 | 9,885 | 0.00 | 446 | 11 | 30 | | |
| | | 5/08 | 10,319 | 16.82 | 441 | 11 | 30 | | |
| | | 6/08 | 10,241 | 16.99 | 414 | 11 | 31 | | |
| | | 7/08 | 10,741 | 16.99 | 439 | 11 | 31 | | |
| | | 8/08 | 12,838 | 16.99 | 365 | 11 | 38 | | |
| | | 9/08 | 9,691 | 16.87 | 422 | 11 | 29 | | |
| | | 10/08 | 10,742 | 16.87 | 401 | 11 | 31 | | |
| | | 11/08 | 9,404 | 16.87 | 399 | 11 | 28 | | |
| | | 12/08 | 9,519 | 17.46 | 417 | 11 | 28 | | |
| | | | | | 125,123 | | 5,244 | | |
| | | TERRA | NORTH STARMIRA 3 (NADV- | 1/08 | 18,314 | 14.80 | 626 | 11 | 54 |
| 2/08 | 17,058 | | | 14.80 | 565 | 11 | 53 | | |
| 3/08 | 18,262 | | | 14.96 | 604 | 11 | 54 | | |
| 4/08 | 17,688 | | | 14.96 | 556 | 11 | 54 | | |
| 5/08 | 18,189 | | | 14.96 | 1,490 | 11 | 53 | | |
| 6/08 | 17,134 | | | 0.00 | 6,276 | 11 | 52 | | |
| 7/08 | 14,810 | | | 0.00 | 25,231 | 11 | 43 | | |
| 8/08 | 12,750 | | | 0.00 | 2,615 | 11 | 37 | | |
| 9/08 | 17,748 | | | 14.93 | 2,125 | 11 | 54 | | |
| 10/08 | 14,624 | | | 14.93 | 627 | 11 | 43 | | |
| 11/08 | 16,314 | | | 14.93 | 483 | 8 | 68 | | |
| 12/08 | 18,877 | | | 15.49 | 441 | 8 | 76 | | |
| | | | | | 201,768 | | 41,639 | | |
| TERRA | NORTH STARMIRA 7 (NADV- | 1/08 | 10,270 | 13.94 | 1,172 | 11 | 30 | | |
| | | 2/08 | 9,624 | 13.94 | 1,236 | 11 | 30 | | |
| | | 3/08 | 10,313 | 13.77 | 2,388 | 11 | 30 | | |
| | | 4/08 | 9,950 | 13.77 | 2,300 | 11 | 30 | | |
| | | 5/08 | 10,113 | 13.77 | 1,463 | 11 | 30 | | |
| | | 6/08 | 9,773 | 13.25 | 2,517 | 11 | 30 | | |
| | | 7/08 | 10,715 | 13.25 | 2,206 | 11 | 31 | | |
| | | 8/08 | 10,063 | 13.25 | 2,021 | 11 | 29 | | |
| | | 9/08 | 10,008 | 13.25 | 2,144 | 11 | 30 | | |
| | | 10/08 | 10,715 | 13.25 | 2,219 | 11 | 31 | | |
| | | 11/08 | 8,704 | 13.70 | 2,423 | 11 | 26 | | |
| | | 12/08 | 9,646 | 14.37 | 1,080 | 11 | 28 | | |
| | | | | | 119,894 | | 23,169 | | |
| TERRA | PEGGY FLEMING | 1/08 | 10,329 | 8.10 | 20,902 | 10 | 33 | | |
| | | 2/08 | 9,524 | 8.10 | 18,741 | 10 | 33 | | |
| | | 3/08 | 9,820 | 7.85 | 21,146 | 10 | 32 | | |
| | | 4/08 | 8,866 | 7.85 | 53,140 | 12 | 25 | | |
| | | 5/08 | 9,146 | 7.85 | 90,440 | 12 | 25 | | |
| | | 6/08 | 9,684 | 7.54 | 77,685 | 12 | 27 | | |
| | | 7/08 | 10,812 | 7.54 | 88,260 | 12 | 29 | | |
| | | 8/08 | 10,604 | 7.54 | 60,200 | 12 | 28 | | |
| | | 9/08 | 9,217 | 7.54 | 74,795 | 12 | 26 | | |
| | | 10/08 | 10,812 | 7.54 | 72,599 | 12 | 29 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-----------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| TERRA | PEGGY FLEMING | 11/08 | 8,930 | 7.54 | 36,099 | 12 | 25 |
| | | 12/08 | 8,360 | 8.10 | 13,838 | 10 | 27 |
| | | | 116,104 | | 627,845 | | |
| TERRA | PLEASANT VALLEY | 1/08 | 12,884 | 18.34 | 724 | 18 | 23 |
| | | 2/08 | 12,694 | 18.34 | 677 | 18 | 24 |
| | | 3/08 | 13,061 | 18.82 | 699 | 18 | 23 |
| | | 4/08 | 12,601 | 18.82 | 665 | 18 | 23 |
| | | 5/08 | 12,859 | 18.82 | 705 | 18 | 23 |
| | | 6/08 | 12,723 | 19.04 | 682 | 18 | 24 |
| | | 7/08 | 13,436 | 19.04 | 706 | 18 | 24 |
| | | 8/08 | 12,728 | 19.04 | 689 | 18 | 23 |
| | | 9/08 | 11,951 | 19.48 | 663 | 18 | 22 |
| | | 10/08 | 13,435 | 19.48 | 678 | 19 | 23 |
| | | 11/08 | 14,443 | 19.48 | 670 | 19 | 25 |
| | | 12/08 | 13,230 | 18.81 | 685 | 19 | 22 |
| | 156,045 | | 8,243 | | | | |
| TERRA | PRICE IS RIGHT | 1/08 | 13,166 | 5.74 | 6,316 | 12 | 35 |
| | | 2/08 | 11,792 | 5.74 | 5,965 | 12 | 34 |
| | | 3/08 | 13,637 | 5.74 | 6,318 | 12 | 37 |
| | | 4/08 | 12,526 | 5.74 | 6,275 | 12 | 35 |
| | | 5/08 | 12,791 | 5.74 | 6,622 | 12 | 34 |
| | | 6/08 | 12,604 | 6.24 | 6,700 | 12 | 35 |
| | | 7/08 | 12,945 | 6.24 | 6,552 | 12 | 35 |
| | | 8/08 | 11,850 | 6.24 | 6,682 | 12 | 32 |
| | | 9/08 | 12,490 | 6.08 | 6,352 | 12 | 35 |
| | | 10/08 | 12,945 | 6.08 | 6,493 | 12 | 35 |
| | | 11/08 | 12,204 | 6.08 | 6,180 | 12 | 34 |
| | | 12/08 | 12,291 | 6.08 | 6,409 | 12 | 33 |
| | 151,241 | | 76,864 | | | | |
| TERRA | ROHMANN EMPIRE | 1/08 | 19,962 | 11.57 | 1,149 | 15 | 43 |
| | | 2/08 | 18,013 | 11.57 | 474 | 15 | 41 |
| | | 3/08 | 19,273 | 11.57 | 564 | 15 | 41 |
| | | 4/08 | 18,952 | 11.57 | 709 | 15 | 42 |
| | | 5/08 | 19,007 | 11.57 | 924 | 15 | 41 |
| | | 6/08 | 17,595 | 11.93 | 752 | 15 | 39 |
| | | 7/08 | 20,316 | 11.93 | 874 | 15 | 44 |
| | | 8/08 | 16,210 | 11.93 | 805 | 15 | 35 |
| | | 9/08 | 19,763 | 11.73 | 1,209 | 15 | 44 |
| | | 10/08 | 20,315 | 11.73 | 1,010 | 15 | 44 |
| | | 11/08 | 18,994 | 11.73 | 978 | 15 | 42 |
| | | 12/08 | 18,763 | 12.56 | 938 | 15 | 40 |
| | 227,163 | | 10,386 | | | | |
| TERRA | SKEBA CAPLE | 1/08 | 27,169 | 19.75 | 143 | 19 | 46 |
| | | 2/08 | 24,368 | 19.75 | 133 | 19 | 44 |
| | | 3/08 | 25,082 | 19.78 | 144 | 19 | 43 |
| | | 4/08 | 23,795 | 19.78 | 192 | 19 | 42 |
| | | 5/08 | 23,817 | 19.78 | 172 | 19 | 40 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|------------------------|-----------------|-------------|----------------|-------------|---------------|--------------------------|----|----|
| TERRA | SKEBA CAPLE | 6/08 | 24,013 | 19.43 | 123 | 19 | 42 | | |
| | | 7/08 | 25,345 | 19.43 | 105 | 19 | 43 | | |
| | | 8/08 | 24,760 | 19.43 | 110 | 19 | 42 | | |
| | | 9/08 | 23,819 | 20.51 | 116 | 19 | 42 | | |
| | | 10/08 | 25,345 | 20.51 | 98 | 19 | 43 | | |
| | | 11/08 | 24,187 | 20.51 | 98 | 19 | 42 | | |
| | | 12/08 | 23,333 | 20.28 | 101 | 19 | 40 | | |
| | | | | 295,033 | | 1,535 | | | |
| | | TERRA | SOUTH CAPLE | 1/08 | 29,722 | 14.48 | 458 | 22 | 44 |
| | | | | 2/08 | 27,600 | 14.48 | 446 | 23 | 41 |
| 3/08 | 29,483 | | | 14.91 | 480 | 23 | 41 | | |
| 4/08 | 27,201 | | | 14.91 | 479 | 23 | 39 | | |
| 5/08 | 27,829 | | | 14.91 | 417 | 23 | 39 | | |
| 6/08 | 27,227 | | | 14.88 | 382 | 23 | 39 | | |
| 7/08 | 27,102 | | | 14.88 | 361 | 23 | 38 | | |
| 8/08 | 27,394 | | | 14.88 | 339 | 23 | 38 | | |
| 9/08 | 25,266 | | | 15.05 | 320 | 23 | 37 | | |
| 10/08 | 27,102 | | | 15.05 | 321 | 23 | 38 | | |
| 11/08 | 24,040 | | | 15.05 | 468 | 23 | 35 | | |
| 12/08 | 24,223 | | | 15.19 | 412 | 23 | 34 | | |
| | | | | 324,189 | | 4,883 | | | |
| TERRA | SOUTH RUST NEVER SLEEP | 1/08 | 33,535 | 19.02 | 4,203 | 24 | 45 | | |
| | | 2/08 | 30,046 | 19.81 | 3,784 | 24 | 43 | | |
| | | 3/08 | 33,825 | 20.25 | 4,135 | 24 | 45 | | |
| | | 4/08 | 33,881 | 20.25 | 4,106 | 24 | 47 | | |
| | | 5/08 | 36,379 | 20.25 | 4,007 | 24 | 49 | | |
| | | 6/08 | 33,892 | 19.69 | 3,818 | 24 | 47 | | |
| | | 7/08 | 33,314 | 19.69 | 3,867 | 24 | 45 | | |
| | | 8/08 | 33,854 | 19.69 | 3,983 | 24 | 45 | | |
| | | 9/08 | 33,352 | 19.69 | 3,809 | 24 | 46 | | |
| | | 10/08 | 33,350 | 19.69 | 3,887 | 24 | 45 | | |
| | | 11/08 | 33,744 | 19.69 | 3,818 | 24 | 47 | | |
| | | 12/08 | 32,176 | 20.07 | 3,994 | 24 | 43 | | |
| | | | | 401,348 | | 47,411 | | | |
| TERRA | ST AVERY | 1/08 | 0 | 21.27 | 0 | 0 | 0 | | |
| | | 2/08 | 27 | 21.27 | 1 | 1 | 1 | | |
| | | 3/08 | 27 | 21.05 | 1 | 1 | 1 | | |
| | | 4/08 | 2 | 21.05 | 0 | 1 | 0 | | |
| | | 5/08 | 0 | 21.05 | 0 | 1 | 0 | | |
| | | 6/08 | 0 | 21.10 | 0 | 0 | 0 | | |
| | | 7/08 | 7 | 21.10 | 0 | 1 | 0 | | |
| | | 8/08 | 82 | 21.10 | 2 | 1 | 3 | | |
| | | 9/08 | 134 | 20.95 | 3 | 1 | 4 | | |
| | | 10/08 | 7 | 20.95 | 4 | 1 | 0 | | |
| | | 11/08 | 163 | 20.95 | 4 | 1 | 5 | | |
| | | 12/08 | 108 | 21.45 | 2 | 1 | 3 | | |
| | | | | 557 | | 17 | | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|---------------------|-----------------|-----------|-------|---------------|---------------|--------------------------|
| TERRA | ST CLINTON A4-18 | 1/08 | 2,282 | 12.10 | 348 | 1 | 74 |
| | | 2/08 | 2,052 | 12.10 | 354 | 1 | 71 |
| | | 3/08 | 2,219 | 12.10 | 342 | 1 | 72 |
| | | 4/08 | 2,073 | 12.80 | 361 | 1 | 69 |
| | | 5/08 | 2,163 | 12.80 | 377 | 1 | 70 |
| | | 6/08 | 2,056 | 12.50 | 312 | 1 | 69 |
| | | 7/08 | 1,885 | 12.50 | 239 | 1 | 61 |
| | | 8/08 | 1,618 | 12.50 | 245 | 1 | 52 |
| | | 9/08 | 1,834 | 14.92 | 285 | 1 | 61 |
| | | 10/08 | 1,885 | 14.92 | 256 | 1 | 61 |
| | | 11/08 | 1,699 | 14.92 | 230 | 1 | 57 |
| | | 12/08 | 1,672 | 14.92 | 218 | 1 | 54 |
| | | | | | 23,438 | | 3,567 |
| TERRA | ST ELMER 5 | 1/08 | 348 | 9.55 | 169 | 1 | 11 |
| | | 2/08 | 418 | 9.55 | 202 | 1 | 14 |
| | | 3/08 | 558 | 9.62 | 238 | 1 | 18 |
| | | 4/08 | 355 | 9.62 | 151 | 1 | 12 |
| | | 5/08 | 437 | 9.62 | 174 | 1 | 14 |
| | | 6/08 | 433 | 10.10 | 166 | 1 | 14 |
| | | 7/08 | 310 | 10.10 | 123 | 1 | 10 |
| | | 8/08 | 352 | 10.10 | 129 | 1 | 11 |
| | | 9/08 | 282 | 10.10 | 131 | 1 | 9 |
| | | 10/08 | 310 | 10.10 | 163 | 1 | 10 |
| | | 11/08 | 339 | 10.04 | 144 | 1 | 11 |
| | | 12/08 | 456 | 10.47 | 184 | 1 | 15 |
| | | | | | 4,598 | | 1,974 |
| TERRA | TILLI BEAN | 1/08 | 8,586 | 9.09 | 843 | 12 | 23 |
| | | 2/08 | 7,784 | 9.09 | 434 | 12 | 22 |
| | | 3/08 | 8,507 | 9.09 | 615 | 12 | 23 |
| | | 4/08 | 7,937 | 9.09 | 640 | 12 | 22 |
| | | 5/08 | 8,937 | 8.36 | 567 | 12 | 24 |
| | | 6/08 | 7,944 | 9.44 | 796 | 12 | 22 |
| | | 7/08 | 7,190 | 9.44 | 375 | 12 | 19 |
| | | 8/08 | 8,913 | 9.44 | 337 | 12 | 24 |
| | | 9/08 | 8,687 | 9.44 | 308 | 12 | 24 |
| | | 10/08 | 7,190 | 9.44 | 584 | 12 | 19 |
| | | 11/08 | 8,609 | 9.44 | 530 | 12 | 24 |
| | | 12/08 | 9,274 | 9.44 | 498 | 12 | 25 |
| | | | | | 99,558 | | 6,527 |
| TERRA | UNCLE EMILS LANDING | 1/08 | 14,986 | 12.40 | 2,022 | 10 | 48 |
| | | 2/08 | 15,626 | 12.40 | 2,205 | 10 | 54 |
| | | 3/08 | 16,599 | 12.57 | 2,259 | 10 | 54 |
| | | 4/08 | 15,777 | 12.57 | 2,225 | 10 | 53 |
| | | 5/08 | 16,243 | 12.57 | 1,896 | 10 | 52 |
| | | 6/08 | 15,052 | 12.49 | 1,802 | 10 | 50 |
| | | 7/08 | 14,373 | 12.49 | 1,829 | 10 | 46 |
| | | 8/08 | 14,002 | 12.49 | 1,656 | 10 | 45 |
| | | 9/08 | 13,382 | 12.87 | 1,612 | 10 | 45 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|---------------------------------|---------------------|-----------------|-------------------|-------|------------------|---------------|--------------------------|
| TERRA | UNCLE EMILS LANDING | 10/08 | 14,373 | 12.87 | 1,780 | 10 | 46 |
| | | 11/08 | 14,324 | 12.87 | 1,761 | 10 | 48 |
| | | 12/08 | 13,246 | 12.46 | 1,769 | 10 | 43 |
| | | | 177,983 | | 22,816 | | |
| TERRA | UNCLE RAYS | 1/08 | 46,680 | 12.75 | 3,857 | 15 | 100 |
| | | 2/08 | 30,616 | 12.75 | 4,120 | 15 | 70 |
| | | 3/08 | 24,961 | 12.19 | 4,266 | 15 | 54 |
| | | 4/08 | 20,885 | 12.19 | 4,702 | 15 | 46 |
| | | 5/08 | 24,789 | 12.19 | 5,008 | 15 | 53 |
| | | 6/08 | 23,755 | 12.32 | 4,406 | 15 | 53 |
| | | 7/08 | 26,007 | 12.32 | 466 | 15 | 56 |
| | | 8/08 | 26,137 | 12.32 | 408 | 15 | 56 |
| | | 9/08 | 24,096 | 11.61 | 419 | 15 | 54 |
| | | 10/08 | 26,006 | 11.61 | 403 | 15 | 56 |
| | | 11/08 | 23,474 | 11.61 | 406 | 15 | 52 |
| | | 12/08 | 24,388 | 11.61 | 410 | 15 | 52 |
| | | | 321,794 | | 28,871 | | |
| TERRA - REPORTER TOTALS: | | | 10,673,404 | | 3,566,193 | | |
| TRENDWELL | ALBERT 16 | 1/08 | 31,373 | 9.43 | 832 | 22 | 46 |
| | | 2/08 | 29,772 | 9.24 | 612 | 22 | 47 |
| | | 3/08 | 31,977 | 9.24 | 763 | 22 | 47 |
| | | 4/08 | 29,777 | 9.24 | 843 | 22 | 45 |
| | | 5/08 | 30,561 | 8.93 | 797 | 22 | 45 |
| | | 6/08 | 29,241 | 9.57 | 752 | 22 | 44 |
| | | 7/08 | 29,774 | 9.72 | 617 | 22 | 44 |
| | | 8/08 | 29,979 | 9.06 | 667 | 22 | 44 |
| | | 9/08 | 28,900 | 10.58 | 637 | 22 | 44 |
| | | 10/08 | 30,228 | 9.25 | 710 | 22 | 44 |
| | | 11/08 | 28,221 | 10.85 | 708 | 22 | 43 |
| | | 12/08 | 28,640 | 10.85 | 620 | 22 | 42 |
| | | | 358,443 | | 8,558 | | |
| TRENDWELL | ALBERT 17 | 1/08 | 63,641 | 5.46 | 8,223 | 17 | 121 |
| | | 2/08 | 57,196 | 5.50 | 7,223 | 17 | 116 |
| | | 3/08 | 62,612 | 5.55 | 8,127 | 17 | 119 |
| | | 4/08 | 59,478 | 5.55 | 7,395 | 17 | 117 |
| | | 5/08 | 62,838 | 5.55 | 8,055 | 17 | 119 |
| | | 6/08 | 56,495 | 5.55 | 7,380 | 17 | 111 |
| | | 7/08 | 59,095 | 4.89 | 7,467 | 17 | 112 |
| | | 8/08 | 58,365 | 4.89 | 7,465 | 17 | 111 |
| | | 9/08 | 54,081 | 4.96 | 6,996 | 17 | 106 |
| | | 10/08 | 53,913 | 4.74 | 6,926 | 17 | 102 |
| | | 11/08 | 52,057 | 4.74 | 6,199 | 17 | 102 |
| | | 12/08 | 52,522 | 5.04 | 5,046 | 17 | 100 |
| | | | 692,293 | | 86,502 | | |
| TRENDWELL | AVERY 15 | 1/08 | 41,128 | 23.19 | 1,659 | 32 | 41 |
| | | 2/08 | 36,639 | 23.19 | 1,541 | 32 | 39 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|-----------|--------------|-----------------|-----------|-------|----------------|---------------|--------------------------|----|----|
| TRENDWELL | AVERY 15 | 3/08 | 35,747 | 23.19 | 1,635 | 32 | 36 | | |
| | | 4/08 | 37,169 | 23.19 | 1,623 | 32 | 39 | | |
| | | 5/08 | 37,945 | 23.27 | 1,761 | 32 | 38 | | |
| | | 6/08 | 36,177 | 23.27 | 1,713 | 32 | 38 | | |
| | | 7/08 | 38,768 | 23.19 | 1,771 | 32 | 39 | | |
| | | 8/08 | 39,103 | 22.98 | 1,766 | 32 | 39 | | |
| | | 9/08 | 38,095 | 23.15 | 1,692 | 32 | 40 | | |
| | | 10/08 | 34,262 | 23.09 | 1,777 | 32 | 35 | | |
| | | 11/08 | 37,896 | 23.33 | 1,692 | 32 | 39 | | |
| | | 12/08 | 33,446 | 24.12 | 1,563 | 32 | 34 | | |
| | | | | | 446,375 | | 20,193 | | |
| | | TRENDWELL | AVERY 16 | 1/08 | 19,709 | 23.19 | 423 | 20 | 32 |
| | | | | 2/08 | 18,814 | 23.19 | 397 | 20 | 32 |
| 3/08 | 22,498 | | | 23.19 | 420 | 20 | 36 | | |
| 4/08 | 18,940 | | | 23.19 | 414 | 20 | 32 | | |
| 5/08 | 20,890 | | | 23.27 | 501 | 20 | 34 | | |
| 6/08 | 20,991 | | | 23.27 | 530 | 20 | 35 | | |
| 7/08 | 19,860 | | | 23.19 | 540 | 20 | 32 | | |
| 8/08 | 19,848 | | | 22.98 | 551 | 20 | 32 | | |
| 9/08 | 18,702 | | | 23.15 | 544 | 20 | 31 | | |
| 10/08 | 18,936 | | | 23.09 | 897 | 20 | 31 | | |
| 11/08 | 17,917 | | | 23.33 | 826 | 20 | 30 | | |
| 12/08 | 16,866 | | | 24.12 | 779 | 20 | 27 | | |
| | | | | | 233,971 | | 6,822 | | |
| TRENDWELL | AVERY 18 | 1/08 | 35,631 | 22.27 | 1,360 | 20 | 57 | | |
| | | 2/08 | 31,502 | 22.94 | 1,222 | 20 | 54 | | |
| | | 3/08 | 33,628 | 22.95 | 1,334 | 20 | 54 | | |
| | | 4/08 | 31,255 | 22.95 | 1,342 | 20 | 52 | | |
| | | 5/08 | 32,246 | 22.95 | 1,457 | 20 | 52 | | |
| | | 6/08 | 30,947 | 22.83 | 1,400 | 20 | 52 | | |
| | | 7/08 | 32,623 | 22.83 | 1,468 | 20 | 53 | | |
| | | 8/08 | 32,857 | 22.83 | 1,489 | 20 | 53 | | |
| | | 9/08 | 31,861 | 23.14 | 1,497 | 20 | 53 | | |
| | | 10/08 | 32,144 | 23.28 | 2,076 | 20 | 52 | | |
| | | 11/08 | 30,177 | 24.30 | 2,039 | 20 | 50 | | |
| | | 12/08 | 27,797 | 24.61 | 1,919 | 20 | 45 | | |
| | | | | | 382,668 | | 18,603 | | |
| TRENDWELL | BRILEY 16 | 1/08 | 21,134 | 24.01 | 372 | 18 | 38 | | |
| | | 2/08 | 18,538 | 24.23 | 348 | 18 | 35 | | |
| | | 3/08 | 19,320 | 23.81 | 372 | 18 | 35 | | |
| | | 4/08 | 18,345 | 23.84 | 360 | 18 | 34 | | |
| | | 5/08 | 19,849 | 23.89 | 372 | 18 | 36 | | |
| | | 6/08 | 19,971 | 23.93 | 360 | 18 | 37 | | |
| | | 7/08 | 19,721 | 23.82 | 372 | 18 | 35 | | |
| | | 8/08 | 19,424 | 24.13 | 372 | 18 | 35 | | |
| | | 9/08 | 18,610 | 23.45 | 360 | 18 | 34 | | |
| | | 10/08 | 19,733 | 24.18 | 372 | 18 | 35 | | |
| | | 11/08 | 19,020 | 24.18 | 360 | 18 | 35 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-----------|--------------|-----------------|----------------|-------|--------------|---------------|--------------------------|
| TRENDWELL | BRILEY 16 | 12/08 | 18,525 | 24.97 | 372 | 18 | 33 |
| | | | 232,190 | | 4,392 | | |
| TRENDWELL | BRILEY 6 | 1/08 | 21,851 | 22.85 | 144 | 21 | 34 |
| | | 2/08 | 20,663 | 22.85 | 119 | 21 | 34 |
| | | 3/08 | 21,227 | 22.79 | 119 | 21 | 33 |
| | | 4/08 | 18,023 | 22.79 | 90 | 21 | 29 |
| | | 5/08 | 21,776 | 22.58 | 121 | 21 | 33 |
| | | 6/08 | 21,260 | 22.83 | 201 | 21 | 34 |
| | | 7/08 | 22,494 | 22.87 | 215 | 21 | 35 |
| | | 8/08 | 21,143 | 23.23 | 217 | 21 | 32 |
| | | 9/08 | 20,730 | 24.08 | 243 | 21 | 33 |
| | | 10/08 | 21,198 | 23.64 | 390 | 21 | 33 |
| | | 11/08 | 20,020 | 23.91 | 362 | 21 | 32 |
| | | 12/08 | 19,491 | 23.91 | 248 | 21 | 30 |
| | | | 249,876 | | 2,469 | | |
| TRENDWELL | BRILEY 7 | 1/08 | 17,112 | 24.01 | 217 | 16 | 34 |
| | | 2/08 | 15,590 | 24.23 | 203 | 16 | 34 |
| | | 3/08 | 16,645 | 23.82 | 217 | 16 | 34 |
| | | 4/08 | 15,394 | 23.84 | 210 | 16 | 32 |
| | | 5/08 | 16,060 | 23.89 | 217 | 16 | 32 |
| | | 6/08 | 15,139 | 23.93 | 210 | 16 | 32 |
| | | 7/08 | 16,279 | 23.82 | 217 | 16 | 33 |
| | | 8/08 | 16,434 | 24.13 | 217 | 16 | 33 |
| | | 9/08 | 16,180 | 24.08 | 210 | 16 | 34 |
| | | 10/08 | 16,480 | 24.18 | 217 | 16 | 33 |
| | | 11/08 | 15,086 | 24.18 | 210 | 16 | 31 |
| | | 12/08 | 14,705 | 24.97 | 217 | 16 | 30 |
| | | | 191,104 | | 2,562 | | |
| TRENDWELL | BRILEY 9 | 1/08 | 15,065 | 24.01 | 713 | 16 | 30 |
| | | 2/08 | 13,558 | 24.23 | 667 | 16 | 29 |
| | | 3/08 | 14,576 | 23.82 | 713 | 16 | 29 |
| | | 4/08 | 14,087 | 23.84 | 690 | 16 | 29 |
| | | 5/08 | 14,580 | 23.89 | 713 | 16 | 29 |
| | | 6/08 | 14,403 | 23.93 | 690 | 16 | 30 |
| | | 7/08 | 15,109 | 23.82 | 702 | 16 | 30 |
| | | 8/08 | 14,795 | 24.13 | 713 | 16 | 30 |
| | | 9/08 | 14,686 | 24.08 | 690 | 16 | 31 |
| | | 10/08 | 15,009 | 24.18 | 713 | 16 | 30 |
| | | 11/08 | 13,586 | 24.18 | 690 | 16 | 28 |
| | | 12/08 | 12,974 | 24.97 | 713 | 16 | 26 |
| | | | 172,428 | | 8,407 | | |
| TRENDWELL | CHARLTON 27 | 1/08 | 20,394 | 22.75 | 1,302 | 47 | 14 |
| | | 2/08 | 18,186 | 24.24 | 1,218 | 47 | 13 |
| | | 3/08 | 18,853 | 24.70 | 1,302 | 47 | 13 |
| | | 4/08 | 17,754 | 24.05 | 1,260 | 47 | 13 |
| | | 5/08 | 19,479 | 24.68 | 1,302 | 47 | 13 |
| | | 6/08 | 19,948 | 24.35 | 1,260 | 47 | 14 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|------------|--------------------------|-----------------|-----------|----------------|-------------|---------------|--------------------------|
| TRENDEWELL | CHARLTON 27 | 7/08 | 21,050 | 24.48 | 1,302 | 47 | 14 |
| | | 8/08 | 20,450 | 24.89 | 1,302 | 47 | 14 |
| | | 9/08 | 20,072 | 24.97 | 1,260 | 47 | 14 |
| | | 10/08 | 20,710 | 24.46 | 1,302 | 47 | 14 |
| | | 11/08 | 19,734 | 24.46 | 1,260 | 47 | 14 |
| | | 12/08 | 17,434 | 25.88 | 1,302 | 47 | 12 |
| | | | | 234,064 | | 15,372 | |
| TRENDEWELL | CHARLTON MILLENIUM | 1/08 | 2,438 | 24.01 | 124 | 1 | 79 |
| | | 2/08 | 2,186 | 24.24 | 116 | 1 | 75 |
| | | 3/08 | 2,210 | 24.70 | 124 | 1 | 71 |
| | | 4/08 | 2,241 | 24.05 | 120 | 1 | 75 |
| | | 5/08 | 2,241 | 24.68 | 120 | 1 | 72 |
| | | 6/08 | 1,977 | 24.35 | 120 | 1 | 66 |
| | | 7/08 | 1,978 | 24.48 | 124 | 1 | 64 |
| | | 8/08 | 2,466 | 24.89 | 124 | 1 | 80 |
| | | 9/08 | 1,837 | 24.97 | 120 | 1 | 61 |
| | | 10/08 | 1,909 | 24.46 | 124 | 1 | 62 |
| | | 11/08 | 1,860 | 24.46 | 120 | 1 | 62 |
| | | 12/08 | 1,777 | 25.88 | 124 | 1 | 57 |
| | | | | 25,120 | | 1,460 | |
| TRENDEWELL | CHARLTON MILLENIUM - 211 | 1/08 | 1,419 | 24.01 | 217 | 1 | 46 |
| | | 2/08 | 1,369 | 24.24 | 203 | 1 | 47 |
| | | 3/08 | 1,489 | 24.70 | 217 | 1 | 48 |
| | | 4/08 | 1,480 | 24.05 | 210 | 1 | 49 |
| | | 5/08 | 1,546 | 24.68 | 217 | 1 | 50 |
| | | 6/08 | 1,275 | 24.35 | 204 | 1 | 43 |
| | | 7/08 | 1,324 | 24.48 | 217 | 1 | 43 |
| | | 8/08 | 1,277 | 24.89 | 217 | 1 | 41 |
| | | 9/08 | 1,267 | 24.97 | 210 | 1 | 42 |
| | | 10/08 | 1,316 | 24.46 | 217 | 1 | 42 |
| | | 11/08 | 1,312 | 24.46 | 210 | 1 | 44 |
| | | 12/08 | 1,270 | 25.88 | 217 | 1 | 41 |
| | | 16,344 | | 2,556 | | | |
| TRENDEWELL | CHARLTON MILLENIUM - 212 | 1/08 | 1,130 | 24.01 | 217 | 1 | 36 |
| | | 2/08 | 959 | 24.24 | 23 | 1 | 33 |
| | | 3/08 | 1,041 | 24.70 | 217 | 1 | 34 |
| | | 4/08 | 1,080 | 24.05 | 210 | 1 | 36 |
| | | 5/08 | 1,123 | 24.68 | 217 | 1 | 36 |
| | | 6/08 | 899 | 24.35 | 204 | 1 | 30 |
| | | 7/08 | 899 | 24.48 | 217 | 1 | 29 |
| | | 8/08 | 859 | 24.89 | 217 | 1 | 28 |
| | | 9/08 | 842 | 24.97 | 210 | 1 | 28 |
| | | 10/08 | 872 | 24.46 | 217 | 1 | 28 |
| | | 11/08 | 847 | 24.46 | 210 | 1 | 28 |
| | | 12/08 | 828 | 25.88 | 217 | 1 | 27 |
| | | 11,379 | | 2,376 | | | |
| TRENDEWELL | CHARLTON MILLENIUM - 212 | 1/08 | 1,422 | 24.01 | 217 | 1 | 46 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|-----------|--------------------------|-----------------|--------------------------|-------|---------------|---------------|--------------------------|---|----|
| TRENDWELL | CHARLTON MILLENIUM - 212 | 2/08 | 1,362 | 24.24 | 203 | 1 | 47 | | |
| | | 3/08 | 1,404 | 24.70 | 145 | 1 | 45 | | |
| | | 4/08 | 1,522 | 24.05 | 120 | 1 | 51 | | |
| | | 5/08 | 1,593 | 24.68 | 124 | 1 | 51 | | |
| | | 6/08 | 1,264 | 24.35 | 117 | 1 | 42 | | |
| | | 7/08 | 1,311 | 24.48 | 124 | 1 | 42 | | |
| | | 8/08 | 1,271 | 24.89 | 124 | 1 | 41 | | |
| | | 9/08 | 1,252 | 24.97 | 120 | 1 | 42 | | |
| | | 10/08 | 1,306 | 24.46 | 122 | 1 | 42 | | |
| | | 11/08 | 1,276 | 24.46 | 120 | 1 | 43 | | |
| | | 12/08 | 1,243 | 25.88 | 124 | 1 | 40 | | |
| | | | | | 16,226 | | 1,660 | | |
| | | TRENDWELL | CHARLTON MILLENIUM - 212 | 6/08 | 585 | 24.35 | 204 | 1 | 20 |
| 7/08 | 586 | | | 29.04 | 217 | 1 | 19 | | |
| 8/08 | 573 | | | 29.04 | 217 | 1 | 18 | | |
| 9/08 | 560 | | | 29.04 | 210 | 1 | 19 | | |
| 10/08 | 575 | | | 29.04 | 217 | 1 | 19 | | |
| 11/08 | 561 | | | 29.04 | 210 | 1 | 19 | | |
| 12/08 | 552 | | | 29.04 | 217 | 1 | 18 | | |
| | | | 3,992 | | 1,492 | | | | |
| TRENDWELL | CHARLTON MILLENNIUM - 2 | 1/08 | 982 | 24.01 | 62 | 1 | 32 | | |
| | | 2/08 | 811 | 24.24 | 58 | 1 | 28 | | |
| | | 3/08 | 1,107 | 24.70 | 62 | 1 | 36 | | |
| | | 4/08 | 1,035 | 24.05 | 60 | 1 | 35 | | |
| | | 5/08 | 1,065 | 24.68 | 62 | 1 | 34 | | |
| | | 6/08 | 883 | 24.35 | 60 | 1 | 29 | | |
| | | 7/08 | 884 | 24.48 | 62 | 1 | 29 | | |
| | | 8/08 | 855 | 24.89 | 62 | 1 | 28 | | |
| | | 9/08 | 835 | 24.97 | 60 | 1 | 28 | | |
| | | 10/08 | 878 | 24.46 | 62 | 1 | 28 | | |
| | | 11/08 | 854 | 24.46 | 60 | 1 | 28 | | |
| | | 12/08 | 888 | 25.88 | 62 | 1 | 29 | | |
| | | | 11,077 | | 732 | | | | |
| TRENDWELL | E ALBERT 16-2 | 1/08 | 76,077 | 17.73 | 1,674 | 40 | 61 | | |
| | | 2/08 | 68,009 | 18.16 | 1,594 | 40 | 59 | | |
| | | 3/08 | 70,235 | 17.42 | 1,703 | 40 | 57 | | |
| | | 4/08 | 69,244 | 17.29 | 1,649 | 40 | 58 | | |
| | | 5/08 | 72,804 | 17.29 | 1,695 | 40 | 59 | | |
| | | 6/08 | 70,050 | 17.75 | 1,637 | 40 | 58 | | |
| | | 7/08 | 72,830 | 16.56 | 1,704 | 40 | 59 | | |
| | | 8/08 | 70,674 | 17.71 | 1,696 | 40 | 57 | | |
| | | 9/08 | 67,071 | 18.06 | 1,624 | 40 | 56 | | |
| | | 10/08 | 56,249 | 18.09 | 1,699 | 40 | 45 | | |
| | | 11/08 | 56,394 | 19.00 | 1,642 | 40 | 47 | | |
| | | 12/08 | 66,717 | 19.00 | 1,703 | 40 | 54 | | |
| | | | 816,354 | | 20,020 | | | | |
| TRENDWELL | EAST ALBERT 1 | 1/08 | 4,000 | 17.73 | 31 | 3 | 43 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|-----------|---------------|-----------------|----------------|-------|----------------|---------------|--------------------------|---|-----|
| TRENDWELL | EAST ALBERT 1 | 2/08 | 4,562 | 18.16 | 29 | 3 | 52 | | |
| | | 3/08 | 4,332 | 17.42 | 31 | 3 | 47 | | |
| | | 4/08 | 4,026 | 17.29 | 30 | 3 | 45 | | |
| | | 5/08 | 3,915 | 17.29 | 31 | 3 | 42 | | |
| | | 6/08 | 3,746 | 17.75 | 30 | 3 | 42 | | |
| | | 7/08 | 4,441 | 16.56 | 31 | 3 | 48 | | |
| | | 8/08 | 3,817 | 17.71 | 31 | 3 | 41 | | |
| | | 9/08 | 3,981 | 18.06 | 30 | 3 | 44 | | |
| | | 10/08 | 3,963 | 18.09 | 31 | 3 | 43 | | |
| | | 11/08 | 3,727 | 19.00 | 30 | 3 | 41 | | |
| | | 12/08 | 3,167 | 19.00 | 31 | 3 | 34 | | |
| | | | | | 47,677 | | 366 | | |
| | | TRENDWELL | SOUTH ALBERT | 6/08 | 9,949 | 5.55 | 5,005 | 1 | 332 |
| 7/08 | 12,218 | | | 4.89 | 5,931 | 1 | 394 | | |
| 8/08 | 19,826 | | | 4.89 | 8,125 | 2 | 320 | | |
| 9/08 | 24,369 | | | 4.96 | 9,448 | 4 | 203 | | |
| 10/08 | 27,345 | | | 4.74 | 7,674 | 6 | 147 | | |
| 11/08 | 27,565 | | | 4.74 | 7,171 | 6 | 153 | | |
| 12/08 | 25,953 | | | 5.04 | 6,149 | 6 | 140 | | |
| | | | | | 147,225 | | 49,503 | | |
| TRENDWELL | VIENNA 16 | 1/08 | 21,731 | 23.27 | 154 | 20 | 35 | | |
| | | 2/08 | 19,581 | 23.17 | 127 | 20 | 34 | | |
| | | 3/08 | 21,394 | 23.06 | 190 | 20 | 34 | | |
| | | 4/08 | 20,359 | 22.94 | 157 | 20 | 34 | | |
| | | 5/08 | 20,952 | 22.94 | 165 | 20 | 34 | | |
| | | 6/08 | 21,176 | 22.71 | 156 | 20 | 35 | | |
| | | 7/08 | 21,334 | 23.16 | 158 | 20 | 34 | | |
| | | 8/08 | 21,461 | 23.24 | 156 | 20 | 35 | | |
| | | 9/08 | 20,335 | 23.25 | 176 | 20 | 34 | | |
| | | 10/08 | 21,155 | 23.19 | 404 | 20 | 34 | | |
| | | 11/08 | 19,880 | 24.03 | 378 | 20 | 33 | | |
| | | 12/08 | 19,164 | 23.76 | 275 | 20 | 31 | | |
| | | | 248,522 | | 2,496 | | | | |
| TRENDWELL | VIENNA 2 | 1/08 | 23,011 | 22.85 | 2,803 | 19 | 39 | | |
| | | 2/08 | 20,693 | 22.85 | 2,280 | 19 | 38 | | |
| | | 3/08 | 22,277 | 22.79 | 2,332 | 19 | 38 | | |
| | | 4/08 | 21,161 | 22.79 | 2,826 | 19 | 37 | | |
| | | 5/08 | 23,359 | 22.58 | 2,759 | 19 | 40 | | |
| | | 6/08 | 24,136 | 22.83 | 2,532 | 19 | 42 | | |
| | | 7/08 | 24,421 | 22.87 | 2,484 | 19 | 41 | | |
| | | 8/08 | 24,370 | 23.23 | 2,187 | 19 | 41 | | |
| | | 9/08 | 23,370 | 23.45 | 2,007 | 19 | 41 | | |
| | | 10/08 | 20,009 | 23.64 | 2,031 | 19 | 34 | | |
| | | 11/08 | 19,121 | 23.91 | 1,830 | 19 | 34 | | |
| | | 12/08 | 17,756 | 23.91 | 1,384 | 19 | 30 | | |
| | | | 263,684 | | 27,455 | | | | |
| TRENDWELL | VIENNA 20 | 1/08 | 35,022 | 22.08 | 2,773 | 26 | 43 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|-----------|--------------|-----------------|-----------|-------|----------------|---------------|--------------------------|----|----|
| TRENDWELL | VIENNA 20 | 2/08 | 31,031 | 22.27 | 2,174 | 26 | 41 | | |
| | | 3/08 | 34,387 | 22.35 | 2,301 | 26 | 43 | | |
| | | 4/08 | 34,086 | 21.98 | 2,646 | 26 | 44 | | |
| | | 5/08 | 35,278 | 22.30 | 2,711 | 26 | 44 | | |
| | | 6/08 | 32,419 | 22.87 | 2,218 | 26 | 42 | | |
| | | 7/08 | 33,768 | 22.44 | 2,184 | 26 | 42 | | |
| | | 8/08 | 33,670 | 22.40 | 1,929 | 26 | 42 | | |
| | | 9/08 | 32,820 | 22.54 | 1,681 | 26 | 42 | | |
| | | 10/08 | 33,615 | 22.25 | 1,801 | 26 | 42 | | |
| | | 11/08 | 31,882 | 22.25 | 1,777 | 26 | 41 | | |
| | | 12/08 | 30,516 | 23.27 | 1,399 | 26 | 38 | | |
| | | | | | 398,494 | | 25,594 | | |
| | | TRENDWELL | VIENNA 31 | 1/08 | 41,027 | 22.50 | 126 | 29 | 46 |
| 2/08 | 38,153 | | | 22.20 | 116 | 29 | 45 | | |
| 3/08 | 40,997 | | | 22.44 | 124 | 29 | 46 | | |
| 4/08 | 40,126 | | | 22.44 | 120 | 29 | 46 | | |
| 5/08 | 40,517 | | | 22.44 | 124 | 29 | 45 | | |
| 6/08 | 38,512 | | | 22.45 | 120 | 29 | 44 | | |
| 7/08 | 39,868 | | | 22.22 | 125 | 29 | 44 | | |
| 8/08 | 39,887 | | | 22.30 | 124 | 29 | 44 | | |
| 9/08 | 38,975 | | | 22.46 | 148 | 29 | 45 | | |
| 10/08 | 45,670 | | | 22.46 | 155 | 29 | 51 | | |
| 11/08 | 40,157 | | | 23.89 | 156 | 29 | 46 | | |
| 12/08 | 38,241 | | | 24.09 | 126 | 29 | 43 | | |
| | | | | | 482,130 | | 1,564 | | |
| TRENDWELL | VIENNA 34 | 1/08 | 18,841 | 22.98 | 556 | 14 | 43 | | |
| | | 2/08 | 17,768 | 23.03 | 516 | 14 | 44 | | |
| | | 3/08 | 19,064 | 22.95 | 556 | 14 | 44 | | |
| | | 4/08 | 18,139 | 22.95 | 539 | 14 | 43 | | |
| | | 5/08 | 18,228 | 22.84 | 533 | 14 | 42 | | |
| | | 6/08 | 18,474 | 22.47 | 538 | 14 | 44 | | |
| | | 7/08 | 19,194 | 22.70 | 558 | 14 | 44 | | |
| | | 8/08 | 18,693 | 22.31 | 556 | 14 | 43 | | |
| | | 9/08 | 17,558 | 23.11 | 538 | 14 | 42 | | |
| | | 10/08 | 17,902 | 23.03 | 553 | 14 | 41 | | |
| | | 11/08 | 17,456 | 23.03 | 540 | 14 | 42 | | |
| | | 12/08 | 16,550 | 24.06 | 525 | 14 | 38 | | |
| | | | | | 217,867 | | 6,508 | | |
| TRENDWELL | WOLF CREEK | 1/08 | 35,745 | 9.70 | 7,040 | 15 | 77 | | |
| | | 2/08 | 32,035 | 9.83 | 6,308 | 15 | 74 | | |
| | | 3/08 | 33,970 | 9.52 | 6,630 | 15 | 73 | | |
| | | 4/08 | 32,625 | 9.59 | 6,106 | 19 | 57 | | |
| | | 5/08 | 34,067 | 9.83 | 6,288 | 19 | 58 | | |
| | | 6/08 | 33,234 | 9.88 | 6,031 | 19 | 58 | | |
| | | 7/08 | 34,322 | 9.88 | 6,021 | 19 | 58 | | |
| | | 8/08 | 33,643 | 10.06 | 5,905 | 19 | 57 | | |
| | | 9/08 | 32,912 | 10.06 | 5,539 | 19 | 58 | | |
| | | 10/08 | 33,717 | 10.06 | 5,705 | 19 | 57 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|-------------------------------------|--------------------|-----------------|------------------|-------|----------------|---------------|--------------------------|
| TRENDWELL | WOLF CREEK | 11/08 | 31,237 | 10.85 | 5,555 | 19 | 55 |
| | | 12/08 | 31,325 | 10.85 | 5,514 | 19 | 53 |
| | | | 398,832 | | 72,642 | | |
| TRENDWELL | WOLF CREEK II | 1/08 | 858 | 9.70 | 0 | 1 | 28 |
| | | 2/08 | 641 | 9.83 | 0 | 1 | 22 |
| | | 3/08 | 811 | 9.52 | 0 | 1 | 26 |
| | | 4/08 | 770 | 9.59 | 0 | 1 | 26 |
| | | 5/08 | 814 | 9.83 | 0 | 1 | 26 |
| | | 6/08 | 839 | 9.88 | 0 | 1 | 28 |
| | | 7/08 | 900 | 9.88 | 0 | 1 | 29 |
| | | 8/08 | 831 | 10.06 | 0 | 1 | 27 |
| | | 9/08 | 844 | 10.06 | 0 | 1 | 28 |
| | | 10/08 | 868 | 10.06 | 0 | 1 | 28 |
| | | 11/08 | 458 | 10.85 | 0 | 1 | 15 |
| | | 12/08 | 413 | 10.85 | 0 | 1 | 13 |
| | | | 9,047 | | 0 | | |
| TRENDWELL - REPORTER TOTALS: | | | 6,307,382 | | 390,304 | | |
| WARD LAKE ENER | ADAIR | 1/08 | 12 | 12.77 | 10,146 | 1 | 0 |
| | | 2/08 | 72 | 12.77 | 8,458 | 1 | 2 |
| | | 3/08 | 23 | 12.77 | 6,298 | 1 | 1 |
| | | 4/08 | 5 | 12.77 | 8,128 | 1 | 0 |
| | | 5/08 | 0 | 12.77 | 0 | 0 | 0 |
| | | 6/08 | 0 | 12.77 | 0 | 0 | 0 |
| | | 7/08 | 0 | 12.77 | 0 | 0 | 0 |
| | | 8/08 | 0 | 13.95 | 0 | 0 | 0 |
| | | 9/08 | 0 | 13.95 | 0 | 0 | 0 |
| | | 10/08 | 0 | 13.95 | 0 | 0 | 0 |
| | | 11/08 | 4 | 13.95 | 43 | 1 | 0 |
| | | 12/08 | 26 | 13.95 | 176 | 1 | 1 |
| | | | 142 | | 33,249 | | |
| WARD LAKE ENER | ANTRIM RESOURCES 1 | 1/08 | 2,649 | 22.70 | 0 | 8 | 11 |
| | | 2/08 | 2,391 | 22.70 | 0 | 8 | 10 |
| | | 3/08 | 2,636 | 22.70 | 0 | 8 | 11 |
| | | 4/08 | 2,544 | 22.70 | 0 | 8 | 11 |
| | | 5/08 | 2,671 | 22.70 | 0 | 8 | 11 |
| | | 6/08 | 2,365 | 22.70 | 0 | 8 | 10 |
| | | 7/08 | 2,344 | 22.70 | 0 | 8 | 9 |
| | | 8/08 | 2,280 | 12.77 | 0 | 8 | 9 |
| | | 9/08 | 2,308 | 12.77 | 0 | 8 | 10 |
| | | 10/08 | 2,463 | 12.77 | 0 | 8 | 10 |
| | | 11/08 | 2,512 | 12.77 | 0 | 8 | 10 |
| | | 12/08 | 2,555 | 12.77 | 0 | 8 | 10 |
| | 29,718 | | 0 | | | | |
| WARD LAKE ENER | ANTRIM RESOURCES 2 | 1/08 | 925 | 22.70 | 2,414 | 4 | 7 |
| | | 2/08 | 818 | 22.70 | 2,235 | 4 | 7 |
| | | 3/08 | 880 | 22.70 | 1,933 | 4 | 7 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|--------------------|-----------------|-----------|-------|---------------|---------------|--------------------------|
| WARD LAKE ENER | ANTRIM RESOURCES 2 | 4/08 | 909 | 22.70 | 1,777 | 4 | 8 |
| | | 5/08 | 981 | 22.70 | 2,100 | 4 | 8 |
| | | 6/08 | 1,010 | 22.70 | 2,651 | 4 | 8 |
| | | 7/08 | 920 | 22.70 | 2,221 | 4 | 7 |
| | | 8/08 | 919 | 12.77 | 2,509 | 4 | 7 |
| | | 9/08 | 846 | 12.77 | 2,225 | 4 | 7 |
| | | 10/08 | 872 | 12.77 | 2,129 | 4 | 7 |
| | | 11/08 | 836 | 12.77 | 2,171 | 4 | 7 |
| | | 12/08 | 816 | 12.77 | 2,185 | 4 | 7 |
| | | | | | 10,732 | | 26,550 |
| WARD LAKE ENER | ASIALA A4-35 | 1/08 | 465 | 7.96 | 223 | 1 | 15 |
| | | 2/08 | 465 | 7.96 | 205 | 1 | 16 |
| | | 3/08 | 514 | 7.96 | 239 | 1 | 17 |
| | | 4/08 | 528 | 7.96 | 204 | 1 | 18 |
| | | 5/08 | 581 | 7.96 | 303 | 1 | 19 |
| | | 6/08 | 574 | 7.96 | 389 | 1 | 19 |
| | | 7/08 | 596 | 7.96 | 390 | 1 | 19 |
| | | 8/08 | 598 | 9.95 | 522 | 1 | 19 |
| | | 9/08 | 602 | 9.95 | 359 | 1 | 20 |
| | | 10/08 | 596 | 9.95 | 475 | 1 | 19 |
| | | 11/08 | 560 | 9.95 | 573 | 1 | 19 |
| | | 12/08 | 542 | 9.95 | 449 | 1 | 17 |
| | | | | | 6,621 | | 4,331 |
| WARD LAKE ENER | BAGLEY 23 | 1/08 | 7,944 | 21.79 | 973 | 14 | 18 |
| | | 2/08 | 6,910 | 21.79 | 923 | 14 | 17 |
| | | 3/08 | 7,837 | 21.79 | 971 | 14 | 18 |
| | | 4/08 | 7,536 | 21.79 | 900 | 14 | 18 |
| | | 5/08 | 7,903 | 21.79 | 886 | 14 | 18 |
| | | 6/08 | 7,478 | 21.79 | 1,013 | 14 | 18 |
| | | 7/08 | 7,723 | 21.79 | 876 | 14 | 18 |
| | | 8/08 | 7,757 | 23.53 | 729 | 14 | 18 |
| | | 9/08 | 7,401 | 23.53 | 790 | 14 | 18 |
| | | 10/08 | 7,463 | 23.53 | 635 | 14 | 17 |
| | | 11/08 | 7,106 | 23.53 | 513 | 14 | 17 |
| | | 12/08 | 7,127 | 23.53 | 992 | 14 | 16 |
| | | | | | 90,185 | | 10,201 |
| WARD LAKE ENER | BAGLEY 23A | 1/08 | 2,587 | 23.35 | 0 | 3 | 28 |
| | | 2/08 | 2,444 | 23.35 | 0 | 3 | 28 |
| | | 3/08 | 2,323 | 23.35 | 0 | 3 | 25 |
| | | 4/08 | 2,312 | 23.35 | 0 | 3 | 26 |
| | | 5/08 | 2,639 | 23.35 | 0 | 3 | 28 |
| | | 6/08 | 2,497 | 23.35 | 0 | 3 | 28 |
| | | 7/08 | 2,564 | 23.35 | 0 | 3 | 28 |
| | | 8/08 | 2,587 | 24.62 | 0 | 3 | 28 |
| | | 9/08 | 2,587 | 24.62 | 0 | 3 | 29 |
| | | 10/08 | 2,625 | 24.62 | 0 | 3 | 28 |
| | | 11/08 | 2,421 | 24.62 | 0 | 3 | 27 |
| | | 12/08 | 2,645 | 24.62 | 0 | 3 | 28 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|--------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| | | | 30,231 | | 0 | | |
| WARD LAKE ENER | BAGLEY 24 | 1/08 | 1,588 | 22.09 | 93 | 4 | 13 |
| | | 2/08 | 1,393 | 22.09 | 87 | 4 | 12 |
| | | 3/08 | 1,493 | 22.09 | 93 | 4 | 12 |
| | | 4/08 | 1,442 | 22.09 | 90 | 4 | 12 |
| | | 5/08 | 1,582 | 22.09 | 93 | 4 | 13 |
| | | 6/08 | 1,484 | 22.09 | 90 | 4 | 12 |
| | | 7/08 | 1,571 | 22.09 | 93 | 4 | 13 |
| | | 8/08 | 1,596 | 22.50 | 93 | 4 | 13 |
| | | 9/08 | 1,567 | 22.50 | 90 | 4 | 13 |
| | | 10/08 | 1,607 | 22.50 | 93 | 4 | 13 |
| | | 11/08 | 1,514 | 22.50 | 106 | 4 | 13 |
| | | 12/08 | 1,472 | 22.50 | 39 | 4 | 12 |
| | | | 18,309 | | 1,060 | | |
| WARD LAKE ENER | BAGLEY 400 | 1/08 | 4,361 | 16.41 | 623 | 8 | 18 |
| | | 2/08 | 3,946 | 16.41 | 580 | 8 | 17 |
| | | 3/08 | 4,156 | 16.41 | 610 | 8 | 17 |
| | | 4/08 | 3,889 | 16.41 | 581 | 8 | 16 |
| | | 5/08 | 3,410 | 16.41 | 441 | 8 | 14 |
| | | 6/08 | 3,538 | 16.41 | 603 | 8 | 15 |
| | | 7/08 | 3,942 | 16.41 | 543 | 8 | 16 |
| | | 8/08 | 3,849 | 19.38 | 578 | 8 | 16 |
| | | 9/08 | 3,496 | 19.38 | 549 | 8 | 15 |
| | | 10/08 | 3,685 | 19.38 | 593 | 8 | 15 |
| | | 11/08 | 3,685 | 19.38 | 563 | 8 | 15 |
| | | 12/08 | 2,752 | 19.38 | 451 | 8 | 11 |
| | | | 44,709 | | 6,715 | | |
| WARD LAKE ENER | BEAR LAKE | 1/08 | 12,686 | 12.77 | 20,420 | 14 | 29 |
| | | 2/08 | 12,103 | 12.77 | 20,206 | 14 | 30 |
| | | 3/08 | 12,051 | 12.77 | 17,729 | 14 | 28 |
| | | 4/08 | 9,835 | 12.77 | 19,094 | 14 | 23 |
| | | 5/08 | 9,519 | 12.77 | 17,062 | 14 | 22 |
| | | 6/08 | 10,650 | 12.77 | 20,183 | 14 | 25 |
| | | 7/08 | 12,042 | 12.77 | 22,813 | 14 | 28 |
| | | 8/08 | 11,681 | 13.95 | 21,893 | 14 | 27 |
| | | 9/08 | 10,965 | 13.95 | 16,103 | 14 | 26 |
| | | 10/08 | 11,112 | 13.95 | 22,382 | 14 | 26 |
| | | 11/08 | 10,718 | 13.95 | 26,691 | 14 | 26 |
| | | 12/08 | 9,885 | 13.95 | 23,133 | 14 | 23 |
| | | | 133,247 | | 247,709 | | |
| WARD LAKE ENER | BEAR LAKE 1 | 1/08 | 1,017 | 12.77 | 1,636 | 1 | 33 |
| | | 2/08 | 932 | 12.77 | 1,556 | 1 | 32 |
| | | 3/08 | 1,003 | 12.77 | 1,478 | 1 | 32 |
| | | 4/08 | 783 | 12.77 | 1,521 | 1 | 26 |
| | | 5/08 | 949 | 12.77 | 1,701 | 1 | 31 |
| | | 6/08 | 946 | 12.77 | 1,793 | 1 | 32 |
| | | 7/08 | 977 | 12.77 | 1,850 | 1 | 32 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|-----------------|-----------------|---------------|-------|---------------|---------------|--------------------------|
| WARD LAKE ENER | BEAR LAKE 1 | 8/08 | 786 | 13.95 | 1,473 | 1 | 25 |
| | | 9/08 | 680 | 13.95 | 998 | 1 | 23 |
| | | 10/08 | 969 | 13.95 | 1,953 | 1 | 31 |
| | | 11/08 | 913 | 13.95 | 2,273 | 1 | 30 |
| | | 12/08 | 923 | 13.95 | 2,160 | 1 | 30 |
| | | | | | 10,878 | | 20,392 |
| WARD LAKE ENER | BEAR LAKE 10 | 1/08 | 1,695 | 12.77 | 2,730 | 3 | 18 |
| | | 2/08 | 1,462 | 12.77 | 2,441 | 3 | 17 |
| | | 3/08 | 1,530 | 12.77 | 2,250 | 3 | 16 |
| | | 4/08 | 1,085 | 12.77 | 2,108 | 3 | 12 |
| | | 5/08 | 1,375 | 12.77 | 2,463 | 3 | 15 |
| | | 6/08 | 1,442 | 12.77 | 2,732 | 3 | 16 |
| | | 7/08 | 1,685 | 12.77 | 3,192 | 3 | 18 |
| | | 8/08 | 1,311 | 13.95 | 2,457 | 3 | 14 |
| | | 9/08 | 1,415 | 13.95 | 2,079 | 3 | 16 |
| | | 10/08 | 1,412 | 13.95 | 2,844 | 3 | 15 |
| | | 11/08 | 1,361 | 13.95 | 3,393 | 3 | 15 |
| | | 12/08 | 1,405 | 13.95 | 3,286 | 3 | 15 |
| | | | 17,178 | | 31,975 | | |
| WARD LAKE ENER | BEAR LAKE 12/11 | 1/08 | 3,559 | 12.77 | 5,727 | 6 | 19 |
| | | 2/08 | 3,035 | 12.77 | 5,066 | 6 | 17 |
| | | 3/08 | 3,401 | 12.77 | 5,004 | 6 | 18 |
| | | 4/08 | 3,185 | 12.77 | 6,182 | 6 | 18 |
| | | 5/08 | 3,236 | 12.77 | 5,799 | 6 | 17 |
| | | 6/08 | 2,968 | 12.77 | 5,625 | 6 | 16 |
| | | 7/08 | 3,523 | 12.77 | 6,674 | 6 | 19 |
| | | 8/08 | 3,162 | 13.95 | 5,926 | 6 | 17 |
| | | 9/08 | 3,067 | 13.95 | 4,505 | 6 | 17 |
| | | 10/08 | 2,829 | 13.95 | 5,697 | 6 | 15 |
| | | 11/08 | 2,656 | 13.95 | 6,613 | 6 | 15 |
| | | 12/08 | 3,146 | 13.95 | 7,358 | 6 | 17 |
| | | | 37,767 | | 70,176 | | |
| WARD LAKE ENER | BEAR LAKE 14 | 1/08 | 3,604 | 12.77 | 5,800 | 3 | 39 |
| | | 2/08 | 3,496 | 12.77 | 5,838 | 3 | 40 |
| | | 3/08 | 3,770 | 12.77 | 5,545 | 3 | 41 |
| | | 4/08 | 2,967 | 12.77 | 5,763 | 3 | 33 |
| | | 5/08 | 3,290 | 12.77 | 5,896 | 3 | 35 |
| | | 6/08 | 3,390 | 12.77 | 6,424 | 3 | 38 |
| | | 7/08 | 3,866 | 12.77 | 7,324 | 3 | 42 |
| | | 8/08 | 3,235 | 13.95 | 6,062 | 3 | 35 |
| | | 9/08 | 3,119 | 13.95 | 4,581 | 3 | 35 |
| | | 10/08 | 2,818 | 13.95 | 5,678 | 3 | 30 |
| | | 11/08 | 2,631 | 13.95 | 6,551 | 3 | 29 |
| | | 12/08 | 2,727 | 13.95 | 6,380 | 3 | 29 |
| | | | 38,913 | | 71,842 | | |
| WARD LAKE ENER | BEAR LAKE 15 | 1/08 | 699 | 7.96 | 336 | 2 | 11 |
| | | 2/08 | 494 | 7.96 | 218 | 2 | 9 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------------|---------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|---|----|
| WARD LAKE ENER | BEAR LAKE 15 | 3/08 | 958 | 7.96 | 446 | 2 | 15 | | |
| | | 4/08 | 861 | 7.96 | 334 | 2 | 14 | | |
| | | 5/08 | 784 | 7.96 | 408 | 2 | 13 | | |
| | | 6/08 | 531 | 7.96 | 360 | 2 | 9 | | |
| | | 7/08 | 536 | 7.96 | 351 | 2 | 9 | | |
| | | 8/08 | 531 | 9.95 | 463 | 2 | 9 | | |
| | | 9/08 | 596 | 9.95 | 355 | 2 | 10 | | |
| | | 10/08 | 524 | 9.95 | 419 | 2 | 8 | | |
| | | 11/08 | 549 | 9.95 | 560 | 2 | 9 | | |
| | | 12/08 | 798 | 9.95 | 661 | 2 | 13 | | |
| | | | | | 7,861 | | 4,911 | | |
| | | WARD LAKE ENER | BEAR LAKE 2/11 | 1/08 | 5,409 | 12.77 | 8,708 | 6 | 29 |
| | | | | 2/08 | 5,016 | 12.77 | 8,375 | 6 | 29 |
| 3/08 | 5,186 | | | 12.77 | 7,629 | 6 | 28 | | |
| 4/08 | 4,538 | | | 12.77 | 8,810 | 6 | 25 | | |
| 5/08 | 4,935 | | | 12.77 | 8,845 | 6 | 27 | | |
| 6/08 | 4,612 | | | 12.77 | 8,740 | 6 | 26 | | |
| 7/08 | 4,562 | | | 12.77 | 8,642 | 6 | 25 | | |
| 8/08 | 4,404 | | | 13.95 | 8,253 | 6 | 24 | | |
| 9/08 | 4,070 | | | 13.95 | 5,977 | 6 | 23 | | |
| 10/08 | 4,603 | | | 13.95 | 9,272 | 6 | 25 | | |
| 11/08 | 4,826 | | | 13.95 | 12,018 | 6 | 27 | | |
| 12/08 | 3,993 | | | 13.95 | 9,346 | 6 | 21 | | |
| | | | | | 56,154 | | 104,615 | | |
| WARD LAKE ENER | BEAR LAKE 22/23 | 1/08 | 8,141 | 7.96 | 3,912 | 3 | 88 | | |
| | | 2/08 | 7,548 | 7.96 | 3,328 | 3 | 87 | | |
| | | 3/08 | 8,410 | 7.96 | 3,917 | 3 | 90 | | |
| | | 4/08 | 7,182 | 7.96 | 2,784 | 3 | 80 | | |
| | | 5/08 | 8,210 | 7.96 | 4,270 | 3 | 88 | | |
| | | 6/08 | 6,716 | 7.96 | 4,553 | 3 | 75 | | |
| | | 7/08 | 6,643 | 7.96 | 4,361 | 3 | 71 | | |
| | | 8/08 | 6,790 | 9.95 | 5,926 | 3 | 73 | | |
| | | 9/08 | 6,553 | 9.95 | 3,901 | 3 | 73 | | |
| | | 10/08 | 7,034 | 9.95 | 5,618 | 3 | 76 | | |
| | | 11/08 | 6,690 | 9.95 | 6,838 | 3 | 74 | | |
| | | 12/08 | 6,956 | 9.95 | 5,766 | 3 | 75 | | |
| | | | | | 86,873 | | 55,174 | | |
| WARD LAKE ENER | BEAR LAKE 24 ANTRIM | 1/08 | 8,311 | 7.96 | 3,994 | 4 | 67 | | |
| | | 2/08 | 7,715 | 7.96 | 3,401 | 4 | 66 | | |
| | | 3/08 | 8,994 | 7.96 | 4,189 | 4 | 73 | | |
| | | 4/08 | 8,205 | 7.96 | 3,182 | 4 | 68 | | |
| | | 5/08 | 8,366 | 7.96 | 4,351 | 4 | 67 | | |
| | | 6/08 | 7,928 | 7.96 | 5,375 | 4 | 66 | | |
| | | 7/08 | 7,877 | 7.96 | 5,170 | 4 | 64 | | |
| | | 8/08 | 8,166 | 9.95 | 7,127 | 4 | 66 | | |
| | | 9/08 | 8,130 | 9.95 | 4,839 | 4 | 68 | | |
| | | 10/08 | 8,156 | 9.95 | 6,514 | 4 | 66 | | |
| | | 11/08 | 8,259 | 9.95 | 8,442 | 4 | 69 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|----------------------|-----------------|---------------|-------|---------------|---------------|--------------------------|
| WARD LAKE ENER | BEAR LAKE 24 ANTRIM | 12/08 | 8,755 | 9.95 | 7,259 | 4 | 71 |
| | | | 98,862 | | 63,843 | | |
| WARD LAKE ENER | BEAR LAKE 27 | 1/08 | 4,659 | 7.96 | 2,239 | 4 | 38 |
| | | 2/08 | 4,290 | 7.96 | 1,891 | 4 | 37 |
| | | 3/08 | 4,888 | 7.96 | 2,276 | 4 | 39 |
| | | 4/08 | 4,504 | 7.96 | 1,746 | 4 | 38 |
| | | 5/08 | 4,509 | 7.96 | 2,345 | 4 | 36 |
| | | 6/08 | 4,185 | 7.96 | 2,837 | 4 | 35 |
| | | 7/08 | 4,277 | 7.96 | 2,807 | 4 | 34 |
| | | 8/08 | 4,469 | 9.95 | 3,900 | 4 | 36 |
| | | 9/08 | 4,289 | 9.95 | 2,553 | 4 | 36 |
| | | 10/08 | 3,788 | 9.95 | 3,026 | 4 | 31 |
| | | 11/08 | 4,081 | 9.95 | 4,171 | 4 | 34 |
| | | 12/08 | 4,113 | 9.95 | 3,409 | 4 | 33 |
| | | | 52,052 | | 33,200 | | |
| WARD LAKE ENER | BEAR LAKE 28 - 21182 | 1/08 | 1,057 | 8.04 | 508 | 1 | 34 |
| | | 2/08 | 972 | 8.04 | 429 | 1 | 34 |
| | | 3/08 | 1,051 | 8.04 | 490 | 1 | 34 |
| | | 4/08 | 940 | 8.04 | 365 | 1 | 31 |
| | | 5/08 | 916 | 8.04 | 477 | 1 | 30 |
| | | 6/08 | 829 | 8.04 | 562 | 1 | 28 |
| | | 7/08 | 827 | 8.04 | 543 | 1 | 27 |
| | | 8/08 | 741 | 9.95 | 646 | 1 | 24 |
| | | 9/08 | 117 | 9.95 | 70 | 1 | 4 |
| | | 10/08 | 686 | 9.95 | 549 | 1 | 22 |
| | | 11/08 | 748 | 9.95 | 763 | 1 | 25 |
| | | 12/08 | 825 | 9.95 | 684 | 1 | 27 |
| | | | 9,709 | | 6,086 | | |
| WARD LAKE ENER | BEAR LAKE 28 - 21183 | 1/08 | 2,051 | 9.38 | 986 | 1 | 66 |
| | | 2/08 | 1,916 | 9.38 | 844 | 1 | 66 |
| | | 3/08 | 2,133 | 9.38 | 993 | 1 | 69 |
| | | 4/08 | 1,973 | 9.38 | 765 | 1 | 66 |
| | | 5/08 | 1,994 | 9.38 | 1,037 | 1 | 64 |
| | | 6/08 | 1,907 | 9.38 | 1,293 | 1 | 64 |
| | | 7/08 | 1,966 | 9.38 | 1,291 | 1 | 63 |
| | | 8/08 | 1,977 | 9.95 | 1,724 | 1 | 64 |
| | | 9/08 | 1,977 | 9.95 | 1,177 | 1 | 66 |
| | | 10/08 | 1,977 | 9.95 | 1,579 | 1 | 64 |
| | | 11/08 | 2,019 | 9.95 | 2,064 | 1 | 67 |
| | | 12/08 | 2,143 | 9.95 | 1,777 | 1 | 69 |
| | | | 24,033 | | 15,530 | | |
| WARD LAKE ENER | BEAR LAKE 3 | 1/08 | 2,697 | 12.77 | 5,949 | 3 | 29 |
| | | 2/08 | 3,134 | 12.77 | 5,230 | 3 | 36 |
| | | 3/08 | 3,503 | 12.77 | 5,153 | 3 | 38 |
| | | 4/08 | 2,702 | 12.77 | 5,249 | 3 | 30 |
| | | 5/08 | 3,137 | 12.77 | 5,622 | 3 | 34 |
| | | 6/08 | 3,159 | 12.77 | 5,986 | 2 | 53 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|----------------------|-----------------|-----------|---------------|-------------|---------------|--------------------------|
| WARD LAKE ENER | BEAR LAKE 3 | 7/08 | 2,756 | 12.77 | 5,221 | 2 | 44 |
| | | 8/08 | 3,138 | 13.95 | 5,883 | 3 | 34 |
| | | 9/08 | 3,129 | 13.95 | 4,596 | 2 | 52 |
| | | 10/08 | 3,406 | 13.95 | 6,862 | 2 | 55 |
| | | 11/08 | 3,394 | 13.95 | 8,448 | 2 | 57 |
| | | 12/08 | 3,173 | 13.95 | 7,427 | 3 | 34 |
| | | | | 37,328 | | 71,626 | |
| WARD LAKE ENER | BEAR LAKE WEST | 5/08 | 8 | | 0 | 2 | 0 |
| | | 6/08 | 1,438 | 10.90 | 1,664 | 2 | 24 |
| | | 7/08 | 1,850 | 11.94 | 1,978 | 2 | 30 |
| | | 8/08 | 1,735 | 9.51 | 1,013 | 2 | 28 |
| | | 9/08 | 1,691 | 9.51 | 1,124 | 2 | 28 |
| | | 10/08 | 1,176 | 9.51 | 797 | 2 | 19 |
| | | 11/08 | 1,396 | 9.51 | 790 | 2 | 23 |
| | | 12/08 | 875 | 9.51 | 402 | 2 | 14 |
| | | 10,169 | | 7,768 | | | |
| WARD LAKE ENER | BEAR LAKE WEST-21257 | 5/08 | 13 | 8.95 | 0 | 1 | 0 |
| | | 6/08 | 141 | 8.95 | 160 | 1 | 5 |
| | | 7/08 | 286 | 3.66 | 305 | 1 | 9 |
| | | 8/08 | 119 | 9.51 | 70 | 1 | 4 |
| | | 9/08 | 0 | 9.51 | 0 | 0 | 0 |
| | | 10/08 | 57 | 9.51 | 39 | 1 | 2 |
| | | 11/08 | 251 | 9.51 | 142 | 1 | 8 |
| | | 12/08 | 245 | 9.51 | 112 | 1 | 8 |
| | | 1,112 | | 828 | | | |
| WARD LAKE ENER | BEAR LAKE WEST-21258 | 5/08 | 5 | 4.90 | 0 | 1 | 0 |
| | | 6/08 | 1,579 | 4.90 | 1,804 | 1 | 53 |
| | | 7/08 | 1,366 | 11.94 | 1,462 | 1 | 44 |
| | | 8/08 | 1,339 | 9.51 | 784 | 1 | 43 |
| | | 9/08 | 1,601 | 9.51 | 1,067 | 1 | 53 |
| | | 10/08 | 972 | 9.51 | 658 | 1 | 31 |
| | | 11/08 | 1,079 | 9.51 | 610 | 1 | 36 |
| | | 12/08 | 1,027 | 9.51 | 471 | 1 | 33 |
| | | 8,968 | | 6,856 | | | |
| WARD LAKE ENER | BEAR LAKE WEST-21263 | 6/08 | 3,258 | 9.18 | 3,725 | 1 | 109 |
| | | 7/08 | 2,787 | 9.18 | 2,982 | 1 | 90 |
| | | 8/08 | 2,933 | 9.51 | 1,717 | 1 | 95 |
| | | 9/08 | 3,099 | 9.51 | 2,064 | 1 | 103 |
| | | 10/08 | 2,599 | 9.51 | 1,760 | 1 | 84 |
| | | 11/08 | 2,448 | 9.51 | 1,384 | 1 | 82 |
| | | 12/08 | 2,585 | 9.51 | 1,186 | 1 | 83 |
| | | 19,709 | | 14,818 | | | |
| WARD LAKE ENER | BEAR LAKE WEST-21264 | 6/08 | 1,594 | 10.93 | 1,823 | 1 | 53 |
| | | 7/08 | 2,246 | 10.93 | 2,404 | 1 | 72 |
| | | 8/08 | 2,091 | 9.51 | 1,224 | 1 | 67 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|----------------------|-----------------|---------------|-------|---------------|---------------|--------------------------|
| WARD LAKE ENER | BEAR LAKE WEST-21264 | 9/08 | 2,329 | 9.51 | 1,550 | 1 | 78 |
| | | 10/08 | 1,724 | 9.51 | 1,168 | 1 | 56 |
| | | 11/08 | 1,488 | 9.51 | 841 | 1 | 50 |
| | | 12/08 | 1,099 | 9.51 | 504 | 1 | 35 |
| | | | 12,571 | | 9,514 | | |
| WARD LAKE ENER | BEAR LAKE WEST-21265 | 6/08 | 2,505 | 9.14 | 2,863 | 1 | 84 |
| | | 7/08 | 2,555 | 9.14 | 2,734 | 1 | 82 |
| | | 8/08 | 2,449 | 9.51 | 1,434 | 1 | 79 |
| | | 9/08 | 2,427 | 9.51 | 1,616 | 1 | 81 |
| | | 10/08 | 2,243 | 9.51 | 1,519 | 1 | 72 |
| | | 11/08 | 2,029 | 9.51 | 1,147 | 1 | 68 |
| | | 12/08 | 1,937 | 9.51 | 889 | 1 | 62 |
| | | | 16,145 | | 12,202 | | |
| WARD LAKE ENER | BEAR LAKE WEST-21266 | 6/08 | 2,876 | 8.66 | 3,289 | 1 | 96 |
| | | 7/08 | 3,890 | 8.66 | 4,163 | 1 | 125 |
| | | 8/08 | 3,783 | 9.51 | 2,215 | 1 | 122 |
| | | 9/08 | 3,982 | 9.51 | 2,652 | 1 | 133 |
| | | 10/08 | 3,534 | 9.51 | 2,393 | 1 | 114 |
| | | 11/08 | 3,273 | 9.51 | 1,850 | 1 | 109 |
| | | 12/08 | 3,370 | 9.51 | 1,546 | 1 | 109 |
| | | | 24,708 | | 18,108 | | |
| WARD LAKE ENER | BEAR LAKE WEST-21271 | 6/08 | 1,042 | 11.59 | 1,191 | 1 | 35 |
| | | 7/08 | 2,350 | 11.59 | 2,515 | 1 | 76 |
| | | 8/08 | 2,347 | 9.51 | 1,373 | 1 | 76 |
| | | 9/08 | 2,508 | 9.51 | 1,671 | 1 | 84 |
| | | 10/08 | 2,178 | 9.51 | 1,475 | 1 | 70 |
| | | 11/08 | 1,994 | 9.51 | 1,127 | 1 | 66 |
| | | 12/08 | 1,972 | 9.51 | 905 | 1 | 64 |
| | | | 14,391 | | 10,257 | | |
| WARD LAKE ENER | BEAR LAKE WEST-21275 | 8/08 | 1,407 | 9.51 | 823 | 1 | 45 |
| | | 9/08 | 1,576 | 9.51 | 1,050 | 1 | 53 |
| | | 10/08 | 1,429 | 9.51 | 968 | 1 | 46 |
| | | 11/08 | 1,306 | 9.51 | 738 | 1 | 44 |
| | | 12/08 | 1,367 | 9.51 | 628 | 1 | 44 |
| | 7,085 | | 4,207 | | | | |
| WARD LAKE ENER | BEAR LAKE WEST-21276 | 8/08 | 1,567 | 9.51 | 917 | 1 | 51 |
| | | 9/08 | 2,047 | 9.51 | 1,363 | 1 | 68 |
| | | 10/08 | 1,782 | 9.51 | 1,207 | 1 | 57 |
| | | 11/08 | 1,716 | 9.51 | 970 | 1 | 57 |
| | | 12/08 | 1,715 | 9.51 | 787 | 1 | 55 |
| | 8,827 | | 5,244 | | | | |
| WARD LAKE ENER | BEAR LAKE WEST-21277 | 8/08 | 3,511 | 9.51 | 2,055 | 1 | 113 |
| | | 9/08 | 2,790 | 9.51 | 1,858 | 1 | 93 |
| | | 10/08 | 2,542 | 9.51 | 1,722 | 1 | 82 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|----------------------|-----------------|---------------|-------|--------------|---------------|--------------------------|
| WARD LAKE ENER | BEAR LAKE WEST-21277 | 11/08 | 2,305 | 9.51 | 1,302 | 1 | 77 |
| | | 12/08 | 2,253 | 9.51 | 1,034 | 1 | 73 |
| | | | 13,401 | | 7,971 | | |
| WARD LAKE ENER | BEAR LAKE WEST-21278 | 8/08 | 1,874 | 9.51 | 1,097 | 1 | 60 |
| | | 9/08 | 1,870 | 9.51 | 1,245 | 1 | 62 |
| | | 10/08 | 1,531 | 9.51 | 1,037 | 1 | 49 |
| | | 11/08 | 1,461 | 9.51 | 826 | 1 | 49 |
| | | 12/08 | 1,470 | 9.51 | 675 | 1 | 47 |
| | 8,206 | | 4,880 | | | | |
| WARD LAKE ENER | BEAR LAKE WEST-21279 | 8/08 | 1,674 | 9.51 | 980 | 1 | 54 |
| | | 9/08 | 1,685 | 9.51 | 1,122 | 1 | 56 |
| | | 10/08 | 1,493 | 9.51 | 1,011 | 1 | 48 |
| | | 11/08 | 1,362 | 9.51 | 770 | 1 | 45 |
| | | 12/08 | 1,589 | 9.51 | 730 | 1 | 51 |
| | 7,803 | | 4,613 | | | | |
| WARD LAKE ENER | BEAR LAKE WEST-21280 | 8/08 | 2,252 | 9.51 | 1,319 | 1 | 73 |
| | | 9/08 | 2,138 | 9.51 | 1,424 | 1 | 71 |
| | | 10/08 | 1,908 | 9.51 | 1,292 | 1 | 62 |
| | | 11/08 | 1,585 | 9.51 | 896 | 1 | 53 |
| | | 12/08 | 2,265 | 9.51 | 1,039 | 1 | 73 |
| | 10,148 | | 5,970 | | | | |
| WARD LAKE ENER | BEAR LAKE WEST-21314 | 9/08 | 250 | 9.51 | 167 | 1 | 8 |
| | | 10/08 | 740 | 9.51 | 501 | 1 | 24 |
| | | 11/08 | 689 | 9.51 | 389 | 1 | 23 |
| | | 12/08 | 965 | 9.51 | 443 | 1 | 31 |
| | 2,644 | | 1,500 | | | | |
| WARD LAKE ENER | BEAR LAKE WEST-21315 | 9/08 | 1,235 | 9.51 | 823 | 1 | 41 |
| | | 10/08 | 2,422 | 9.51 | 1,640 | 1 | 78 |
| | | 11/08 | 2,306 | 9.51 | 1,304 | 1 | 77 |
| | | 12/08 | 1,890 | 9.51 | 867 | 1 | 61 |
| | 7,853 | | 4,634 | | | | |
| WARD LAKE ENER | BEAR LAKE WEST-21316 | 9/08 | 896 | 9.51 | 596 | 1 | 30 |
| | | 10/08 | 1,503 | 9.51 | 1,017 | 1 | 48 |
| | | 11/08 | 1,329 | 9.51 | 752 | 1 | 44 |
| | | 12/08 | 1,292 | 9.51 | 593 | 1 | 42 |
| | 5,020 | | 2,958 | | | | |
| WARD LAKE ENER | BEAR LAKE WEST-21317 | 10/08 | 2,091 | | 1,417 | 1 | 67 |
| | | 11/08 | 2,527 | | 1,428 | 1 | 84 |
| | | 12/08 | 1,840 | | 845 | 1 | 59 |
| | 6,458 | | 3,690 | | | | |
| WARD LAKE ENER | BEAR LAKE WEST-21318 | 9/08 | 30 | 9.51 | 20 | 1 | 1 |
| | | 10/08 | 1,809 | 9.51 | 1,225 | 1 | 58 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|----------------------|-----------------|--------------|---------------|--------------|---------------|--------------------------|
| WARD LAKE ENER | BEAR LAKE WEST-21318 | 11/08 | 1,817 | 9.51 | 1,027 | 1 | 61 |
| | | 12/08 | 1,839 | 9.51 | 844 | 1 | 59 |
| | | | 5,495 | | 3,116 | | |
| WARD LAKE ENER | BEAR LAKE WEST-21319 | 9/08 | 141 | 9.51 | 93 | 1 | 5 |
| | | 10/08 | 760 | 9.51 | 515 | 1 | 25 |
| | | 11/08 | 719 | 9.51 | 407 | 1 | 24 |
| | | 12/08 | 728 | 9.51 | 334 | 1 | 23 |
| | | 2,348 | | 1,349 | | | |
| WARD LAKE ENER | BEAR LAKE WEST-21324 | 10/08 | 1,158 | | 784 | 1 | 37 |
| | | 11/08 | 1,172 | | 662 | 1 | 39 |
| | | 12/08 | 1,127 | | 517 | 1 | 36 |
| | | 3,457 | | 1,963 | | | |
| WARD LAKE ENER | BOND D2-19 | 1/08 | 2,437 | 8.54 | 1,171 | 1 | 79 |
| | | 2/08 | 2,246 | 8.54 | 990 | 1 | 77 |
| | | 3/08 | 1,972 | 8.54 | 912 | 1 | 64 |
| | | 4/08 | 2,019 | 8.54 | 783 | 1 | 67 |
| | | 5/08 | 2,274 | 8.54 | 1,183 | 1 | 73 |
| | | 6/08 | 2,139 | 8.54 | 1,450 | 1 | 71 |
| | | 7/08 | 2,174 | 8.54 | 1,427 | 1 | 70 |
| | | 8/08 | 2,190 | 9.95 | 1,912 | 1 | 71 |
| | | 9/08 | 2,137 | 9.95 | 1,272 | 1 | 71 |
| | | 10/08 | 2,181 | 9.95 | 1,741 | 1 | 70 |
| | | 11/08 | 2,150 | 9.95 | 2,197 | 1 | 72 |
| | | 12/08 | 2,291 | 9.95 | 1,899 | 1 | 74 |
| | | 26,210 | | 16,937 | | | |
| WARD LAKE ENER | BRILEY 26 | 1/08 | 44,765 | 17.64 | 3,646 | 21 | 69 |
| | | 2/08 | 41,667 | 17.64 | 3,460 | 21 | 68 |
| | | 3/08 | 44,211 | 17.64 | 3,597 | 21 | 68 |
| | | 4/08 | 42,199 | 17.64 | 3,407 | 21 | 67 |
| | | 5/08 | 44,143 | 17.64 | 3,687 | 21 | 68 |
| | | 6/08 | 42,924 | 17.64 | 3,550 | 21 | 68 |
| | | 7/08 | 43,600 | 17.64 | 3,122 | 21 | 67 |
| | | 8/08 | 43,173 | 18.04 | 3,008 | 21 | 66 |
| | | 9/08 | 42,846 | 18.04 | 3,675 | 21 | 68 |
| | | 10/08 | 43,857 | 18.04 | 3,463 | 21 | 67 |
| | | 11/08 | 42,980 | 18.04 | 3,915 | 21 | 68 |
| | | 12/08 | 46,519 | 18.04 | 3,597 | 21 | 71 |
| | | 522,884 | | 42,127 | | | |
| WARD LAKE ENER | BRILEY 8 | 1/08 | 25,568 | 5.59 | 18,198 | 27 | 31 |
| | | 2/08 | 27,841 | 5.59 | 16,480 | 27 | 36 |
| | | 3/08 | 26,117 | 5.59 | 17,385 | 27 | 31 |
| | | 4/08 | 24,423 | 5.59 | 16,099 | 27 | 30 |
| | | 5/08 | 25,974 | 5.59 | 15,876 | 27 | 31 |
| | | 6/08 | 24,115 | 5.59 | 14,382 | 27 | 30 |
| | | 7/08 | 25,377 | 5.59 | 15,841 | 27 | 30 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|--------------------|-----------------|-----------|----------------|-------------|----------------|--------------------------|
| WARD LAKE ENER | BRILEY 8 | 8/08 | 25,027 | 5.59 | 15,910 | 27 | 30 |
| | | 9/08 | 25,678 | 5.59 | 16,046 | 27 | 32 |
| | | 10/08 | 25,395 | 5.59 | 16,506 | 27 | 30 |
| | | 11/08 | 24,369 | 5.59 | 15,810 | 27 | 30 |
| | | 12/08 | 25,825 | 5.59 | 16,257 | 27 | 31 |
| | | | | 305,709 | | 194,790 | |
| WARD LAKE ENER | CANADA CREEK RANCH | 1/08 | 28,479 | 4.21 | 26,840 | 31 | 30 |
| | | 2/08 | 29,222 | 4.21 | 24,729 | 31 | 32 |
| | | 3/08 | 26,653 | 4.21 | 25,959 | 31 | 28 |
| | | 4/08 | 26,387 | 4.21 | 24,176 | 31 | 28 |
| | | 5/08 | 27,035 | 4.21 | 25,605 | 31 | 28 |
| | | 6/08 | 26,484 | 4.21 | 25,660 | 31 | 28 |
| | | 7/08 | 28,148 | 4.21 | 25,829 | 31 | 29 |
| | | 8/08 | 27,864 | 3.56 | 27,709 | 31 | 29 |
| | | 9/08 | 26,920 | 3.56 | 25,935 | 31 | 29 |
| | | 10/08 | 27,795 | 3.56 | 27,482 | 31 | 29 |
| | | 11/08 | 26,516 | 3.56 | 25,766 | 31 | 29 |
| | | 12/08 | 27,238 | 3.56 | 25,175 | 31 | 28 |
| | | 328,741 | | 310,865 | | | |
| WARD LAKE ENER | CHARLTON 11 | 1/08 | 10,181 | 21.32 | 3,561 | 17 | 19 |
| | | 2/08 | 9,397 | 21.32 | 3,542 | 17 | 19 |
| | | 3/08 | 10,492 | 21.32 | 3,872 | 17 | 20 |
| | | 4/08 | 10,875 | 21.32 | 3,862 | 17 | 21 |
| | | 5/08 | 10,138 | 21.32 | 4,155 | 17 | 19 |
| | | 6/08 | 9,771 | 21.32 | 4,205 | 17 | 19 |
| | | 7/08 | 10,098 | 21.32 | 4,328 | 17 | 19 |
| | | 8/08 | 9,622 | 24.55 | 5,429 | 17 | 18 |
| | | 9/08 | 9,304 | 24.55 | 5,698 | 17 | 18 |
| | | 10/08 | 9,422 | 24.55 | 5,594 | 17 | 18 |
| | | 11/08 | 9,001 | 24.55 | 4,712 | 17 | 18 |
| | | 12/08 | 9,279 | 24.55 | 4,189 | 17 | 18 |
| | | 117,580 | | 53,147 | | | |
| WARD LAKE ENER | CHARLTON 12 | 1/08 | 7,992 | 27.13 | 633 | 18 | 14 |
| | | 2/08 | 7,700 | 27.13 | 687 | 18 | 15 |
| | | 3/08 | 9,213 | 27.13 | 959 | 18 | 16 |
| | | 4/08 | 8,778 | 27.13 | 904 | 18 | 16 |
| | | 5/08 | 8,290 | 27.13 | 877 | 18 | 15 |
| | | 6/08 | 7,928 | 27.13 | 808 | 18 | 15 |
| | | 7/08 | 8,459 | 27.13 | 770 | 18 | 15 |
| | | 8/08 | 8,344 | 30.27 | 892 | 18 | 15 |
| | | 9/08 | 7,911 | 30.27 | 682 | 18 | 15 |
| | | 10/08 | 8,070 | 30.27 | 782 | 18 | 14 |
| | | 11/08 | 7,775 | 30.27 | 852 | 18 | 14 |
| | | 12/08 | 7,401 | 30.27 | 851 | 18 | 13 |
| | | 97,861 | | 9,697 | | | |
| WARD LAKE ENER | CHARLTON 15 | 1/08 | 1,977 | 22.66 | 59 | 1 | 64 |
| | | 2/08 | 1,880 | 22.66 | 59 | 1 | 65 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------------|--------------|-----------------|-------------|-------|----------------|---------------|--------------------------|----|----|
| WARD LAKE ENER | CHARLTON 15 | 3/08 | 2,192 | 22.66 | 76 | 1 | 71 | | |
| | | 4/08 | 2,074 | 22.66 | 80 | 1 | 69 | | |
| | | 5/08 | 1,986 | 22.66 | 75 | 1 | 64 | | |
| | | 6/08 | 1,917 | 22.66 | 87 | 1 | 64 | | |
| | | 7/08 | 1,997 | 22.66 | 93 | 1 | 64 | | |
| | | 8/08 | 1,935 | 23.61 | 78 | 1 | 62 | | |
| | | 9/08 | 1,866 | 23.61 | 84 | 1 | 62 | | |
| | | 10/08 | 1,876 | 23.61 | 84 | 1 | 61 | | |
| | | 11/08 | 1,924 | 23.61 | 71 | 1 | 64 | | |
| | | 12/08 | 1,822 | 23.61 | 62 | 1 | 59 | | |
| | | | | | 23,446 | | 908 | | |
| | | WARD LAKE ENER | CHARLTON 19 | 1/08 | 12,488 | 16.49 | 1,002 | 21 | 19 |
| | | | | 2/08 | 11,133 | 16.49 | 710 | 21 | 18 |
| 3/08 | 12,106 | | | 16.49 | 811 | 21 | 19 | | |
| 4/08 | 11,670 | | | 16.49 | 803 | 21 | 19 | | |
| 5/08 | 12,427 | | | 16.49 | 745 | 21 | 19 | | |
| 6/08 | 12,546 | | | 16.49 | 1,019 | 21 | 20 | | |
| 7/08 | 12,918 | | | 16.49 | 1,514 | 21 | 20 | | |
| 8/08 | 13,032 | | | 12.71 | 1,488 | 21 | 20 | | |
| 9/08 | 12,545 | | | 12.71 | 1,475 | 21 | 20 | | |
| 10/08 | 12,341 | | | 12.71 | 1,495 | 21 | 19 | | |
| 11/08 | 11,624 | | | 12.71 | 1,291 | 21 | 18 | | |
| 12/08 | 11,721 | | | 12.71 | 1,508 | 21 | 18 | | |
| | | | | | 146,551 | | 13,861 | | |
| WARD LAKE ENER | CHARLTON 2 | 1/08 | 3,239 | 22.01 | 2,900 | 20 | 5 | | |
| | | 2/08 | 2,332 | 22.01 | 1,487 | 20 | 4 | | |
| | | 3/08 | 3,412 | 22.01 | 2,718 | 20 | 5 | | |
| | | 4/08 | 3,129 | 22.01 | 4,147 | 20 | 5 | | |
| | | 5/08 | 2,529 | 22.01 | 7,385 | 20 | 4 | | |
| | | 6/08 | 4,145 | 22.01 | 8,301 | 20 | 7 | | |
| | | 7/08 | 3,298 | 22.01 | 7,051 | 20 | 5 | | |
| | | 8/08 | 3,876 | 22.70 | 11,929 | 20 | 6 | | |
| | | 9/08 | 3,870 | 22.70 | 11,768 | 20 | 6 | | |
| | | 10/08 | 3,758 | 22.70 | 12,160 | 20 | 6 | | |
| | | 11/08 | 3,515 | 22.70 | 10,822 | 20 | 6 | | |
| | | 12/08 | 3,425 | 22.70 | 10,051 | 20 | 6 | | |
| | | | | | 40,528 | | 90,719 | | |
| WARD LAKE ENER | CHARLTON 21 | 1/08 | 10,280 | 17.15 | 1,730 | 21 | 16 | | |
| | | 2/08 | 9,614 | 17.15 | 1,641 | 21 | 16 | | |
| | | 3/08 | 10,998 | 17.15 | 1,903 | 21 | 17 | | |
| | | 4/08 | 11,621 | 17.15 | 1,676 | 21 | 18 | | |
| | | 5/08 | 11,738 | 17.15 | 1,377 | 21 | 18 | | |
| | | 6/08 | 11,124 | 17.15 | 1,181 | 21 | 18 | | |
| | | 7/08 | 11,843 | 17.15 | 1,764 | 21 | 18 | | |
| | | 8/08 | 11,602 | 16.68 | 1,402 | 21 | 18 | | |
| | | 9/08 | 11,415 | 16.68 | 1,293 | 21 | 18 | | |
| | | 10/08 | 12,367 | 16.68 | 1,393 | 21 | 19 | | |
| | | 11/08 | 11,802 | 16.68 | 729 | 21 | 19 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|---------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| WARD LAKE ENER | CHARLTON 21 | 12/08 | 11,091 | 16.68 | 743 | 21 | 17 |
| | | | 135,495 | | 16,832 | | |
| WARD LAKE ENER | CHARLTON 22 (NORTH) | 1/08 | 13,549 | 7.60 | 4,697 | 18 | 24 |
| | | 2/08 | 12,581 | 7.60 | 4,773 | 18 | 24 |
| | | 3/08 | 13,117 | 7.60 | 4,529 | 18 | 23 |
| | | 4/08 | 12,744 | 7.60 | 4,544 | 18 | 24 |
| | | 5/08 | 13,496 | 7.60 | 4,688 | 18 | 24 |
| | | 6/08 | 13,277 | 7.60 | 4,650 | 18 | 25 |
| | | 7/08 | 13,848 | 7.60 | 4,270 | 18 | 25 |
| | | 8/08 | 12,905 | 8.11 | 3,926 | 18 | 23 |
| | | 9/08 | 13,486 | 8.11 | 5,560 | 18 | 25 |
| | | 10/08 | 13,428 | 8.11 | 4,803 | 18 | 24 |
| | | 11/08 | 12,700 | 8.11 | 2,997 | 18 | 24 |
| | | 12/08 | 13,362 | 8.11 | 5,265 | 18 | 24 |
| | | | 158,493 | | 54,702 | | |
| WARD LAKE ENER | CHARLTON 29 (SOUTH) | 1/08 | 0 | 15.07 | 0 | 0 | 0 |
| | | 2/08 | 0 | 15.07 | 0 | 0 | 0 |
| | | 3/08 | 0 | 15.07 | 0 | 0 | 0 |
| | | 4/08 | 0 | 15.07 | 0 | 0 | 0 |
| | | 5/08 | 0 | 15.07 | 0 | 0 | 0 |
| | | 6/08 | 0 | 15.07 | 0 | 0 | 0 |
| | | 7/08 | 0 | 15.07 | 0 | 0 | 0 |
| | | 8/08 | 0 | 16.06 | 0 | 0 | 0 |
| | | 9/08 | 0 | 16.06 | 0 | 0 | 0 |
| | | 10/08 | 0 | 16.06 | 0 | 0 | 0 |
| | | 11/08 | 0 | 16.06 | 0 | 0 | 0 |
| | | 12/08 | 0 | 16.06 | 0 | 0 | 0 |
| | | | 0 | | 0 | | |
| WARD LAKE ENER | CHARLTON 30 | 1/08 | 1,821 | 11.41 | 202 | 10 | 6 |
| | | 2/08 | 1,673 | 11.41 | 0 | 10 | 6 |
| | | 3/08 | 1,787 | 11.41 | 0 | 10 | 6 |
| | | 4/08 | 1,652 | 11.41 | 0 | 10 | 6 |
| | | 5/08 | 1,721 | 11.41 | 0 | 10 | 6 |
| | | 6/08 | 1,626 | 11.41 | 0 | 10 | 5 |
| | | 7/08 | 1,660 | 11.41 | 0 | 10 | 5 |
| | | 8/08 | 1,673 | 19.01 | 0 | 10 | 5 |
| | | 9/08 | 1,574 | 19.01 | 0 | 10 | 5 |
| | | 10/08 | 1,532 | 19.01 | 0 | 10 | 5 |
| | | 11/08 | 1,524 | 19.01 | 0 | 10 | 5 |
| | | 12/08 | 1,578 | 19.01 | 0 | 10 | 5 |
| | | | 19,821 | | 202 | | |
| WARD LAKE ENER | CHARLTON 31 | 1/08 | 9,146 | 13.62 | 3,900 | 14 | 21 |
| | | 2/08 | 8,192 | 13.62 | 3,406 | 14 | 20 |
| | | 3/08 | 8,538 | 13.62 | 3,838 | 14 | 20 |
| | | 4/08 | 8,520 | 13.62 | 3,923 | 14 | 20 |
| | | 5/08 | 9,312 | 13.62 | 3,739 | 14 | 21 |
| | | 6/08 | 9,048 | 13.62 | 3,766 | 14 | 22 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|--------------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| WARD LAKE ENER | CHARLTON 31 | 7/08 | 9,024 | 13.62 | 3,844 | 14 | 21 |
| | | 8/08 | 8,978 | 15.96 | 3,814 | 14 | 21 |
| | | 9/08 | 8,975 | 15.96 | 3,897 | 14 | 21 |
| | | 10/08 | 9,013 | 15.96 | 4,197 | 14 | 21 |
| | | 11/08 | 8,865 | 15.96 | 4,046 | 14 | 21 |
| | | 12/08 | 8,850 | 15.96 | 3,997 | 14 | 20 |
| | | | | | 106,461 | | 46,367 |
| WARD LAKE ENER | CHARLTON 32B | 1/08 | 1,272 | 25.06 | 385 | 2 | 21 |
| | | 2/08 | 1,169 | 25.06 | 325 | 2 | 20 |
| | | 3/08 | 1,578 | 25.06 | 394 | 2 | 25 |
| | | 4/08 | 1,683 | 25.06 | 380 | 2 | 28 |
| | | 5/08 | 1,570 | 25.06 | 385 | 2 | 25 |
| | | 6/08 | 1,506 | 25.06 | 379 | 2 | 25 |
| | | 7/08 | 1,532 | 25.06 | 401 | 2 | 25 |
| | | 8/08 | 1,497 | 25.41 | 395 | 2 | 24 |
| | | 9/08 | 1,389 | 25.41 | 391 | 2 | 23 |
| | | 10/08 | 1,150 | 25.41 | 440 | 2 | 19 |
| | | 11/08 | 980 | 25.41 | 444 | 2 | 16 |
| | | 12/08 | 1,153 | 25.41 | 427 | 2 | 19 |
| | | | 16,479 | | 4,746 | | |
| WARD LAKE ENER | CHARLTON 34 | 1/08 | 4,893 | 27.24 | 416 | 6 | 26 |
| | | 2/08 | 4,388 | 27.24 | 388 | 6 | 25 |
| | | 3/08 | 4,740 | 27.24 | 432 | 6 | 25 |
| | | 4/08 | 4,675 | 27.24 | 411 | 6 | 26 |
| | | 5/08 | 4,894 | 27.24 | 409 | 6 | 26 |
| | | 6/08 | 4,818 | 27.24 | 381 | 6 | 27 |
| | | 7/08 | 4,860 | 27.24 | 387 | 6 | 26 |
| | | 8/08 | 5,027 | 25.91 | 388 | 6 | 27 |
| | | 9/08 | 4,837 | 25.91 | 371 | 6 | 27 |
| | | 10/08 | 5,066 | 25.91 | 429 | 6 | 27 |
| | | 11/08 | 4,554 | 25.91 | 386 | 6 | 25 |
| | | 12/08 | 4,513 | 25.91 | 404 | 6 | 24 |
| | | | 57,265 | | 4,802 | | |
| WARD LAKE ENER | CHARLTON 35 | 1/08 | 14,295 | 27.37 | 2,219 | 12 | 38 |
| | | 2/08 | 13,005 | 27.37 | 1,991 | 12 | 37 |
| | | 3/08 | 13,907 | 27.37 | 2,121 | 12 | 37 |
| | | 4/08 | 12,926 | 27.37 | 2,075 | 12 | 36 |
| | | 5/08 | 14,058 | 27.37 | 2,153 | 12 | 38 |
| | | 6/08 | 14,165 | 27.37 | 1,424 | 12 | 39 |
| | | 7/08 | 14,093 | 27.37 | 2,156 | 12 | 38 |
| | | 8/08 | 14,074 | 25.43 | 2,393 | 12 | 38 |
| | | 9/08 | 13,711 | 25.43 | 2,346 | 12 | 38 |
| | | 10/08 | 14,762 | 25.43 | 2,548 | 12 | 40 |
| | | 11/08 | 14,310 | 25.43 | 2,351 | 12 | 40 |
| | | 12/08 | 14,036 | 25.43 | 2,461 | 12 | 38 |
| | | | 167,342 | | 26,238 | | |
| WARD LAKE ENER | CHARLTON 4 (SOUTH) | 1/08 | 10,767 | 27.18 | 761 | 13 | 27 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------------|--------------------|-----------------|--------------------|-------|----------------|---------------|--------------------------|----|----|
| WARD LAKE ENER | CHARLTON 4 (SOUTH) | 2/08 | 9,473 | 27.18 | 705 | 13 | 25 | | |
| | | 3/08 | 9,756 | 27.18 | 810 | 13 | 24 | | |
| | | 4/08 | 9,930 | 27.18 | 903 | 13 | 25 | | |
| | | 5/08 | 10,616 | 27.18 | 768 | 13 | 26 | | |
| | | 6/08 | 10,350 | 27.18 | 920 | 13 | 27 | | |
| | | 7/08 | 10,902 | 27.18 | 938 | 13 | 27 | | |
| | | 8/08 | 11,153 | 28.34 | 837 | 13 | 28 | | |
| | | 9/08 | 11,113 | 28.34 | 902 | 13 | 28 | | |
| | | 10/08 | 10,859 | 28.34 | 593 | 13 | 27 | | |
| | | 11/08 | 10,331 | 28.34 | 1,050 | 13 | 26 | | |
| | | 12/08 | 10,328 | 28.34 | 949 | 13 | 26 | | |
| | | | | | 125,578 | | 10,136 | | |
| | | WARD LAKE ENER | CHARLTON 5 (SOUTH) | 1/08 | 15,453 | 16.49 | 6,699 | 12 | 42 |
| 2/08 | 14,140 | | | 16.49 | 6,333 | 12 | 41 | | |
| 3/08 | 15,564 | | | 16.49 | 6,246 | 12 | 42 | | |
| 4/08 | 15,043 | | | 16.49 | 6,264 | 12 | 42 | | |
| 5/08 | 15,443 | | | 16.49 | 6,448 | 12 | 41 | | |
| 6/08 | 15,047 | | | 16.49 | 6,139 | 12 | 42 | | |
| 7/08 | 15,346 | | | 16.49 | 6,172 | 12 | 41 | | |
| 8/08 | 15,314 | | | 16.77 | 6,042 | 12 | 41 | | |
| 9/08 | 15,450 | | | 16.77 | 6,010 | 12 | 43 | | |
| 10/08 | 15,221 | | | 16.77 | 5,993 | 12 | 41 | | |
| 11/08 | 14,743 | | | 16.77 | 5,814 | 12 | 41 | | |
| 12/08 | 15,075 | | | 16.77 | 6,005 | 12 | 41 | | |
| | | | | | 181,839 | | 74,165 | | |
| WARD LAKE ENER | CHARLTON 7 | 1/08 | 5,566 | 24.70 | 0 | 22 | 8 | | |
| | | 2/08 | 5,158 | 24.70 | 0 | 22 | 8 | | |
| | | 3/08 | 5,583 | 24.70 | 0 | 22 | 8 | | |
| | | 4/08 | 5,541 | 24.70 | 71 | 22 | 8 | | |
| | | 5/08 | 6,408 | 24.70 | 206 | 22 | 9 | | |
| | | 6/08 | 6,112 | 24.70 | 0 | 22 | 9 | | |
| | | 7/08 | 5,773 | 24.70 | 519 | 22 | 8 | | |
| | | 8/08 | 5,723 | 25.56 | 544 | 22 | 8 | | |
| | | 9/08 | 5,873 | 25.56 | 185 | 22 | 9 | | |
| | | 10/08 | 5,610 | 25.56 | 723 | 22 | 8 | | |
| | | 11/08 | 5,249 | 25.56 | 1,237 | 22 | 8 | | |
| | | 12/08 | 4,973 | 25.56 | 1,414 | 22 | 7 | | |
| | | | | | 67,569 | | 4,899 | | |
| WARD LAKE ENER | CHARLTON 9 | 1/08 | 2,172 | 22.58 | 1,457 | 8 | 9 | | |
| | | 2/08 | 1,965 | 22.58 | 1,190 | 8 | 8 | | |
| | | 3/08 | 1,922 | 22.58 | 1,323 | 8 | 8 | | |
| | | 4/08 | 2,026 | 22.58 | 1,719 | 8 | 8 | | |
| | | 5/08 | 2,203 | 22.58 | 1,625 | 8 | 9 | | |
| | | 6/08 | 2,156 | 22.58 | 1,747 | 8 | 9 | | |
| | | 7/08 | 2,011 | 22.58 | 1,031 | 8 | 8 | | |
| | | 8/08 | 2,033 | 22.08 | 1,649 | 8 | 8 | | |
| | | 9/08 | 2,083 | 22.08 | 1,612 | 8 | 9 | | |
| | | 10/08 | 1,784 | 22.08 | 1,532 | 8 | 7 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|----------------|-----------------|---------------|-------|---------------|---------------|--------------------------|
| WARD LAKE ENER | CHARLTON 9 | 11/08 | 1,760 | 22.08 | 1,345 | 8 | 7 |
| | | 12/08 | 1,592 | 22.08 | 1,437 | 8 | 6 |
| | | | 23,707 | | 17,667 | | |
| WARD LAKE ENER | CHESTER 10 | 1/08 | 4,580 | 24.33 | 0 | 7 | 21 |
| | | 2/08 | 4,213 | 24.33 | 0 | 7 | 21 |
| | | 3/08 | 4,401 | 24.33 | 0 | 7 | 20 |
| | | 4/08 | 4,566 | 24.33 | 0 | 7 | 22 |
| | | 5/08 | 5,003 | 24.33 | 0 | 7 | 23 |
| | | 6/08 | 4,869 | 24.33 | 0 | 7 | 23 |
| | | 7/08 | 4,871 | 24.33 | 0 | 7 | 22 |
| | | 8/08 | 4,788 | 24.67 | 0 | 7 | 22 |
| | | 9/08 | 4,665 | 24.67 | 0 | 7 | 22 |
| | | 10/08 | 4,548 | 24.67 | 0 | 7 | 21 |
| | | 11/08 | 4,265 | 24.67 | 0 | 7 | 20 |
| | | 12/08 | 4,279 | 24.67 | 0 | 7 | 20 |
| | 55,048 | | 0 | | | | |
| WARD LAKE ENER | CHESTER 18 | 1/08 | 27,445 | 21.21 | 9,483 | 52 | 17 |
| | | 2/08 | 25,461 | 21.21 | 8,484 | 52 | 17 |
| | | 3/08 | 26,874 | 21.21 | 8,383 | 52 | 17 |
| | | 4/08 | 25,828 | 21.21 | 8,325 | 52 | 17 |
| | | 5/08 | 26,821 | 21.21 | 8,325 | 52 | 17 |
| | | 6/08 | 25,770 | 21.21 | 8,074 | 52 | 17 |
| | | 7/08 | 27,063 | 21.21 | 8,588 | 52 | 17 |
| | | 8/08 | 26,503 | 20.20 | 7,939 | 52 | 16 |
| | | 9/08 | 27,381 | 20.20 | 8,151 | 52 | 18 |
| | | 10/08 | 27,940 | 20.20 | 8,535 | 52 | 17 |
| | | 11/08 | 26,019 | 20.20 | 6,344 | 52 | 17 |
| | | 12/08 | 26,721 | 20.20 | 5,039 | 52 | 17 |
| | 319,826 | | 95,670 | | | | |
| WARD LAKE ENER | CHESTER 22 | 1/08 | 15,877 | 18.66 | 4,645 | 24 | 21 |
| | | 2/08 | 14,544 | 18.66 | 2,967 | 24 | 21 |
| | | 3/08 | 15,280 | 18.66 | 3,506 | 24 | 21 |
| | | 4/08 | 14,059 | 18.66 | 3,465 | 24 | 20 |
| | | 5/08 | 15,147 | 18.66 | 3,516 | 24 | 20 |
| | | 6/08 | 14,845 | 18.66 | 2,431 | 24 | 21 |
| | | 7/08 | 14,387 | 18.66 | 2,912 | 24 | 19 |
| | | 8/08 | 14,092 | 22.44 | 4,304 | 24 | 19 |
| | | 9/08 | 14,500 | 22.44 | 3,878 | 24 | 20 |
| | | 10/08 | 15,396 | 22.44 | 3,834 | 24 | 21 |
| | | 11/08 | 14,902 | 22.44 | 3,041 | 24 | 21 |
| | | 12/08 | 15,491 | 22.44 | 4,002 | 24 | 21 |
| | 178,520 | | 42,501 | | | | |
| WARD LAKE ENER | CHESTER 23 | 1/08 | 13,871 | 15.31 | 3,626 | 25 | 18 |
| | | 2/08 | 13,507 | 15.31 | 3,137 | 25 | 19 |
| | | 3/08 | 14,517 | 15.31 | 2,775 | 25 | 19 |
| | | 4/08 | 13,611 | 15.31 | 2,533 | 25 | 18 |
| | | 5/08 | 14,314 | 15.31 | 3,069 | 25 | 18 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|--------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| WARD LAKE ENER | CHESTER 23 | 6/08 | 13,594 | 15.31 | 2,686 | 25 | 18 |
| | | 7/08 | 13,507 | 15.31 | 2,514 | 25 | 17 |
| | | 8/08 | 13,562 | 19.70 | 2,443 | 25 | 17 |
| | | 9/08 | 13,286 | 19.70 | 2,663 | 25 | 18 |
| | | 10/08 | 13,242 | 19.70 | 2,228 | 25 | 17 |
| | | 11/08 | 13,496 | 19.70 | 3,426 | 25 | 18 |
| | | 12/08 | 13,983 | 19.70 | 3,381 | 25 | 18 |
| | | | 164,490 | | 34,481 | | |
| WARD LAKE ENER | CHESTER 27 | 1/08 | 3,274 | 19.00 | 154 | 5 | 21 |
| | | 2/08 | 3,230 | 19.00 | 182 | 5 | 22 |
| | | 3/08 | 3,579 | 19.00 | 215 | 5 | 23 |
| | | 4/08 | 3,581 | 19.00 | 237 | 5 | 24 |
| | | 5/08 | 3,627 | 19.00 | 232 | 5 | 23 |
| | | 6/08 | 3,543 | 19.00 | 198 | 5 | 24 |
| | | 7/08 | 3,433 | 19.00 | 265 | 5 | 22 |
| | | 8/08 | 3,781 | 20.40 | 336 | 5 | 24 |
| | | 9/08 | 3,795 | 20.40 | 320 | 5 | 25 |
| | | 10/08 | 3,708 | 20.40 | 313 | 5 | 24 |
| | | 11/08 | 3,812 | 20.40 | 157 | 5 | 25 |
| | | 12/08 | 3,658 | 20.40 | 122 | 5 | 24 |
| | | | 43,021 | | 2,731 | | |
| WARD LAKE ENER | COE C4-34 | 1/08 | 2,300 | 7.96 | 1,105 | 1 | 74 |
| | | 2/08 | 2,118 | 7.96 | 934 | 1 | 73 |
| | | 3/08 | 2,336 | 7.96 | 1,088 | 1 | 75 |
| | | 4/08 | 2,164 | 7.96 | 839 | 1 | 72 |
| | | 5/08 | 2,300 | 7.96 | 1,196 | 1 | 74 |
| | | 6/08 | 2,148 | 7.96 | 1,456 | 1 | 72 |
| | | 7/08 | 2,087 | 7.96 | 1,370 | 1 | 67 |
| | | 8/08 | 2,139 | 9.95 | 1,866 | 1 | 69 |
| | | 9/08 | 2,221 | 9.95 | 1,322 | 1 | 74 |
| | | 10/08 | 2,218 | 9.95 | 1,771 | 1 | 72 |
| | | 11/08 | 2,265 | 9.95 | 2,316 | 1 | 76 |
| | | 12/08 | 2,316 | 9.95 | 1,920 | 1 | 75 |
| | | | 26,612 | | 17,183 | | |
| WARD LAKE ENER | DEAN | 1/08 | 12,851 | 12.77 | 20,686 | 6 | 69 |
| | | 2/08 | 11,455 | 12.77 | 19,125 | 6 | 66 |
| | | 3/08 | 13,696 | 12.77 | 20,150 | 6 | 74 |
| | | 4/08 | 11,124 | 12.77 | 21,598 | 6 | 62 |
| | | 5/08 | 12,090 | 12.77 | 21,667 | 6 | 65 |
| | | 6/08 | 13,223 | 12.77 | 25,058 | 6 | 73 |
| | | 7/08 | 13,078 | 12.77 | 24,774 | 6 | 70 |
| | | 8/08 | 12,768 | 13.95 | 23,930 | 6 | 69 |
| | | 9/08 | 12,765 | 13.95 | 18,750 | 6 | 71 |
| | | 10/08 | 13,249 | 13.95 | 26,689 | 6 | 71 |
| | | 11/08 | 12,350 | 13.95 | 30,754 | 6 | 69 |
| | | 12/08 | 11,395 | 13.95 | 26,665 | 6 | 61 |
| | | | 150,044 | | 279,846 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|--------------------|-----------------|-----------|-------|----------------|---------------|--------------------------|
| WARD LAKE ENER | DOVER 24 | 1/08 | 2,443 | 16.52 | 217 | 3 | 26 |
| | | 2/08 | 2,286 | 16.52 | 184 | 3 | 26 |
| | | 3/08 | 2,570 | 16.52 | 213 | 3 | 28 |
| | | 4/08 | 2,451 | 16.52 | 215 | 3 | 27 |
| | | 5/08 | 2,445 | 16.52 | 225 | 3 | 26 |
| | | 6/08 | 2,385 | 16.52 | 223 | 3 | 27 |
| | | 7/08 | 2,406 | 16.52 | 225 | 3 | 26 |
| | | 8/08 | 2,321 | 16.40 | 200 | 3 | 25 |
| | | 9/08 | 2,132 | 16.40 | 178 | 3 | 24 |
| | | 10/08 | 2,169 | 16.40 | 196 | 3 | 23 |
| | | 11/08 | 2,028 | 16.40 | 186 | 3 | 23 |
| | | 12/08 | 1,955 | 16.40 | 195 | 3 | 21 |
| | | | | | 27,591 | | 2,457 |
| WARD LAKE ENER | EDGEWOOD CLUB EAST | 1/08 | 20,072 | 14.86 | 382 | 12 | 54 |
| | | 2/08 | 17,580 | 14.86 | 585 | 12 | 51 |
| | | 3/08 | 18,281 | 14.86 | 456 | 12 | 49 |
| | | 4/08 | 17,066 | 14.86 | 436 | 12 | 47 |
| | | 5/08 | 18,127 | 14.86 | 413 | 12 | 49 |
| | | 6/08 | 18,079 | 14.86 | 454 | 12 | 50 |
| | | 7/08 | 19,813 | 14.86 | 410 | 12 | 53 |
| | | 8/08 | 19,972 | 15.75 | 496 | 12 | 54 |
| | | 9/08 | 19,130 | 15.75 | 396 | 12 | 53 |
| | | 10/08 | 19,630 | 15.75 | 380 | 12 | 53 |
| | | 11/08 | 18,860 | 15.75 | 325 | 12 | 52 |
| | | 12/08 | 18,650 | 15.75 | 388 | 12 | 50 |
| | | | | | 225,260 | | 5,121 |
| WARD LAKE ENER | EDGEWOOD CLUB WEST | 1/08 | 25,019 | 12.02 | 2,399 | 15 | 54 |
| | | 2/08 | 23,541 | 12.02 | 1,960 | 15 | 54 |
| | | 3/08 | 25,164 | 12.02 | 2,446 | 15 | 54 |
| | | 4/08 | 24,663 | 12.02 | 2,587 | 15 | 55 |
| | | 5/08 | 26,081 | 12.02 | 2,536 | 15 | 56 |
| | | 6/08 | 24,919 | 12.02 | 2,303 | 15 | 55 |
| | | 7/08 | 27,218 | 12.02 | 2,563 | 15 | 59 |
| | | 8/08 | 27,753 | 12.79 | 2,709 | 15 | 60 |
| | | 9/08 | 27,151 | 12.79 | 2,804 | 15 | 60 |
| | | 10/08 | 28,690 | 12.79 | 2,706 | 15 | 62 |
| | | 11/08 | 27,352 | 12.79 | 2,378 | 15 | 61 |
| | | 12/08 | 27,518 | 12.79 | 2,570 | 15 | 59 |
| | | | | | 315,069 | | 29,961 |
| WARD LAKE ENER | ELEVEN/TWELVE | 1/08 | 3,362 | 12.77 | 5,413 | 5 | 22 |
| | | 2/08 | 4,111 | 12.77 | 6,864 | 5 | 28 |
| | | 3/08 | 4,665 | 12.77 | 6,862 | 5 | 30 |
| | | 4/08 | 4,020 | 12.77 | 7,804 | 5 | 27 |
| | | 5/08 | 4,299 | 12.77 | 7,705 | 5 | 28 |
| | | 6/08 | 4,009 | 12.77 | 7,596 | 5 | 27 |
| | | 7/08 | 3,714 | 12.77 | 7,037 | 5 | 24 |
| | | 8/08 | 4,426 | 13.95 | 8,295 | 5 | 29 |
| | | 9/08 | 3,641 | 13.95 | 5,348 | 5 | 24 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|----------------|-----------------|---------------|-------|---------------|---------------|--------------------------|
| WARD LAKE ENER | ELEVEN/TWELVE | 10/08 | 2,564 | 13.95 | 5,165 | 5 | 17 |
| | | 11/08 | 3,213 | 13.95 | 8,000 | 5 | 21 |
| | | 12/08 | 2,854 | 13.95 | 6,681 | 5 | 18 |
| | | | 44,878 | | 82,770 | | |
| WARD LAKE ENER | ELMAC HILLS 7 | 1/08 | 10,634 | 4.70 | 1,222 | 1 | 343 |
| | | 2/08 | 10,020 | 4.70 | 1,032 | 1 | 346 |
| | | 3/08 | 10,356 | 4.70 | 1,464 | 1 | 334 |
| | | 4/08 | 10,152 | 4.70 | 1,512 | 1 | 338 |
| | | 5/08 | 10,496 | 4.70 | 1,462 | 1 | 339 |
| | | 6/08 | 10,122 | 4.70 | 1,479 | 1 | 337 |
| | | 7/08 | 10,151 | 4.70 | 1,548 | 1 | 327 |
| | | 8/08 | 9,938 | 4.31 | 1,540 | 1 | 321 |
| | | 9/08 | 9,814 | 4.31 | 1,476 | 1 | 327 |
| | | 10/08 | 10,220 | 4.31 | 1,410 | 1 | 330 |
| | | 11/08 | 9,568 | 4.31 | 1,280 | 1 | 319 |
| | | 12/08 | 9,665 | 4.31 | 1,216 | 1 | 312 |
| | 121,136 | | 16,641 | | | | |
| WARD LAKE ENER | GIRVEN | 1/08 | 2,335 | 12.77 | 3,759 | 3 | 25 |
| | | 2/08 | 2,152 | 12.77 | 3,593 | 3 | 25 |
| | | 3/08 | 2,352 | 12.77 | 3,459 | 3 | 25 |
| | | 4/08 | 1,695 | 12.77 | 3,292 | 3 | 19 |
| | | 5/08 | 1,743 | 12.77 | 3,124 | 3 | 19 |
| | | 6/08 | 1,803 | 12.77 | 3,420 | 3 | 20 |
| | | 7/08 | 1,377 | 12.77 | 2,609 | 3 | 15 |
| | | 8/08 | 1,468 | 13.95 | 2,750 | 3 | 16 |
| | | 9/08 | 1,186 | 13.95 | 1,743 | 3 | 13 |
| | | 10/08 | 842 | 13.95 | 1,695 | 3 | 9 |
| | | 11/08 | 988 | 13.95 | 2,462 | 3 | 11 |
| | | 12/08 | 1,399 | 13.95 | 3,275 | 3 | 15 |
| | 19,340 | | 35,181 | | | | |
| WARD LAKE ENER | GIRVEN 11-6 | 1/08 | 3,261 | 12.77 | 5,247 | 2 | 53 |
| | | 2/08 | 3,086 | 12.77 | 5,154 | 2 | 53 |
| | | 3/08 | 3,049 | 12.77 | 4,488 | 2 | 49 |
| | | 4/08 | 2,488 | 12.77 | 4,831 | 2 | 41 |
| | | 5/08 | 2,906 | 12.77 | 5,210 | 2 | 47 |
| | | 6/08 | 2,418 | 12.77 | 5,183 | 2 | 40 |
| | | 7/08 | 2,882 | 12.77 | 5,459 | 2 | 46 |
| | | 8/08 | 2,697 | 13.95 | 5,054 | 2 | 43 |
| | | 9/08 | 2,704 | 13.95 | 3,972 | 2 | 45 |
| | | 10/08 | 2,678 | 13.95 | 5,391 | 2 | 43 |
| | | 11/08 | 2,658 | 13.95 | 6,620 | 2 | 44 |
| | | 12/08 | 2,716 | 13.95 | 6,357 | 2 | 44 |
| | 33,543 | | 62,966 | | | | |
| WARD LAKE ENER | GUSTAFSON | 1/08 | 10,431 | 7.96 | 5,012 | 7 | 48 |
| | | 2/08 | 9,738 | 7.96 | 4,293 | 7 | 48 |
| | | 3/08 | 10,840 | 7.96 | 5,049 | 7 | 50 |
| | | 4/08 | 10,047 | 7.96 | 3,896 | 7 | 48 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------------|---------------|-----------------|----------------|-------|----------------|---------------|--------------------------|----|----|
| WARD LAKE ENER | GUSTAFSON | 5/08 | 10,222 | 7.96 | 5,316 | 7 | 47 | | |
| | | 6/08 | 9,478 | 7.96 | 6,427 | 7 | 45 | | |
| | | 7/08 | 9,912 | 7.96 | 6,506 | 7 | 46 | | |
| | | 8/08 | 10,208 | 9.95 | 8,908 | 7 | 47 | | |
| | | 9/08 | 10,045 | 9.95 | 5,980 | 7 | 48 | | |
| | | 10/08 | 10,295 | 9.95 | 8,223 | 7 | 47 | | |
| | | 11/08 | 10,114 | 9.95 | 10,335 | 7 | 48 | | |
| | | 12/08 | 10,525 | 9.95 | 8,725 | 7 | 48 | | |
| | | | | | 121,855 | | 78,670 | | |
| | | WARD LAKE ENER | HAYES 12 | 1/08 | 10,172 | 17.90 | 280 | 10 | 33 |
| 2/08 | 9,044 | | | 17.90 | 214 | 10 | 31 | | |
| 3/08 | 9,940 | | | 17.90 | 293 | 10 | 32 | | |
| 4/08 | 9,570 | | | 17.90 | 297 | 10 | 32 | | |
| 5/08 | 10,269 | | | 17.90 | 318 | 10 | 33 | | |
| 6/08 | 9,665 | | | 17.90 | 267 | 10 | 32 | | |
| 7/08 | 9,513 | | | 17.90 | 285 | 10 | 31 | | |
| 8/08 | 9,493 | | | 18.58 | 309 | 10 | 31 | | |
| 9/08 | 8,770 | | | 18.58 | 268 | 10 | 29 | | |
| 10/08 | 9,130 | | | 18.58 | 241 | 10 | 29 | | |
| 11/08 | 9,042 | | | 18.58 | 231 | 10 | 30 | | |
| 12/08 | 9,455 | | | 18.58 | 248 | 10 | 30 | | |
| | | | 114,063 | | 3,251 | | | | |
| WARD LAKE ENER | HOWES B4-21 | 1/08 | 287 | 8.00 | 316 | 1 | 9 | | |
| | | 2/08 | 0 | 8.00 | 0 | 0 | 0 | | |
| | | 3/08 | 0 | 8.00 | 0 | 0 | 0 | | |
| | | 4/08 | 19 | 8.00 | 19 | 0 | 0 | | |
| | | 5/08 | 0 | 8.00 | 0 | 0 | 0 | | |
| | | 6/08 | 0 | 8.00 | 0 | 0 | 0 | | |
| | | 7/08 | 0 | 8.00 | 0 | 0 | 0 | | |
| | | 8/08 | 0 | 8.22 | 0 | 0 | 0 | | |
| | | 9/08 | 0 | 8.22 | 0 | 0 | 0 | | |
| | | 10/08 | 0 | 8.22 | 0 | 0 | 0 | | |
| | | 11/08 | 0 | 8.22 | 0 | 0 | 0 | | |
| | | 12/08 | 0 | 8.22 | 0 | 0 | 0 | | |
| | | | 306 | | 335 | | | | |
| WARD LAKE ENER | HOWES/VILLAGE | 1/08 | 5,656 | 8.00 | 6,232 | 2 | 91 | | |
| | | 2/08 | 5,330 | 8.00 | 5,452 | 2 | 92 | | |
| | | 3/08 | 5,731 | 8.00 | 5,653 | 2 | 92 | | |
| | | 4/08 | 5,179 | 8.00 | 5,165 | 2 | 86 | | |
| | | 5/08 | 5,544 | 8.00 | 5,229 | 2 | 89 | | |
| | | 6/08 | 5,133 | 8.00 | 4,598 | 2 | 86 | | |
| | | 7/08 | 5,273 | 8.00 | 4,901 | 2 | 85 | | |
| | | 8/08 | 5,174 | 8.22 | 4,867 | 2 | 83 | | |
| | | 9/08 | 4,773 | 8.22 | 4,726 | 2 | 80 | | |
| | | 10/08 | 4,538 | 8.22 | 4,696 | 2 | 73 | | |
| | | 11/08 | 4,257 | 8.22 | 4,476 | 2 | 71 | | |
| | | 12/08 | 4,225 | 8.22 | 4,417 | 2 | 68 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|---------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| | | | 60,813 | | 60,412 | | |
| WARD LAKE ENER | JOHNSON 35 | 1/08 | 2,909 | 7.96 | 1,398 | 1 | 94 |
| | | 2/08 | 2,686 | 7.96 | 1,184 | 1 | 93 |
| | | 3/08 | 3,006 | 7.96 | 1,400 | 1 | 97 |
| | | 4/08 | 2,759 | 7.96 | 1,070 | 1 | 92 |
| | | 5/08 | 2,246 | 7.96 | 1,168 | 1 | 72 |
| | | 6/08 | 2,639 | 7.96 | 1,789 | 1 | 88 |
| | | 7/08 | 2,625 | 7.96 | 1,722 | 1 | 85 |
| | | 8/08 | 2,570 | 9.95 | 2,244 | 1 | 83 |
| | | 9/08 | 2,704 | 9.95 | 1,610 | 1 | 90 |
| | | 10/08 | 2,711 | 9.95 | 2,165 | 1 | 87 |
| | | 11/08 | 2,805 | 9.95 | 2,866 | 1 | 94 |
| | | 12/08 | 2,965 | 9.95 | 2,458 | 1 | 96 |
| | | | 32,625 | | 21,074 | | |
| WARD LAKE ENER | JOHNSON B1-35 | 1/08 | 1,111 | 7.96 | 534 | 1 | 36 |
| | | 2/08 | 1,034 | 7.96 | 456 | 1 | 36 |
| | | 3/08 | 1,122 | 7.96 | 523 | 1 | 36 |
| | | 4/08 | 1,000 | 7.96 | 388 | 1 | 33 |
| | | 5/08 | 997 | 7.96 | 518 | 1 | 32 |
| | | 6/08 | 952 | 7.96 | 645 | 1 | 32 |
| | | 7/08 | 1,015 | 7.96 | 666 | 1 | 33 |
| | | 8/08 | 1,072 | 9.95 | 936 | 1 | 35 |
| | | 9/08 | 1,046 | 9.95 | 623 | 1 | 35 |
| | | 10/08 | 1,042 | 9.95 | 833 | 1 | 34 |
| | | 11/08 | 1,024 | 9.95 | 1,047 | 1 | 34 |
| | | 12/08 | 1,035 | 9.95 | 858 | 1 | 33 |
| | | | 12,450 | | 8,027 | | |
| WARD LAKE ENER | KALEVA | 1/08 | 13,117 | 8.00 | 14,453 | 4 | 106 |
| | | 2/08 | 12,256 | 8.00 | 12,536 | 4 | 106 |
| | | 3/08 | 13,105 | 8.00 | 12,928 | 4 | 106 |
| | | 4/08 | 11,768 | 8.00 | 11,734 | 4 | 98 |
| | | 5/08 | 13,257 | 8.00 | 12,505 | 4 | 107 |
| | | 6/08 | 12,568 | 8.00 | 11,259 | 4 | 105 |
| | | 7/08 | 12,843 | 8.00 | 11,937 | 4 | 104 |
| | | 8/08 | 12,783 | 8.22 | 12,023 | 4 | 103 |
| | | 9/08 | 12,102 | 8.22 | 11,982 | 4 | 101 |
| | | 10/08 | 11,441 | 8.22 | 11,839 | 4 | 92 |
| | | 11/08 | 10,409 | 8.22 | 10,945 | 4 | 87 |
| | | 12/08 | 9,425 | 8.22 | 9,854 | 4 | 76 |
| | | | 145,074 | | 143,995 | | |
| WARD LAKE ENER | KITCHEN A1-35 | 1/08 | 592 | 6.81 | 210 | 1 | 19 |
| | | 2/08 | 435 | 6.81 | 148 | 1 | 15 |
| | | 3/08 | 643 | 6.81 | 226 | 1 | 21 |
| | | 4/08 | 573 | 6.81 | 205 | 1 | 19 |
| | | 5/08 | 425 | 6.81 | 154 | 1 | 14 |
| | | 6/08 | 581 | 6.81 | 221 | 1 | 19 |
| | | 7/08 | 542 | 6.81 | 201 | 1 | 17 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|---------------|-----------------|---------------|-------|---------------|---------------|--------------------------|
| WARD LAKE ENER | KITCHEN A1-35 | 8/08 | 617 | 6.89 | 227 | 1 | 20 |
| | | 9/08 | 589 | 6.89 | 209 | 1 | 20 |
| | | 10/08 | 363 | 6.89 | 119 | 1 | 12 |
| | | 11/08 | 100 | 6.89 | 37 | 1 | 3 |
| | | 12/08 | 660 | 6.89 | 231 | 1 | 21 |
| | | | | | 6,120 | | 2,188 |
| WARD LAKE ENER | KITCHEN B1-33 | 1/08 | 3,416 | 6.81 | 1,213 | 1 | 110 |
| | | 2/08 | 2,987 | 6.81 | 1,019 | 1 | 103 |
| | | 3/08 | 3,389 | 6.81 | 1,194 | 1 | 109 |
| | | 4/08 | 3,130 | 6.81 | 1,123 | 1 | 104 |
| | | 5/08 | 2,410 | 6.81 | 873 | 1 | 78 |
| | | 6/08 | 3,184 | 6.81 | 1,212 | 1 | 106 |
| | | 7/08 | 2,905 | 6.81 | 1,079 | 1 | 94 |
| | | 8/08 | 3,266 | 6.89 | 1,200 | 1 | 105 |
| | | 9/08 | 3,024 | 6.89 | 1,074 | 1 | 101 |
| | | 10/08 | 2,443 | 6.89 | 798 | 1 | 79 |
| | | 11/08 | 1,585 | 6.89 | 582 | 1 | 53 |
| | | 12/08 | 1,270 | 6.89 | 445 | 1 | 41 |
| | | | 33,009 | | 11,812 | | |
| WARD LAKE ENER | KITCHEN B3-33 | 1/08 | 1,091 | 6.81 | 387 | 1 | 35 |
| | | 2/08 | 1,119 | 6.81 | 382 | 1 | 39 |
| | | 3/08 | 1,017 | 6.81 | 359 | 1 | 33 |
| | | 4/08 | 1,096 | 6.81 | 393 | 1 | 37 |
| | | 5/08 | 924 | 6.81 | 335 | 1 | 30 |
| | | 6/08 | 1,108 | 6.81 | 422 | 1 | 37 |
| | | 7/08 | 1,089 | 6.81 | 405 | 1 | 35 |
| | | 8/08 | 1,186 | 6.89 | 436 | 1 | 38 |
| | | 9/08 | 1,109 | 6.89 | 394 | 1 | 37 |
| | | 10/08 | 919 | 6.89 | 300 | 1 | 30 |
| | | 11/08 | 529 | 6.89 | 195 | 1 | 18 |
| | | 12/08 | 1,121 | 6.89 | 393 | 1 | 36 |
| | | | 12,308 | | 4,401 | | |
| WARD LAKE ENER | KITCHEN C1-3 | 1/08 | 3,960 | 6.81 | 1,406 | 1 | 128 |
| | | 2/08 | 3,713 | 6.81 | 1,267 | 1 | 128 |
| | | 3/08 | 3,930 | 6.81 | 1,385 | 1 | 127 |
| | | 4/08 | 3,629 | 6.81 | 1,302 | 1 | 121 |
| | | 5/08 | 3,501 | 6.81 | 1,269 | 1 | 113 |
| | | 6/08 | 3,587 | 6.81 | 1,366 | 1 | 120 |
| | | 7/08 | 3,470 | 6.81 | 1,290 | 1 | 112 |
| | | 8/08 | 3,628 | 6.89 | 1,332 | 1 | 117 |
| | | 9/08 | 3,355 | 6.89 | 1,190 | 1 | 112 |
| | | 10/08 | 2,743 | 6.89 | 895 | 1 | 88 |
| | | 11/08 | 1,648 | 6.89 | 606 | 1 | 55 |
| | | 12/08 | 3,447 | 6.89 | 1,209 | 1 | 111 |
| | | | 40,611 | | 14,517 | | |
| WARD LAKE ENER | KITCHEN C1-33 | 1/08 | 1,923 | 6.81 | 682 | 1 | 62 |
| | | 2/08 | 1,788 | 6.81 | 610 | 1 | 62 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------------|---------------|-----------------|---------------|-------|---------------|---------------|--------------------------|---|----|
| WARD LAKE ENER | KITCHEN C1-33 | 3/08 | 1,927 | 6.81 | 679 | 1 | 62 | | |
| | | 4/08 | 1,774 | 6.81 | 636 | 1 | 59 | | |
| | | 5/08 | 1,774 | 6.81 | 643 | 1 | 57 | | |
| | | 6/08 | 1,740 | 6.81 | 662 | 1 | 58 | | |
| | | 7/08 | 1,738 | 6.81 | 646 | 1 | 56 | | |
| | | 8/08 | 1,850 | 6.89 | 680 | 1 | 60 | | |
| | | 9/08 | 1,727 | 6.89 | 613 | 1 | 58 | | |
| | | 10/08 | 1,508 | 6.89 | 492 | 1 | 49 | | |
| | | 11/08 | 1,388 | 6.89 | 510 | 1 | 46 | | |
| | | 12/08 | 1,988 | 6.89 | 697 | 1 | 64 | | |
| | | | | | 21,125 | | 7,550 | | |
| | | WARD LAKE ENER | KITCHEN C1-35 | 1/08 | 1,272 | 6.81 | 451 | 1 | 41 |
| | | | | 2/08 | 1,188 | 6.81 | 406 | 1 | 41 |
| 3/08 | 1,434 | | | 6.81 | 506 | 1 | 46 | | |
| 4/08 | 1,342 | | | 6.81 | 482 | 1 | 45 | | |
| 5/08 | 1,104 | | | 6.81 | 400 | 1 | 36 | | |
| 6/08 | 1,432 | | | 6.81 | 545 | 1 | 48 | | |
| 7/08 | 1,355 | | | 6.81 | 504 | 1 | 44 | | |
| 8/08 | 1,430 | | | 6.89 | 525 | 1 | 46 | | |
| 9/08 | 1,364 | | | 6.89 | 484 | 1 | 45 | | |
| 10/08 | 901 | | | 6.89 | 294 | 1 | 29 | | |
| 11/08 | 414 | | | 6.89 | 152 | 1 | 14 | | |
| 12/08 | 1,485 | | | 6.89 | 521 | 1 | 48 | | |
| | | | | | 14,721 | | 5,270 | | |
| WARD LAKE ENER | KITCHEN C2-3 | 1/08 | 1,373 | 6.81 | 487 | 1 | 44 | | |
| | | 2/08 | 1,252 | 6.81 | 427 | 1 | 43 | | |
| | | 3/08 | 1,361 | 6.81 | 480 | 1 | 44 | | |
| | | 4/08 | 1,253 | 6.81 | 449 | 1 | 42 | | |
| | | 5/08 | 1,150 | 6.81 | 416 | 1 | 37 | | |
| | | 6/08 | 1,225 | 6.81 | 466 | 1 | 41 | | |
| | | 7/08 | 1,192 | 6.81 | 443 | 1 | 38 | | |
| | | 8/08 | 1,222 | 6.89 | 449 | 1 | 39 | | |
| | | 9/08 | 1,173 | 6.89 | 415 | 1 | 39 | | |
| | | 10/08 | 953 | 6.89 | 310 | 1 | 31 | | |
| | | 11/08 | 575 | 6.89 | 211 | 1 | 19 | | |
| | | 12/08 | 1,287 | 6.89 | 451 | 1 | 42 | | |
| | | | | | 14,016 | | 5,004 | | |
| WARD LAKE ENER | KITCHEN C4-34 | 1/08 | 803 | 6.81 | 285 | 1 | 26 | | |
| | | 2/08 | 712 | 6.81 | 243 | 1 | 25 | | |
| | | 3/08 | 736 | 6.81 | 259 | 1 | 24 | | |
| | | 4/08 | 693 | 6.81 | 249 | 1 | 23 | | |
| | | 5/08 | 698 | 6.81 | 253 | 1 | 23 | | |
| | | 6/08 | 823 | 6.81 | 313 | 1 | 27 | | |
| | | 7/08 | 796 | 6.81 | 296 | 1 | 26 | | |
| | | 8/08 | 870 | 6.89 | 319 | 1 | 28 | | |
| | | 9/08 | 828 | 6.89 | 294 | 1 | 28 | | |
| | | 10/08 | 621 | 6.89 | 203 | 1 | 20 | | |
| | | 11/08 | 266 | 6.89 | 98 | 1 | 9 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|---------------|-----------------|---------------|-------|---------------|---------------|--------------------------|
| WARD LAKE ENER | KITCHEN C4-34 | 12/08 | 895 | 6.89 | 313 | 1 | 29 |
| | | | 8,741 | | 3,125 | | |
| WARD LAKE ENER | KITCHEN D1-33 | 1/08 | 2,824 | 6.81 | 1,002 | 1 | 91 |
| | | 2/08 | 2,385 | 6.81 | 814 | 1 | 82 |
| | | 3/08 | 2,289 | 6.81 | 807 | 1 | 74 |
| | | 4/08 | 2,450 | 6.81 | 879 | 1 | 82 |
| | | 5/08 | 3,267 | 6.81 | 1,184 | 1 | 105 |
| | | 6/08 | 3,253 | 6.81 | 1,238 | 1 | 108 |
| | | 7/08 | 3,221 | 6.81 | 1,197 | 1 | 104 |
| | | 8/08 | 3,365 | 6.89 | 1,236 | 1 | 109 |
| | | 9/08 | 3,093 | 6.89 | 1,098 | 1 | 103 |
| | | 10/08 | 2,555 | 6.89 | 834 | 1 | 82 |
| | | 11/08 | 2,197 | 6.89 | 807 | 1 | 73 |
| | | 12/08 | 2,744 | 6.89 | 963 | 1 | 89 |
| | | | 33,643 | | 12,059 | | |
| WARD LAKE ENER | KITCHEN D1-4 | 1/08 | 4,156 | 6.81 | 1,476 | 1 | 134 |
| | | 2/08 | 3,960 | 6.81 | 1,351 | 1 | 137 |
| | | 3/08 | 4,292 | 6.81 | 1,513 | 1 | 138 |
| | | 4/08 | 3,948 | 6.81 | 1,416 | 1 | 132 |
| | | 5/08 | 3,762 | 6.81 | 1,364 | 1 | 121 |
| | | 6/08 | 3,890 | 6.81 | 1,481 | 1 | 130 |
| | | 7/08 | 3,738 | 6.81 | 1,389 | 1 | 121 |
| | | 8/08 | 4,002 | 6.89 | 1,470 | 1 | 129 |
| | | 9/08 | 3,735 | 6.89 | 1,326 | 1 | 125 |
| | | 10/08 | 3,091 | 6.89 | 1,009 | 1 | 100 |
| | | 11/08 | 2,045 | 6.89 | 751 | 1 | 68 |
| | | 12/08 | 4,122 | 6.89 | 1,445 | 1 | 133 |
| | | | 44,741 | | 15,991 | | |
| WARD LAKE ENER | KITCHEN D3-33 | 1/08 | 4,285 | 6.81 | 1,521 | 1 | 138 |
| | | 2/08 | 3,949 | 6.81 | 1,347 | 1 | 136 |
| | | 3/08 | 4,330 | 6.81 | 1,526 | 1 | 140 |
| | | 4/08 | 3,960 | 6.81 | 1,420 | 1 | 132 |
| | | 5/08 | 3,878 | 6.81 | 1,405 | 1 | 125 |
| | | 6/08 | 3,941 | 6.81 | 1,500 | 1 | 131 |
| | | 7/08 | 3,844 | 6.81 | 1,429 | 1 | 124 |
| | | 8/08 | 4,066 | 6.89 | 1,493 | 1 | 131 |
| | | 9/08 | 3,866 | 6.89 | 1,373 | 1 | 129 |
| | | 10/08 | 3,275 | 6.89 | 1,069 | 1 | 106 |
| | | 11/08 | 2,790 | 6.89 | 1,025 | 1 | 93 |
| | | 12/08 | 4,190 | 6.89 | 1,469 | 1 | 135 |
| | | | 46,374 | | 16,577 | | |
| WARD LAKE ENER | KITCHEN D4-34 | 1/08 | 1,713 | 6.81 | 608 | 1 | 55 |
| | | 2/08 | 1,584 | 6.81 | 541 | 1 | 55 |
| | | 3/08 | 1,668 | 6.81 | 588 | 1 | 54 |
| | | 4/08 | 1,594 | 6.81 | 572 | 1 | 53 |
| | | 5/08 | 1,192 | 6.81 | 432 | 1 | 38 |
| | | 6/08 | 1,415 | 6.81 | 539 | 1 | 47 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|---------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| WARD LAKE ENER | KITCHEN D4-34 | 7/08 | 1,372 | 6.81 | 510 | 1 | 44 |
| | | 8/08 | 1,386 | 6.89 | 509 | 1 | 45 |
| | | 9/08 | 1,297 | 6.89 | 461 | 1 | 43 |
| | | 10/08 | 866 | 6.89 | 283 | 1 | 28 |
| | | 11/08 | 407 | 6.89 | 149 | 1 | 14 |
| | | 12/08 | 1,310 | 6.89 | 459 | 1 | 42 |
| | | | | | 15,804 | | 5,651 |
| WARD LAKE ENER | KITCHEN FARMS SOUTH | 1/08 | 5,283 | 14.77 | 2,759 | 8 | 21 |
| | | 2/08 | 6,026 | 14.77 | 2,630 | 8 | 26 |
| | | 3/08 | 4,909 | 14.77 | 2,817 | 8 | 20 |
| | | 4/08 | 4,704 | 14.77 | 2,881 | 8 | 20 |
| | | 5/08 | 4,888 | 14.77 | 2,987 | 8 | 20 |
| | | 6/08 | 4,611 | 14.77 | 2,958 | 8 | 19 |
| | | 7/08 | 4,662 | 14.77 | 2,998 | 8 | 19 |
| | | 8/08 | 4,208 | 15.09 | 2,804 | 8 | 17 |
| | | 9/08 | 4,208 | 15.09 | 2,804 | 8 | 18 |
| | | 10/08 | 4,620 | 15.09 | 2,976 | 8 | 19 |
| | | 11/08 | 4,461 | 15.09 | 2,712 | 8 | 19 |
| | | 12/08 | 4,763 | 15.09 | 2,988 | 8 | 19 |
| | | | 57,343 | | 34,314 | | |
| WARD LAKE ENER | LIVINGSTON 34 | 1/08 | 24,249 | 14.89 | 1,519 | 11 | 71 |
| | | 2/08 | 22,642 | 14.89 | 1,441 | 11 | 71 |
| | | 3/08 | 24,239 | 14.89 | 1,420 | 11 | 71 |
| | | 4/08 | 23,698 | 14.89 | 1,400 | 11 | 72 |
| | | 5/08 | 24,485 | 14.89 | 1,658 | 11 | 72 |
| | | 6/08 | 22,909 | 14.89 | 1,468 | 11 | 69 |
| | | 7/08 | 20,924 | 14.89 | 1,261 | 11 | 61 |
| | | 8/08 | 22,835 | 14.57 | 1,321 | 11 | 67 |
| | | 9/08 | 21,876 | 14.57 | 1,229 | 11 | 66 |
| | | 10/08 | 21,816 | 14.57 | 1,274 | 11 | 64 |
| | | 11/08 | 22,546 | 14.57 | 1,450 | 11 | 68 |
| | | 12/08 | 22,880 | 14.57 | 1,436 | 11 | 67 |
| | | | 275,099 | | 16,877 | | |
| WARD LAKE ENER | LUM | 1/08 | 1,528 | 7.96 | 734 | 1 | 49 |
| | | 2/08 | 1,391 | 7.96 | 613 | 1 | 48 |
| | | 3/08 | 1,570 | 7.96 | 731 | 1 | 51 |
| | | 4/08 | 1,467 | 7.96 | 569 | 1 | 49 |
| | | 5/08 | 1,501 | 7.96 | 781 | 1 | 48 |
| | | 6/08 | 1,455 | 7.96 | 986 | 1 | 49 |
| | | 7/08 | 1,524 | 7.96 | 1,000 | 1 | 49 |
| | | 8/08 | 1,543 | 9.95 | 1,347 | 1 | 50 |
| | | 9/08 | 1,564 | 9.95 | 931 | 1 | 52 |
| | | 10/08 | 1,566 | 9.95 | 1,251 | 1 | 51 |
| | | 11/08 | 1,578 | 9.95 | 1,613 | 1 | 53 |
| | | 12/08 | 1,659 | 9.95 | 1,374 | 1 | 54 |
| | | | 18,346 | | 11,930 | | |
| WARD LAKE ENER | MAPLE GROVE 6 | 1/08 | 2,116 | 12.77 | 3,406 | 1 | 68 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------------|---------------|-----------------|---------------|-------|---------------|---------------|--------------------------|---|----|
| WARD LAKE ENER | MAPLE GROVE 6 | 2/08 | 1,468 | 12.77 | 2,451 | 1 | 51 | | |
| | | 3/08 | 1,730 | 12.77 | 2,545 | 1 | 56 | | |
| | | 4/08 | 1,400 | 12.77 | 2,717 | 1 | 47 | | |
| | | 5/08 | 1,471 | 12.77 | 2,637 | 1 | 47 | | |
| | | 6/08 | 1,692 | 12.77 | 3,206 | 1 | 56 | | |
| | | 7/08 | 2,209 | 12.77 | 4,185 | 1 | 71 | | |
| | | 8/08 | 2,201 | 13.95 | 4,127 | 1 | 71 | | |
| | | 9/08 | 2,154 | 13.95 | 3,164 | 1 | 72 | | |
| | | 10/08 | 1,921 | 13.95 | 3,869 | 1 | 62 | | |
| | | 11/08 | 2,067 | 13.95 | 5,145 | 1 | 69 | | |
| | | 12/08 | 1,864 | 13.95 | 4,363 | 1 | 60 | | |
| | | | | | 22,293 | | 41,815 | | |
| | | WARD LAKE ENER | MAPLE GROVE 7 | 1/08 | 4,695 | 11.79 | 44 | 5 | 30 |
| 2/08 | 4,184 | | | 11.79 | 315 | 5 | 29 | | |
| 3/08 | 4,367 | | | 11.79 | 308 | 5 | 28 | | |
| 4/08 | 4,161 | | | 11.79 | 300 | 5 | 28 | | |
| 5/08 | 4,230 | | | 11.79 | 294 | 5 | 27 | | |
| 6/08 | 4,313 | | | 11.79 | 256 | 5 | 29 | | |
| 7/08 | 4,851 | | | 11.79 | 328 | 5 | 31 | | |
| 8/08 | 4,206 | | | 13.34 | 224 | 5 | 27 | | |
| 9/08 | 3,471 | | | 13.34 | 268 | 5 | 23 | | |
| 10/08 | 4,029 | | | 13.34 | 57 | 5 | 26 | | |
| 11/08 | 3,607 | | | 13.34 | 30 | 5 | 24 | | |
| 12/08 | 3,484 | | | 13.34 | 82 | 5 | 22 | | |
| | | | | | 49,598 | | 2,506 | | |
| WARD LAKE ENER | MATTISON | 1/08 | 3,770 | 7.96 | 1,812 | 3 | 41 | | |
| | | 2/08 | 3,904 | 7.96 | 1,721 | 3 | 45 | | |
| | | 3/08 | 4,398 | 7.96 | 2,049 | 3 | 47 | | |
| | | 4/08 | 4,071 | 7.96 | 1,578 | 3 | 45 | | |
| | | 5/08 | 4,023 | 7.96 | 2,093 | 3 | 43 | | |
| | | 6/08 | 3,737 | 7.96 | 2,533 | 3 | 42 | | |
| | | 7/08 | 3,870 | 7.96 | 2,540 | 3 | 42 | | |
| | | 8/08 | 3,241 | 9.95 | 2,828 | 3 | 35 | | |
| | | 9/08 | 2,962 | 9.95 | 1,763 | 3 | 33 | | |
| | | 10/08 | 3,003 | 9.95 | 2,398 | 3 | 32 | | |
| | | 11/08 | 2,996 | 9.95 | 3,061 | 3 | 33 | | |
| | | 12/08 | 3,084 | 9.95 | 2,556 | 3 | 33 | | |
| | | | | | 43,059 | | 26,932 | | |
| WARD LAKE ENER | MAXEY ET AL | 1/08 | 1,035 | 8.00 | 1,141 | 1 | 33 | | |
| | | 2/08 | 1,124 | 8.00 | 1,150 | 1 | 39 | | |
| | | 3/08 | 1,141 | 8.00 | 1,126 | 1 | 37 | | |
| | | 4/08 | 914 | 8.00 | 911 | 1 | 30 | | |
| | | 5/08 | 1,076 | 8.00 | 1,014 | 1 | 35 | | |
| | | 6/08 | 984 | 8.00 | 882 | 1 | 33 | | |
| | | 7/08 | 1,037 | 8.00 | 965 | 1 | 33 | | |
| | | 8/08 | 998 | 8.22 | 938 | 1 | 32 | | |
| | | 9/08 | 925 | 8.22 | 916 | 1 | 31 | | |
| | | 10/08 | 982 | 8.22 | 1,017 | 1 | 32 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|------------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| WARD LAKE ENER | MAXEY ET AL | 11/08 | 869 | 8.22 | 914 | 1 | 29 |
| | | 12/08 | 1,105 | 8.22 | 1,155 | 1 | 36 |
| | | | 12,190 | | 12,129 | | |
| WARD LAKE ENER | MID KITCHEN FARMS | 1/08 | 22,891 | 6.81 | 8,126 | 15 | 49 |
| | | 2/08 | 21,421 | 6.81 | 7,310 | 15 | 49 |
| | | 3/08 | 22,889 | 6.81 | 8,068 | 15 | 49 |
| | | 4/08 | 21,733 | 6.81 | 7,796 | 15 | 48 |
| | | 5/08 | 22,190 | 6.81 | 8,041 | 15 | 48 |
| | | 6/08 | 21,008 | 6.81 | 7,997 | 15 | 47 |
| | | 7/08 | 21,480 | 6.81 | 7,982 | 15 | 46 |
| | | 8/08 | 20,868 | 6.83 | 7,664 | 15 | 45 |
| | | 9/08 | 20,066 | 6.83 | 7,122 | 15 | 45 |
| | | 10/08 | 20,102 | 6.83 | 6,563 | 15 | 43 |
| | | 11/08 | 17,696 | 6.83 | 6,500 | 15 | 39 |
| | | 12/08 | 22,124 | 6.83 | 7,758 | 15 | 48 |
| | 254,468 | | 90,927 | | | | |
| WARD LAKE ENER | MID KITCHEN FARMS-PHAS | 1/08 | 39,199 | 6.81 | 13,915 | 14 | 90 |
| | | 2/08 | 36,652 | 6.81 | 12,507 | 14 | 90 |
| | | 3/08 | 38,862 | 6.81 | 13,697 | 14 | 90 |
| | | 4/08 | 37,297 | 6.81 | 13,379 | 14 | 89 |
| | | 5/08 | 36,579 | 6.81 | 13,255 | 14 | 84 |
| | | 6/08 | 37,132 | 6.81 | 14,135 | 14 | 88 |
| | | 7/08 | 37,515 | 6.81 | 13,941 | 14 | 86 |
| | | 8/08 | 36,209 | 6.89 | 13,299 | 14 | 83 |
| | | 9/08 | 34,590 | 6.89 | 12,278 | 14 | 82 |
| | | 10/08 | 35,117 | 6.89 | 11,465 | 14 | 81 |
| | | 11/08 | 26,373 | 6.89 | 9,687 | 14 | 63 |
| | | 12/08 | 39,452 | 6.89 | 13,833 | 14 | 91 |
| | 434,977 | | 155,391 | | | | |
| WARD LAKE ENER | MONTY 35 | 1/08 | 11,967 | 5.59 | 8,518 | 6 | 64 |
| | | 2/08 | 13,005 | 5.59 | 7,698 | 6 | 75 |
| | | 3/08 | 12,106 | 5.59 | 8,059 | 6 | 65 |
| | | 4/08 | 11,124 | 5.59 | 7,333 | 6 | 62 |
| | | 5/08 | 12,099 | 5.59 | 7,395 | 6 | 65 |
| | | 6/08 | 11,641 | 5.59 | 6,942 | 6 | 65 |
| | | 7/08 | 12,365 | 5.59 | 7,718 | 6 | 66 |
| | | 8/08 | 11,611 | 5.59 | 7,382 | 6 | 62 |
| | | 9/08 | 10,952 | 5.59 | 6,843 | 6 | 61 |
| | | 10/08 | 11,020 | 5.59 | 7,163 | 6 | 59 |
| | | 11/08 | 9,826 | 5.59 | 6,375 | 6 | 55 |
| | | 12/08 | 10,484 | 5.59 | 6,600 | 6 | 56 |
| | 138,200 | | 88,026 | | | | |
| WARD LAKE ENER | MONTY 36 | 1/08 | 8,980 | 5.59 | 6,392 | 3 | 97 |
| | | 2/08 | 9,640 | 5.59 | 5,706 | 3 | 111 |
| | | 3/08 | 8,504 | 5.59 | 5,661 | 3 | 91 |
| | | 4/08 | 7,644 | 5.59 | 5,039 | 3 | 85 |
| | | 5/08 | 8,220 | 5.59 | 5,025 | 3 | 88 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|----------------|-----------------|----------------|-------|----------------|---------------|--------------------------|
| WARD LAKE ENER | MONTY 36 | 6/08 | 8,470 | 5.59 | 5,052 | 3 | 94 |
| | | 7/08 | 9,218 | 5.59 | 5,755 | 3 | 99 |
| | | 8/08 | 8,497 | 5.59 | 5,401 | 3 | 91 |
| | | 9/08 | 8,207 | 5.59 | 5,128 | 3 | 91 |
| | | 10/08 | 7,735 | 5.59 | 5,027 | 3 | 83 |
| | | 11/08 | 6,580 | 5.59 | 4,269 | 3 | 73 |
| | | 12/08 | 7,127 | 5.59 | 4,486 | 3 | 77 |
| | | | | | 98,822 | | 62,941 |
| WARD LAKE ENER | MUD LAKE | 1/08 | 2,843 | 8.00 | 3,133 | 2 | 46 |
| | | 2/08 | 2,649 | 8.00 | 2,709 | 2 | 46 |
| | | 3/08 | 2,529 | 8.00 | 2,495 | 2 | 41 |
| | | 4/08 | 2,151 | 8.00 | 2,144 | 2 | 36 |
| | | 5/08 | 2,724 | 8.00 | 2,570 | 2 | 44 |
| | | 6/08 | 2,392 | 8.00 | 2,143 | 2 | 40 |
| | | 7/08 | 2,408 | 8.00 | 2,238 | 2 | 39 |
| | | 8/08 | 2,219 | 8.22 | 2,086 | 2 | 36 |
| | | 9/08 | 2,705 | 8.22 | 2,679 | 2 | 45 |
| | | 10/08 | 2,385 | 8.22 | 2,467 | 2 | 38 |
| | | 11/08 | 2,535 | 8.22 | 2,666 | 2 | 42 |
| | | 12/08 | 2,481 | 8.22 | 2,594 | 2 | 40 |
| | | | 30,021 | | 29,924 | | |
| WARD LAKE ENER | MUD LAKE 16/17 | 1/08 | 13,795 | 8.00 | 15,201 | 5 | 89 |
| | | 2/08 | 12,799 | 8.00 | 13,092 | 5 | 88 |
| | | 3/08 | 13,304 | 8.00 | 13,124 | 5 | 86 |
| | | 4/08 | 12,074 | 8.00 | 12,040 | 5 | 80 |
| | | 5/08 | 13,114 | 8.00 | 12,370 | 5 | 85 |
| | | 6/08 | 12,438 | 8.00 | 11,142 | 5 | 83 |
| | | 7/08 | 12,343 | 8.00 | 11,472 | 5 | 80 |
| | | 8/08 | 12,050 | 8.22 | 11,334 | 5 | 78 |
| | | 9/08 | 11,561 | 8.22 | 11,447 | 5 | 77 |
| | | 10/08 | 12,521 | 8.22 | 12,957 | 5 | 81 |
| | | 11/08 | 11,805 | 8.22 | 12,413 | 5 | 79 |
| | | 12/08 | 11,686 | 8.22 | 12,218 | 5 | 75 |
| | | | 149,490 | | 148,810 | | |
| WARD LAKE ENER | MUD LAKE 17/20 | 1/08 | 8,314 | 8.00 | 9,160 | 4 | 67 |
| | | 2/08 | 8,109 | 8.00 | 8,295 | 4 | 70 |
| | | 3/08 | 8,510 | 8.00 | 8,395 | 4 | 69 |
| | | 4/08 | 7,849 | 8.00 | 7,826 | 4 | 65 |
| | | 5/08 | 8,769 | 8.00 | 8,271 | 4 | 71 |
| | | 6/08 | 8,325 | 8.00 | 7,458 | 4 | 69 |
| | | 7/08 | 8,427 | 8.00 | 7,832 | 4 | 68 |
| | | 8/08 | 7,955 | 8.22 | 7,483 | 4 | 64 |
| | | 9/08 | 7,230 | 8.22 | 7,159 | 4 | 60 |
| | | 10/08 | 7,597 | 8.22 | 7,862 | 4 | 61 |
| | | 11/08 | 7,475 | 8.22 | 7,860 | 4 | 62 |
| | | 12/08 | 7,654 | 8.22 | 8,002 | 4 | 62 |
| | | | 96,214 | | 95,603 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|-------------------|-----------------|-----------|-------|----------------|---------------|--------------------------|
| WARD LAKE ENER | MUD LAKE 8 | 1/08 | 8,321 | 8.00 | 9,170 | 5 | 54 |
| | | 2/08 | 8,220 | 8.00 | 8,409 | 5 | 57 |
| | | 3/08 | 8,959 | 8.00 | 8,837 | 5 | 58 |
| | | 4/08 | 8,320 | 8.00 | 8,297 | 5 | 55 |
| | | 5/08 | 9,294 | 8.00 | 8,766 | 5 | 60 |
| | | 6/08 | 8,783 | 8.00 | 7,869 | 5 | 59 |
| | | 7/08 | 9,005 | 8.00 | 8,369 | 5 | 58 |
| | | 8/08 | 8,813 | 8.22 | 8,290 | 5 | 57 |
| | | 9/08 | 8,379 | 8.22 | 8,296 | 5 | 56 |
| | | 10/08 | 8,410 | 8.22 | 8,703 | 5 | 54 |
| | | 11/08 | 7,844 | 8.22 | 8,249 | 5 | 52 |
| | | 12/08 | 7,935 | 8.22 | 8,296 | 5 | 51 |
| | | | | | 102,283 | | 101,551 |
| WARD LAKE ENER | MUD LAKE 9/10 | 1/08 | 3,728 | 8.00 | 4,108 | 2 | 60 |
| | | 2/08 | 3,533 | 8.00 | 3,615 | 2 | 61 |
| | | 3/08 | 3,670 | 8.00 | 3,620 | 2 | 59 |
| | | 4/08 | 3,480 | 8.00 | 3,471 | 2 | 58 |
| | | 5/08 | 3,780 | 8.00 | 2,566 | 2 | 61 |
| | | 6/08 | 3,492 | 8.00 | 3,127 | 2 | 58 |
| | | 7/08 | 3,674 | 8.00 | 3,415 | 2 | 59 |
| | | 8/08 | 3,644 | 8.22 | 3,427 | 2 | 59 |
| | | 9/08 | 3,475 | 8.22 | 3,441 | 2 | 58 |
| | | 10/08 | 3,483 | 8.22 | 3,605 | 2 | 56 |
| | | 11/08 | 3,321 | 8.22 | 3,493 | 2 | 55 |
| | | 12/08 | 3,278 | 8.22 | 3,428 | 2 | 53 |
| | | | | | 42,558 | | 41,316 |
| WARD LAKE ENER | MUD LAKE 9/16 | 1/08 | 995 | 8.00 | 1,096 | 2 | 16 |
| | | 2/08 | 949 | 8.00 | 970 | 2 | 16 |
| | | 3/08 | 962 | 8.00 | 948 | 2 | 16 |
| | | 4/08 | 879 | 8.00 | 877 | 2 | 15 |
| | | 5/08 | 953 | 8.00 | 899 | 2 | 15 |
| | | 6/08 | 878 | 8.00 | 787 | 2 | 15 |
| | | 7/08 | 901 | 8.00 | 837 | 2 | 15 |
| | | 8/08 | 894 | 8.22 | 840 | 2 | 14 |
| | | 9/08 | 805 | 8.22 | 797 | 2 | 13 |
| | | 10/08 | 792 | 8.22 | 819 | 2 | 13 |
| | | 11/08 | 728 | 8.22 | 765 | 2 | 12 |
| | | 12/08 | 751 | 8.22 | 785 | 2 | 12 |
| | | | | | 10,487 | | 10,420 |
| WARD LAKE ENER | NORTH CHARLTON 18 | 1/08 | 26,537 | 7.57 | 2,403 | 18 | 48 |
| | | 2/08 | 24,255 | 7.57 | 2,206 | 18 | 46 |
| | | 3/08 | 26,746 | 7.57 | 2,359 | 18 | 48 |
| | | 4/08 | 25,780 | 7.57 | 2,135 | 18 | 48 |
| | | 5/08 | 26,925 | 7.57 | 2,408 | 18 | 48 |
| | | 6/08 | 25,698 | 7.57 | 2,213 | 18 | 48 |
| | | 7/08 | 26,147 | 7.57 | 2,921 | 18 | 47 |
| | | 8/08 | 25,859 | 6.85 | 3,224 | 18 | 46 |
| | | 9/08 | 25,455 | 6.85 | 3,181 | 18 | 47 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|-------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| WARD LAKE ENER | NORTH CHARLTON 18 | 10/08 | 25,851 | 6.85 | 2,966 | 18 | 46 |
| | | 11/08 | 24,737 | 6.85 | 2,575 | 18 | 46 |
| | | 12/08 | 25,161 | 6.85 | 2,527 | 18 | 45 |
| | | | 309,151 | | 31,118 | | |
| WARD LAKE ENER | NORTH CHARLTON 24 | 1/08 | 12,208 | 15.38 | 6,160 | 27 | 15 |
| | | 2/08 | 10,758 | 15.38 | 5,327 | 27 | 14 |
| | | 3/08 | 12,859 | 15.38 | 6,297 | 27 | 15 |
| | | 4/08 | 12,562 | 15.38 | 4,485 | 27 | 16 |
| | | 5/08 | 12,983 | 15.38 | 3,602 | 27 | 15 |
| | | 6/08 | 13,114 | 15.38 | 3,856 | 27 | 16 |
| | | 7/08 | 13,009 | 15.38 | 4,636 | 27 | 16 |
| | | 8/08 | 11,684 | 18.88 | 3,652 | 27 | 14 |
| | | 9/08 | 10,909 | 18.88 | 4,909 | 27 | 13 |
| | | 10/08 | 11,005 | 18.88 | 4,897 | 27 | 13 |
| | | 11/08 | 10,883 | 18.88 | 6,432 | 27 | 13 |
| | | 12/08 | 10,530 | 18.88 | 8,074 | 27 | 13 |
| | 142,504 | | 62,327 | | | | |
| WARD LAKE ENER | NORTH CHARLTON 31 | 1/08 | 16,005 | 15.43 | 6,907 | 15 | 34 |
| | | 2/08 | 14,108 | 15.43 | 6,700 | 15 | 32 |
| | | 3/08 | 15,224 | 15.43 | 7,005 | 15 | 33 |
| | | 4/08 | 14,058 | 15.43 | 6,803 | 15 | 31 |
| | | 5/08 | 14,045 | 15.43 | 6,572 | 15 | 30 |
| | | 6/08 | 13,999 | 15.43 | 7,017 | 15 | 31 |
| | | 7/08 | 14,385 | 15.43 | 7,366 | 15 | 31 |
| | | 8/08 | 14,139 | 15.95 | 6,851 | 15 | 30 |
| | | 9/08 | 13,176 | 15.95 | 6,654 | 15 | 29 |
| | | 10/08 | 13,595 | 15.95 | 7,140 | 15 | 29 |
| | | 11/08 | 12,390 | 15.95 | 6,763 | 15 | 28 |
| | | 12/08 | 12,498 | 15.95 | 6,652 | 15 | 27 |
| | 167,622 | | 82,430 | | | | |
| WARD LAKE ENER | NORTH CHARLTON 36 | 1/08 | 10,805 | 21.10 | 0 | 22 | 16 |
| | | 2/08 | 9,785 | 21.10 | 0 | 22 | 15 |
| | | 3/08 | 10,663 | 21.10 | 0 | 22 | 16 |
| | | 4/08 | 9,873 | 21.10 | 338 | 22 | 15 |
| | | 5/08 | 10,455 | 21.10 | 601 | 22 | 15 |
| | | 6/08 | 10,076 | 21.10 | 2,502 | 22 | 15 |
| | | 7/08 | 10,084 | 21.10 | 3,060 | 22 | 15 |
| | | 8/08 | 9,503 | 21.09 | 2,887 | 22 | 14 |
| | | 9/08 | 9,618 | 21.09 | 2,131 | 22 | 15 |
| | | 10/08 | 9,353 | 21.09 | 3,033 | 22 | 14 |
| | | 11/08 | 8,927 | 21.09 | 1,952 | 22 | 14 |
| | | 12/08 | 8,685 | 21.09 | 76 | 22 | 13 |
| | 117,827 | | 16,580 | | | | |
| WARD LAKE ENER | NORTH VIENNA 6 | 1/08 | 15,213 | 2.39 | 29,253 | 17 | 29 |
| | | 2/08 | 14,432 | 2.39 | 30,828 | 17 | 29 |
| | | 3/08 | 13,551 | 2.39 | 30,685 | 17 | 26 |
| | | 4/08 | 14,322 | 2.39 | 30,093 | 17 | 28 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------------|----------------|-----------------|----------------|-------|----------------|---------------|--------------------------|----|----|
| WARD LAKE ENER | NORTH VIENNA 6 | 5/08 | 14,688 | 2.39 | 32,385 | 17 | 28 | | |
| | | 6/08 | 14,423 | 2.39 | 31,551 | 17 | 28 | | |
| | | 7/08 | 15,032 | 2.39 | 29,459 | 17 | 29 | | |
| | | 8/08 | 14,958 | 5.53 | 30,394 | 17 | 28 | | |
| | | 9/08 | 14,710 | 5.53 | 28,275 | 17 | 29 | | |
| | | 10/08 | 15,267 | 5.53 | 27,049 | 17 | 29 | | |
| | | 11/08 | 14,837 | 5.53 | 27,837 | 17 | 29 | | |
| | | 12/08 | 14,400 | 5.53 | 23,960 | 17 | 27 | | |
| | | | | | 175,833 | | 351,769 | | |
| | | WARD LAKE ENER | NORTH VIENNA 7 | 1/08 | 16,686 | 7.91 | 355 | 13 | 41 |
| | | | | 2/08 | 14,977 | 7.91 | 158 | 13 | 40 |
| | | | | 3/08 | 14,591 | 7.91 | 1,067 | 13 | 36 |
| 4/08 | 14,653 | | | 7.91 | 582 | 13 | 38 | | |
| 5/08 | 15,854 | | | 7.91 | 1,655 | 13 | 39 | | |
| 6/08 | 16,216 | | | 7.91 | 1,175 | 13 | 42 | | |
| 7/08 | 16,617 | | | 7.91 | 1,184 | 13 | 41 | | |
| 8/08 | 16,442 | | | 8.31 | 1,235 | 13 | 41 | | |
| 9/08 | 15,408 | | | 8.31 | 1,082 | 13 | 40 | | |
| 10/08 | 15,528 | | | 8.31 | 1,246 | 13 | 39 | | |
| 11/08 | 14,980 | | | 8.31 | 1,124 | 13 | 38 | | |
| 12/08 | 14,660 | | | 8.31 | 1,192 | 13 | 36 | | |
| | | | 186,612 | | 12,055 | | | | |
| WARD LAKE ENER | NYSTROM 14 | 1/08 | 5,357 | 7.96 | 2,574 | 2 | 86 | | |
| | | 2/08 | 4,687 | 7.96 | 2,067 | 2 | 81 | | |
| | | 3/08 | 5,267 | 7.96 | 2,453 | 2 | 85 | | |
| | | 4/08 | 4,298 | 7.96 | 1,666 | 2 | 72 | | |
| | | 5/08 | 4,391 | 7.96 | 2,284 | 2 | 71 | | |
| | | 6/08 | 4,414 | 7.96 | 2,993 | 2 | 74 | | |
| | | 7/08 | 4,690 | 7.96 | 3,079 | 2 | 76 | | |
| | | 8/08 | 5,013 | 9.95 | 4,375 | 2 | 81 | | |
| | | 9/08 | 4,789 | 9.95 | 2,851 | 2 | 80 | | |
| | | 10/08 | 4,517 | 9.95 | 3,607 | 2 | 73 | | |
| | | 11/08 | 4,707 | 9.95 | 4,812 | 2 | 78 | | |
| | | 12/08 | 5,114 | 9.95 | 4,240 | 2 | 82 | | |
| | | | 57,244 | | 37,001 | | | | |
| WARD LAKE ENER | OLSHASKE | 1/08 | 1,260 | 7.96 | 606 | 1 | 41 | | |
| | | 2/08 | 1,215 | 7.96 | 536 | 1 | 42 | | |
| | | 3/08 | 1,330 | 7.96 | 620 | 1 | 43 | | |
| | | 4/08 | 1,250 | 7.96 | 484 | 1 | 42 | | |
| | | 5/08 | 1,290 | 7.96 | 671 | 1 | 42 | | |
| | | 6/08 | 1,244 | 7.96 | 844 | 1 | 41 | | |
| | | 7/08 | 1,290 | 7.96 | 847 | 1 | 42 | | |
| | | 8/08 | 1,244 | 9.95 | 1,086 | 1 | 40 | | |
| | | 9/08 | 1,335 | 9.95 | 795 | 1 | 45 | | |
| | | 10/08 | 1,202 | 9.95 | 959 | 1 | 39 | | |
| | | 11/08 | 1,231 | 9.95 | 1,258 | 1 | 41 | | |
| | | 12/08 | 1,363 | 9.95 | 1,129 | 1 | 44 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|-----------------------|-----------------|---------------|-------|----------------|---------------|--------------------------|
| | | | 15,254 | | 9,835 | | |
| WARD LAKE ENER | PIESCZAK 31 | 1/08 | 0 | 12.77 | 0 | 0 | 0 |
| | | 2/08 | 0 | 12.77 | 0 | 0 | 0 |
| | | 3/08 | 0 | 12.77 | 0 | 0 | 0 |
| | | 4/08 | 0 | 12.77 | 0 | 0 | 0 |
| | | 5/08 | 0 | 12.77 | 0 | 0 | 0 |
| | | 6/08 | 0 | 12.77 | 0 | 0 | 0 |
| | | 7/08 | 0 | 12.77 | 0 | 0 | 0 |
| | | 8/08 | 0 | 13.95 | 0 | 0 | 0 |
| | | 9/08 | 0 | 13.95 | 0 | 0 | 0 |
| | | 10/08 | 0 | 13.95 | 0 | 0 | 0 |
| | | 11/08 | 0 | 13.95 | 0 | 0 | 0 |
| | | 12/08 | 0 | 13.95 | 0 | 0 | 0 |
| | | | 0 | | 0 | | |
| WARD LAKE ENER | PLEASANTON 26 | 1/08 | 2,528 | 12.77 | 24,279 | 3 | 27 |
| | | 2/08 | 2,518 | 12.77 | 20,241 | 3 | 29 |
| | | 3/08 | 2,753 | 12.77 | 15,072 | 3 | 30 |
| | | 4/08 | 2,506 | 12.77 | 19,451 | 3 | 28 |
| | | 5/08 | 2,256 | 12.77 | 19,972 | 3 | 24 |
| | | 6/08 | 2,583 | 12.77 | 22,207 | 3 | 29 |
| | | 7/08 | 2,678 | 12.77 | 12,327 | 3 | 29 |
| | | 8/08 | 2,647 | 13.95 | 13,727 | 3 | 28 |
| | | 9/08 | 2,586 | 13.95 | 14,599 | 3 | 29 |
| | | 10/08 | 2,659 | 13.95 | 12,801 | 3 | 29 |
| | | 11/08 | 2,386 | 13.95 | 26,701 | 3 | 27 |
| | | 12/08 | 2,314 | 13.95 | 16,035 | 3 | 25 |
| | | | 30,414 | | 217,412 | | |
| WARD LAKE ENER | PLEASANTON EAST SOUTH | 1/08 | 900 | 12.77 | 6,052 | 1 | 29 |
| | | 2/08 | 644 | 12.77 | 5,045 | 1 | 22 |
| | | 3/08 | 685 | 12.77 | 3,757 | 1 | 22 |
| | | 4/08 | 631 | 12.77 | 4,847 | 1 | 21 |
| | | 5/08 | 580 | 12.77 | 5,137 | 1 | 19 |
| | | 6/08 | 632 | 12.77 | 5,428 | 1 | 21 |
| | | 7/08 | 647 | 12.77 | 2,975 | 1 | 21 |
| | | 8/08 | 636 | 13.95 | 3,296 | 1 | 21 |
| | | 9/08 | 630 | 13.95 | 3,558 | 1 | 21 |
| | | 10/08 | 620 | 13.95 | 2,985 | 1 | 20 |
| | | 11/08 | 595 | 13.95 | 6,651 | 1 | 20 |
| | | 12/08 | 1,156 | 13.95 | 8,001 | 1 | 37 |
| | | | 8,356 | | 57,732 | | |
| WARD LAKE ENER | PULLEY C2-4 | 1/08 | 2,298 | 5.37 | 816 | 1 | 74 |
| | | 2/08 | 2,153 | 5.37 | 735 | 1 | 74 |
| | | 3/08 | 2,267 | 5.37 | 799 | 1 | 73 |
| | | 4/08 | 2,025 | 5.37 | 726 | 1 | 68 |
| | | 5/08 | 1,927 | 5.37 | 698 | 1 | 62 |
| | | 6/08 | 2,076 | 5.37 | 790 | 1 | 69 |
| | | 7/08 | 1,897 | 5.37 | 705 | 1 | 61 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|---------------|-----------------|---------------|-------|--------------|---------------|--------------------------|
| WARD LAKE ENER | PULLEY C2-4 | 8/08 | 1,937 | 6.89 | 711 | 1 | 62 |
| | | 9/08 | 1,920 | 6.89 | 681 | 1 | 64 |
| | | 10/08 | 1,579 | 6.89 | 516 | 1 | 51 |
| | | 11/08 | 1,097 | 6.89 | 403 | 1 | 37 |
| | | 12/08 | 2,293 | 6.89 | 804 | 1 | 74 |
| | | | 23,469 | | 8,384 | | |
| WARD LAKE ENER | RECKOW | 1/08 | 544 | 7.96 | 261 | 2 | 9 |
| | | 2/08 | 509 | 7.96 | 224 | 2 | 9 |
| | | 3/08 | 567 | 7.96 | 264 | 2 | 9 |
| | | 4/08 | 525 | 7.96 | 204 | 2 | 9 |
| | | 5/08 | 544 | 7.96 | 283 | 2 | 9 |
| | | 6/08 | 525 | 7.96 | 356 | 2 | 9 |
| | | 7/08 | 545 | 7.96 | 358 | 2 | 9 |
| | | 8/08 | 549 | 9.95 | 478 | 2 | 9 |
| | | 9/08 | 554 | 9.95 | 330 | 2 | 9 |
| | | 10/08 | 552 | 9.95 | 441 | 2 | 9 |
| | | 11/08 | 554 | 9.95 | 566 | 2 | 9 |
| | | 12/08 | 563 | 9.95 | 467 | 2 | 9 |
| | 6,531 | | 4,232 | | | | |
| WARD LAKE ENER | RECKOW D3-36 | 1/08 | 1,718 | 7.96 | 826 | 1 | 55 |
| | | 2/08 | 1,605 | 7.96 | 707 | 1 | 55 |
| | | 3/08 | 1,768 | 7.96 | 823 | 1 | 57 |
| | | 4/08 | 1,631 | 7.96 | 632 | 1 | 54 |
| | | 5/08 | 1,638 | 7.96 | 852 | 1 | 53 |
| | | 6/08 | 1,523 | 7.96 | 1,033 | 1 | 51 |
| | | 7/08 | 1,546 | 7.96 | 1,015 | 1 | 50 |
| | | 8/08 | 1,524 | 9.95 | 1,330 | 1 | 49 |
| | | 9/08 | 1,615 | 9.95 | 962 | 1 | 54 |
| | | 10/08 | 1,505 | 9.95 | 1,202 | 1 | 49 |
| | | 11/08 | 1,608 | 9.95 | 1,643 | 1 | 54 |
| | | 12/08 | 1,465 | 9.95 | 1,215 | 1 | 47 |
| | 19,146 | | 12,240 | | | | |
| WARD LAKE ENER | REFKE | 1/08 | 9,984 | 7.96 | 4,798 | 9 | 36 |
| | | 2/08 | 9,185 | 7.96 | 4,050 | 9 | 35 |
| | | 3/08 | 9,780 | 7.96 | 4,555 | 9 | 35 |
| | | 4/08 | 8,321 | 7.96 | 3,226 | 9 | 31 |
| | | 5/08 | 8,663 | 7.96 | 4,506 | 9 | 31 |
| | | 6/08 | 7,274 | 7.96 | 4,932 | 9 | 27 |
| | | 7/08 | 7,140 | 7.96 | 4,687 | 9 | 26 |
| | | 8/08 | 7,356 | 9.95 | 6,420 | 9 | 26 |
| | | 9/08 | 7,056 | 9.95 | 4,200 | 9 | 26 |
| | | 10/08 | 7,232 | 9.95 | 5,775 | 9 | 26 |
| | | 11/08 | 6,866 | 9.95 | 7,018 | 9 | 25 |
| | | 12/08 | 6,968 | 9.95 | 5,776 | 9 | 25 |
| | 95,825 | | 59,943 | | | | |
| WARD LAKE ENER | SALO | 1/08 | 2,003 | 7.96 | 963 | 1 | 65 |
| | | 2/08 | 1,851 | 7.96 | 816 | 1 | 64 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------------|------------------|-----------------|------------------|-------|----------------|---------------|--------------------------|---|-----|
| WARD LAKE ENER | SALO | 3/08 | 2,081 | 7.96 | 969 | 1 | 67 | | |
| | | 4/08 | 1,969 | 7.96 | 763 | 1 | 66 | | |
| | | 5/08 | 2,084 | 7.96 | 1,083 | 1 | 67 | | |
| | | 6/08 | 2,053 | 7.96 | 1,393 | 1 | 68 | | |
| | | 7/08 | 2,086 | 7.96 | 1,370 | 1 | 67 | | |
| | | 8/08 | 1,998 | 9.95 | 1,744 | 1 | 64 | | |
| | | 9/08 | 2,048 | 9.95 | 1,219 | 1 | 68 | | |
| | | 10/08 | 1,735 | 9.95 | 1,386 | 1 | 56 | | |
| | | 11/08 | 1,809 | 9.95 | 1,849 | 1 | 60 | | |
| | | 12/08 | 1,892 | 9.95 | 1,569 | 1 | 61 | | |
| | | | | | 23,609 | | 15,124 | | |
| | | WARD LAKE ENER | SPRINGDALE 28/04 | 1/08 | 13,424 | 7.84 | 7,028 | 4 | 108 |
| | | | | 2/08 | 11,986 | 7.84 | 5,971 | 4 | 103 |
| 3/08 | 13,388 | | | 7.84 | 6,704 | 4 | 108 | | |
| 4/08 | 12,202 | | | 7.84 | 6,866 | 4 | 102 | | |
| 5/08 | 13,034 | | | 7.84 | 7,216 | 4 | 105 | | |
| 6/08 | 12,623 | | | 7.84 | 6,424 | 4 | 105 | | |
| 7/08 | 11,970 | | | 7.84 | 5,472 | 4 | 97 | | |
| 8/08 | 12,105 | | | 8.57 | 5,853 | 4 | 98 | | |
| 9/08 | 11,992 | | | 8.57 | 5,505 | 4 | 100 | | |
| 10/08 | 11,478 | | | 8.57 | 5,413 | 4 | 93 | | |
| 11/08 | 11,563 | | | 8.57 | 6,008 | 4 | 96 | | |
| 12/08 | 11,557 | | | 8.57 | 5,631 | 4 | 93 | | |
| | | | | | 147,322 | | 74,091 | | |
| WARD LAKE ENER | SPRINGDALE 28/05 | 1/08 | 11,629 | 7.84 | 6,089 | 6 | 63 | | |
| | | 2/08 | 10,935 | 7.84 | 5,448 | 6 | 63 | | |
| | | 3/08 | 12,071 | 7.84 | 6,045 | 6 | 65 | | |
| | | 4/08 | 11,188 | 7.84 | 6,294 | 6 | 62 | | |
| | | 5/08 | 11,570 | 7.84 | 6,406 | 6 | 62 | | |
| | | 6/08 | 11,573 | 7.84 | 5,889 | 6 | 64 | | |
| | | 7/08 | 12,404 | 7.84 | 5,670 | 6 | 67 | | |
| | | 8/08 | 11,986 | 8.57 | 5,796 | 6 | 64 | | |
| | | 9/08 | 12,273 | 8.57 | 5,634 | 6 | 68 | | |
| | | 10/08 | 12,069 | 8.57 | 5,692 | 6 | 65 | | |
| | | 11/08 | 11,730 | 8.57 | 6,095 | 6 | 65 | | |
| | | 12/08 | 11,848 | 8.57 | 5,773 | 6 | 64 | | |
| | | | | | 141,276 | | 70,831 | | |
| WARD LAKE ENER | SPRINGDALE 28/20 | 1/08 | 0 | 7.84 | 0 | 0 | 0 | | |
| | | 2/08 | 0 | 7.84 | 0 | 0 | 0 | | |
| | | 3/08 | 0 | 7.84 | 0 | 0 | 0 | | |
| | | 4/08 | 0 | 7.84 | 0 | 0 | 0 | | |
| | | 5/08 | 0 | 7.84 | 0 | 0 | 0 | | |
| | | 6/08 | 0 | 7.84 | 0 | 0 | 0 | | |
| | | 7/08 | 0 | 7.84 | 0 | 0 | 0 | | |
| | | 8/08 | 0 | 8.57 | 0 | 0 | 0 | | |
| | | 9/08 | 0 | 8.57 | 0 | 0 | 0 | | |
| | | 10/08 | 0 | 8.57 | 0 | 0 | 0 | | |
| | | 11/08 | 0 | 8.57 | 0 | 0 | 0 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|------------------|-----------------|---------------|-------|---------------|---------------|--------------------------|
| WARD LAKE ENER | SPRINGDALE 28/20 | 12/08 | 0 | 8.57 | 0 | 0 | 0 |
| | | | 0 | | 0 | | |
| WARD LAKE ENER | SPRINGDALE 28/28 | 1/08 | 3,751 | 7.84 | 1,964 | 2 | 60 |
| | | 2/08 | 3,404 | 7.84 | 1,695 | 2 | 59 |
| | | 3/08 | 3,162 | 7.84 | 1,583 | 2 | 51 |
| | | 4/08 | 2,821 | 7.84 | 1,588 | 2 | 47 |
| | | 5/08 | 2,794 | 7.84 | 1,547 | 2 | 45 |
| | | 6/08 | 2,859 | 7.84 | 1,455 | 2 | 48 |
| | | 7/08 | 2,838 | 7.84 | 1,297 | 2 | 46 |
| | | 8/08 | 3,084 | 8.57 | 1,491 | 2 | 50 |
| | | 9/08 | 3,250 | 8.57 | 1,492 | 2 | 54 |
| | | 10/08 | 3,113 | 8.57 | 1,468 | 2 | 50 |
| | | 11/08 | 2,914 | 8.57 | 1,514 | 2 | 49 |
| | | 12/08 | 3,669 | 8.57 | 1,788 | 2 | 59 |
| | | | 37,659 | | 18,882 | | |
| WARD LAKE ENER | SPRINGDALE 28/29 | 1/08 | 984 | 7.84 | 515 | 1 | 32 |
| | | 2/08 | 947 | 7.84 | 471 | 1 | 33 |
| | | 3/08 | 972 | 7.84 | 487 | 1 | 31 |
| | | 4/08 | 919 | 7.84 | 517 | 1 | 31 |
| | | 5/08 | 919 | 7.84 | 509 | 1 | 30 |
| | | 6/08 | 958 | 7.84 | 487 | 1 | 32 |
| | | 7/08 | 904 | 7.84 | 413 | 1 | 29 |
| | | 8/08 | 894 | 8.57 | 432 | 1 | 29 |
| | | 9/08 | 871 | 8.57 | 400 | 1 | 29 |
| | | 10/08 | 816 | 8.57 | 385 | 1 | 26 |
| | | 11/08 | 716 | 8.57 | 372 | 1 | 24 |
| | | 12/08 | 658 | 8.57 | 321 | 1 | 21 |
| | | | 10,558 | | 5,309 | | |
| WARD LAKE ENER | SPRINGDALE 28/32 | 1/08 | 260 | 7.84 | 136 | 1 | 8 |
| | | 2/08 | 354 | 7.84 | 176 | 1 | 12 |
| | | 3/08 | 257 | 7.84 | 129 | 1 | 8 |
| | | 4/08 | 205 | 7.84 | 116 | 1 | 7 |
| | | 5/08 | 228 | 7.84 | 126 | 1 | 7 |
| | | 6/08 | 158 | 7.84 | 81 | 1 | 5 |
| | | 7/08 | 205 | 7.84 | 93 | 1 | 7 |
| | | 8/08 | 211 | 8.57 | 102 | 1 | 7 |
| | | 9/08 | 214 | 8.57 | 99 | 1 | 7 |
| | | 10/08 | 193 | 8.57 | 91 | 1 | 6 |
| | | 11/08 | 216 | 8.57 | 112 | 1 | 7 |
| | | 12/08 | 342 | 8.57 | 167 | 1 | 11 |
| | | | 2,843 | | 1,428 | | |
| WARD LAKE ENER | SPRINGDALE 28/33 | 1/08 | 8,159 | 7.84 | 4,272 | 7 | 38 |
| | | 2/08 | 7,951 | 7.84 | 3,961 | 7 | 39 |
| | | 3/08 | 8,005 | 7.84 | 4,009 | 7 | 37 |
| | | 4/08 | 7,418 | 7.84 | 4,173 | 7 | 35 |
| | | 5/08 | 9,342 | 7.84 | 5,173 | 7 | 43 |
| | | 6/08 | 10,374 | 7.84 | 5,279 | 7 | 49 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|-------------------------|-----------------|-----------|----------------|-------------|---------------|--------------------------|
| WARD LAKE ENER | SPRINGDALE 28/33 | 7/08 | 10,074 | 7.84 | 4,605 | 7 | 46 |
| | | 8/08 | 10,323 | 8.57 | 4,991 | 7 | 48 |
| | | 9/08 | 10,449 | 8.57 | 4,797 | 7 | 50 |
| | | 10/08 | 10,186 | 8.57 | 4,803 | 7 | 47 |
| | | 11/08 | 9,450 | 8.57 | 4,909 | 7 | 45 |
| | | 12/08 | 9,103 | 8.57 | 4,435 | 7 | 42 |
| | | | | 110,834 | | 55,407 | |
| WARD LAKE ENER | SPRINGDALE 31 | 1/08 | 641 | 12.77 | 1,031 | 1 | 21 |
| | | 2/08 | 599 | 12.77 | 999 | 1 | 21 |
| | | 3/08 | 351 | 12.77 | 515 | 1 | 11 |
| | | 4/08 | 504 | 12.77 | 976 | 1 | 17 |
| | | 5/08 | 639 | 12.77 | 1,145 | 1 | 21 |
| | | 6/08 | 680 | 12.77 | 1,289 | 1 | 23 |
| | | 7/08 | 686 | 12.77 | 1,300 | 1 | 22 |
| | | 8/08 | 201 | 13.95 | 376 | 1 | 6 |
| | | 9/08 | 0 | 13.95 | 0 | 0 | 0 |
| | | 10/08 | 627 | 13.95 | 1,262 | 1 | 20 |
| | | 11/08 | 309 | 13.95 | 769 | 1 | 10 |
| | | 12/08 | 704 | 13.95 | 1,645 | 1 | 23 |
| | | 5,941 | | 11,307 | | | |
| WARD LAKE ENER | ST CHARLTON & PABST A3- | 1/08 | 2,400 | 12.70 | 317 | 1 | 77 |
| | | 2/08 | 2,043 | 12.70 | 252 | 1 | 70 |
| | | 3/08 | 2,420 | 12.70 | 328 | 1 | 78 |
| | | 4/08 | 2,134 | 12.70 | 260 | 1 | 71 |
| | | 5/08 | 2,240 | 12.70 | 297 | 1 | 72 |
| | | 6/08 | 2,241 | 12.70 | 371 | 1 | 75 |
| | | 7/08 | 2,423 | 12.70 | 395 | 1 | 78 |
| | | 8/08 | 2,327 | 12.99 | 386 | 1 | 75 |
| | | 9/08 | 2,235 | 12.99 | 336 | 1 | 75 |
| | | 10/08 | 2,175 | 12.99 | 353 | 1 | 70 |
| | | 11/08 | 2,144 | 12.99 | 322 | 1 | 71 |
| | | 12/08 | 2,273 | 12.99 | 322 | 1 | 73 |
| | | 27,055 | | 3,939 | | | |
| WARD LAKE ENER | ST CHARLTON D3-25 | 1/08 | 1,067 | 18.23 | 0 | 1 | 34 |
| | | 2/08 | 850 | 18.23 | 0 | 1 | 29 |
| | | 3/08 | 922 | 18.23 | 0 | 1 | 30 |
| | | 4/08 | 1,023 | 18.23 | 53 | 1 | 34 |
| | | 5/08 | 1,155 | 18.23 | 62 | 1 | 37 |
| | | 6/08 | 1,068 | 18.23 | 51 | 1 | 36 |
| | | 7/08 | 1,142 | 18.23 | 62 | 1 | 37 |
| | | 8/08 | 1,120 | 18.40 | 59 | 1 | 36 |
| | | 9/08 | 1,123 | 18.40 | 60 | 1 | 37 |
| | | 10/08 | 1,119 | 18.40 | 62 | 1 | 36 |
| | | 11/08 | 1,097 | 18.40 | 59 | 1 | 37 |
| | | 12/08 | 1,083 | 18.40 | 13 | 1 | 35 |
| | | 12,769 | | 481 | | | |
| WARD LAKE ENER | ST HAYES SOUTHWEST | 1/08 | 2,274 | 17.56 | 16 | 2 | 37 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------------|------------------------|-----------------|------------------------|-------|---------------|---------------|--------------------------|---|-----|
| WARD LAKE ENER | ST HAYES SOUTHWEST | 2/08 | 2,022 | 17.56 | 15 | 2 | 35 | | |
| | | 3/08 | 2,075 | 17.56 | 13 | 2 | 33 | | |
| | | 4/08 | 2,031 | 17.56 | 23 | 2 | 34 | | |
| | | 5/08 | 2,019 | 17.56 | 15 | 2 | 33 | | |
| | | 6/08 | 1,917 | 17.56 | 15 | 2 | 32 | | |
| | | 7/08 | 2,044 | 17.56 | 31 | 2 | 33 | | |
| | | 8/08 | 2,176 | 18.45 | 31 | 2 | 35 | | |
| | | 9/08 | 2,138 | 18.45 | 12 | 2 | 36 | | |
| | | 10/08 | 1,765 | 18.45 | 14 | 2 | 28 | | |
| | | 11/08 | 1,738 | 18.45 | 30 | 2 | 29 | | |
| | | 12/08 | 1,891 | 18.45 | 29 | 2 | 30 | | |
| | | | | | 24,090 | | 244 | | |
| | | WARD LAKE ENER | ST MAPLE GROVE & KNAPP | 1/08 | 3,566 | 8.00 | 3,929 | 1 | 115 |
| 2/08 | 3,295 | | | 8.00 | 3,371 | 1 | 114 | | |
| 3/08 | 3,547 | | | 8.00 | 3,498 | 1 | 114 | | |
| 4/08 | 3,321 | | | 8.00 | 3,312 | 1 | 111 | | |
| 5/08 | 3,495 | | | 8.00 | 3,296 | 1 | 113 | | |
| 6/08 | 3,249 | | | 8.00 | 2,910 | 1 | 108 | | |
| 7/08 | 3,364 | | | 8.00 | 3,127 | 1 | 109 | | |
| 8/08 | 3,305 | | | 8.22 | 3,109 | 1 | 107 | | |
| 9/08 | 2,984 | | | 8.22 | 2,954 | 1 | 99 | | |
| 10/08 | 3,776 | | | 8.22 | 3,908 | 1 | 122 | | |
| 11/08 | 3,657 | | | 8.22 | 3,845 | 1 | 122 | | |
| 12/08 | 4,117 | | | 8.22 | 4,303 | 1 | 133 | | |
| | | | | | 41,676 | | 41,562 | | |
| WARD LAKE ENER | ST MONTMORENCY C1-31 H | 1/08 | 2,277 | 4.21 | 848 | 1 | 73 | | |
| | | 2/08 | 2,537 | 4.21 | 780 | 1 | 87 | | |
| | | 3/08 | 2,298 | 4.21 | 756 | 1 | 74 | | |
| | | 4/08 | 1,599 | 4.21 | 569 | 1 | 53 | | |
| | | 5/08 | 1,356 | 4.21 | 1,300 | 1 | 44 | | |
| | | 6/08 | 1,159 | 4.21 | 1,515 | 1 | 39 | | |
| | | 7/08 | 1,076 | 4.21 | 747 | 1 | 35 | | |
| | | 8/08 | 961 | 4.40 | 703 | 1 | 31 | | |
| | | 9/08 | 959 | 4.40 | 725 | 1 | 32 | | |
| | | 10/08 | 1,690 | 4.40 | 740 | 1 | 55 | | |
| | | 11/08 | 1,879 | 4.40 | 723 | 1 | 63 | | |
| | | 12/08 | 1,878 | 4.40 | 630 | 1 | 61 | | |
| | | | | | 19,669 | | 10,036 | | |
| WARD LAKE ENER | ST PLEASANTON 11-34 | 1/08 | 757 | 12.77 | 1,217 | 1 | 24 | | |
| | | 2/08 | 771 | 12.77 | 1,287 | 1 | 27 | | |
| | | 3/08 | 775 | 12.77 | 1,139 | 1 | 25 | | |
| | | 4/08 | 717 | 12.77 | 1,390 | 1 | 24 | | |
| | | 5/08 | 764 | 12.77 | 1,369 | 1 | 25 | | |
| | | 6/08 | 752 | 12.77 | 1,424 | 1 | 25 | | |
| | | 7/08 | 777 | 12.77 | 1,473 | 1 | 25 | | |
| | | 8/08 | 788 | 13.95 | 1,477 | 1 | 25 | | |
| | | 9/08 | 777 | 13.95 | 1,142 | 1 | 26 | | |
| | | 10/08 | 806 | 13.95 | 1,622 | 1 | 26 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|------------------------|-----------------|---------------|-------|---------------|---------------|--------------------------|
| WARD LAKE ENER | ST PLEASANTON 11-34 | 11/08 | 448 | 13.95 | 1,113 | 1 | 15 |
| | | 12/08 | 170 | 13.95 | 398 | 1 | 5 |
| | | | 8,302 | | 15,051 | | |
| WARD LAKE ENER | ST SPRINGDALE 5-33 HDS | 1/08 | 534 | 7.84 | 280 | 1 | 17 |
| | | 2/08 | 508 | 7.84 | 253 | 1 | 18 |
| | | 3/08 | 550 | 7.84 | 274 | 1 | 18 |
| | | 4/08 | 514 | 7.84 | 289 | 1 | 17 |
| | | 5/08 | 544 | 7.84 | 301 | 1 | 18 |
| | | 6/08 | 548 | 7.84 | 279 | 1 | 18 |
| | | 7/08 | 509 | 7.84 | 234 | 1 | 16 |
| | | 8/08 | 529 | 8.57 | 256 | 1 | 17 |
| | | 9/08 | 505 | 8.57 | 230 | 1 | 17 |
| | | 10/08 | 482 | 8.57 | 227 | 1 | 16 |
| | | 11/08 | 460 | 8.57 | 239 | 1 | 15 |
| | | 12/08 | 531 | 8.57 | 259 | 1 | 17 |
| | 6,214 | | 3,121 | | | | |
| WARD LAKE ENER | STAR & FRIES C4-5 | 1/08 | 1,162 | 5.37 | 412 | 1 | 37 |
| | | 2/08 | 1,134 | 5.37 | 387 | 1 | 39 |
| | | 3/08 | 1,203 | 5.37 | 424 | 1 | 39 |
| | | 4/08 | 1,088 | 5.37 | 391 | 1 | 36 |
| | | 5/08 | 1,048 | 5.37 | 380 | 1 | 34 |
| | | 6/08 | 1,110 | 5.37 | 442 | 1 | 37 |
| | | 7/08 | 967 | 5.37 | 359 | 1 | 31 |
| | | 8/08 | 1,112 | 6.61 | 408 | 1 | 36 |
| | | 9/08 | 1,089 | 6.61 | 387 | 1 | 36 |
| | | 10/08 | 928 | 6.61 | 303 | 1 | 30 |
| | | 11/08 | 804 | 6.61 | 295 | 1 | 27 |
| | | 12/08 | 1,329 | 6.61 | 466 | 1 | 43 |
| | 12,974 | | 4,654 | | | | |
| WARD LAKE ENER | STAR 5 | 1/08 | 17,405 | 5.37 | 6,178 | 6 | 94 |
| | | 2/08 | 16,550 | 5.37 | 5,648 | 6 | 95 |
| | | 3/08 | 17,489 | 5.37 | 6,164 | 6 | 94 |
| | | 4/08 | 15,897 | 5.37 | 5,703 | 6 | 88 |
| | | 5/08 | 15,651 | 5.37 | 5,672 | 6 | 84 |
| | | 6/08 | 16,003 | 5.37 | 6,092 | 6 | 89 |
| | | 7/08 | 15,718 | 5.37 | 5,841 | 6 | 84 |
| | | 8/08 | 16,949 | 6.61 | 6,225 | 6 | 91 |
| | | 9/08 | 15,804 | 6.61 | 5,610 | 6 | 88 |
| | | 10/08 | 13,725 | 6.61 | 4,481 | 6 | 74 |
| | | 11/08 | 11,235 | 6.61 | 4,127 | 6 | 62 |
| | | 12/08 | 16,518 | 6.61 | 5,792 | 6 | 89 |
| | 188,944 | | 67,533 | | | | |
| WARD LAKE ENER | STATE BROWN | 1/08 | 11,121 | 7.96 | 5,344 | 3 | 120 |
| | | 2/08 | 10,352 | 7.96 | 4,564 | 3 | 119 |
| | | 3/08 | 11,592 | 7.96 | 5,399 | 3 | 125 |
| | | 4/08 | 10,764 | 7.96 | 4,173 | 3 | 120 |
| | | 5/08 | 10,941 | 7.96 | 5,690 | 3 | 118 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|------------------------|-----------------|---------------|-------|----------------|---------------|--------------------------|
| WARD LAKE ENER | STATE BROWN | 6/08 | 10,394 | 7.96 | 7,047 | 3 | 115 |
| | | 7/08 | 10,742 | 7.96 | 7,052 | 3 | 115 |
| | | 8/08 | 10,811 | 9.95 | 9,435 | 3 | 116 |
| | | 9/08 | 10,706 | 9.95 | 6,373 | 3 | 119 |
| | | 10/08 | 10,783 | 9.95 | 8,612 | 3 | 116 |
| | | 11/08 | 10,960 | 9.95 | 11,202 | 3 | 122 |
| | | 12/08 | 11,846 | 9.95 | 9,820 | 3 | 127 |
| | | | | | 131,012 | | 84,711 |
| WARD LAKE ENER | STEVENS ST BAGLEY 7-22 | 1/08 | 1,689 | 23.56 | 0 | 1 | 54 |
| | | 2/08 | 1,425 | 23.56 | 0 | 1 | 49 |
| | | 3/08 | 1,536 | 23.56 | 0 | 1 | 50 |
| | | 4/08 | 1,477 | 23.56 | 0 | 1 | 49 |
| | | 5/08 | 1,579 | 23.56 | 0 | 1 | 51 |
| | | 6/08 | 1,482 | 23.56 | 0 | 1 | 49 |
| | | 7/08 | 1,542 | 23.56 | 0 | 1 | 50 |
| | | 8/08 | 1,548 | 25.04 | 0 | 1 | 50 |
| | | 9/08 | 1,495 | 25.04 | 0 | 1 | 50 |
| | | 10/08 | 1,505 | 25.04 | 0 | 1 | 49 |
| | | 11/08 | 1,382 | 25.04 | 0 | 1 | 46 |
| | | 12/08 | 1,467 | 25.04 | 0 | 1 | 47 |
| | | | 18,127 | | 0 | | |
| WARD LAKE ENER | SUMMERLAND C2-12 | 1/08 | 587 | 23.10 | 112 | 1 | 19 |
| | | 2/08 | 525 | 23.10 | 136 | 1 | 18 |
| | | 3/08 | 603 | 23.10 | 58 | 1 | 19 |
| | | 4/08 | 567 | 23.10 | 72 | 1 | 19 |
| | | 5/08 | 539 | 23.10 | 88 | 1 | 17 |
| | | 6/08 | 542 | 23.10 | 56 | 1 | 18 |
| | | 7/08 | 484 | 23.10 | 44 | 1 | 16 |
| | | 8/08 | 477 | 24.13 | 284 | 1 | 15 |
| | | 9/08 | 476 | 24.13 | 40 | 1 | 16 |
| | | 10/08 | 521 | 24.13 | 54 | 1 | 17 |
| | | 11/08 | 501 | 24.13 | 54 | 1 | 17 |
| | | 12/08 | 456 | 24.13 | 52 | 1 | 15 |
| | | | 6,278 | | 1,050 | | |
| WARD LAKE ENER | TANNERVILLE | 1/08 | 2,408 | 7.96 | 1,157 | 1 | 78 |
| | | 2/08 | 2,171 | 7.96 | 957 | 1 | 75 |
| | | 3/08 | 2,465 | 7.96 | 1,148 | 1 | 80 |
| | | 4/08 | 1,112 | 7.96 | 431 | 1 | 37 |
| | | 5/08 | 1,686 | 7.96 | 877 | 1 | 54 |
| | | 6/08 | 1,737 | 7.96 | 1,178 | 1 | 58 |
| | | 7/08 | 1,862 | 7.96 | 1,222 | 1 | 60 |
| | | 8/08 | 1,907 | 9.95 | 1,665 | 1 | 62 |
| | | 9/08 | 2,239 | 9.95 | 1,333 | 1 | 75 |
| | | 10/08 | 2,358 | 9.95 | 1,884 | 1 | 76 |
| | | 11/08 | 2,406 | 9.95 | 2,460 | 1 | 80 |
| | | 12/08 | 2,514 | 9.95 | 2,084 | 1 | 81 |
| | | | 24,865 | | 16,396 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------------|-----------------------|-----------------|-----------|-------|----------------|---------------|--------------------------|
| WARD LAKE ENER | TRUNK & EASTERLING | 1/08 | 2,536 | 5.37 | 900 | 2 | 41 |
| | | 2/08 | 2,591 | 5.37 | 884 | 2 | 45 |
| | | 3/08 | 2,775 | 5.37 | 979 | 2 | 45 |
| | | 4/08 | 2,515 | 5.37 | 902 | 2 | 42 |
| | | 5/08 | 2,218 | 5.37 | 804 | 2 | 36 |
| | | 6/08 | 2,573 | 5.37 | 979 | 2 | 43 |
| | | 7/08 | 2,443 | 5.37 | 907 | 2 | 39 |
| | | 8/08 | 2,564 | 6.89 | 942 | 2 | 41 |
| | | 9/08 | 2,423 | 6.89 | 860 | 2 | 40 |
| | | 10/08 | 1,894 | 6.89 | 618 | 2 | 31 |
| | | 11/08 | 1,085 | 6.89 | 399 | 2 | 18 |
| | | 12/08 | 2,582 | 6.89 | 905 | 2 | 42 |
| | | | | | 28,199 | | 10,079 |
| WARD LAKE ENER | VIENNA 18 | 1/08 | 13,000 | 22.63 | 906 | 10 | 42 |
| | | 2/08 | 12,001 | 22.63 | 869 | 10 | 41 |
| | | 3/08 | 13,083 | 22.63 | 944 | 10 | 42 |
| | | 4/08 | 12,900 | 22.63 | 811 | 10 | 43 |
| | | 5/08 | 12,587 | 22.63 | 810 | 10 | 41 |
| | | 6/08 | 12,375 | 22.63 | 648 | 10 | 41 |
| | | 7/08 | 13,089 | 22.63 | 769 | 10 | 42 |
| | | 8/08 | 12,479 | 22.96 | 785 | 10 | 40 |
| | | 9/08 | 12,284 | 22.96 | 765 | 10 | 41 |
| | | 10/08 | 12,625 | 22.96 | 853 | 10 | 41 |
| | | 11/08 | 12,466 | 22.96 | 792 | 10 | 42 |
| | | 12/08 | 12,166 | 22.96 | 794 | 10 | 39 |
| | | | | | 151,055 | | 9,746 |
| WARD LAKE ENER | VILLAGE OF CHIEF 1-35 | 1/08 | 1,986 | 7.96 | 954 | 1 | 64 |
| | | 2/08 | 1,849 | 7.96 | 815 | 1 | 64 |
| | | 3/08 | 2,054 | 7.96 | 957 | 1 | 66 |
| | | 4/08 | 1,825 | 7.96 | 707 | 1 | 61 |
| | | 5/08 | 1,419 | 7.96 | 738 | 1 | 46 |
| | | 6/08 | 1,903 | 7.96 | 1,291 | 1 | 63 |
| | | 7/08 | 1,768 | 7.96 | 1,161 | 1 | 57 |
| | | 8/08 | 1,627 | 9.95 | 1,420 | 1 | 52 |
| | | 9/08 | 1,482 | 9.95 | 882 | 1 | 49 |
| | | 10/08 | 1,486 | 9.95 | 1,187 | 1 | 48 |
| | | 11/08 | 1,408 | 9.95 | 1,439 | 1 | 47 |
| | | 12/08 | 1,478 | 9.95 | 1,226 | 1 | 48 |
| | | | | | 20,285 | | 12,777 |
| WARD LAKE ENER | WAVE JOHNSON 3-35 | 1/08 | 0 | 7.96 | 0 | 0 | 0 |
| | | 2/08 | 0 | 7.96 | 0 | 0 | 0 |
| | | 3/08 | 0 | 7.96 | 0 | 0 | 0 |
| | | 4/08 | 0 | 7.96 | 0 | 0 | 0 |
| | | 5/08 | 0 | 7.96 | 0 | 0 | 0 |
| | | 6/08 | 0 | 7.96 | 0 | 0 | 0 |
| | | 7/08 | 0 | 7.96 | 0 | 0 | 0 |
| | | 8/08 | 0 | 9.95 | 0 | 0 | 0 |
| | | 9/08 | 0 | 9.95 | 0 | 0 | 0 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--|-------------------|-----------------|-------------------|-------|------------------|---------------|--------------------------|
| WARD LAKE ENER | WAVE JOHNSON 3-35 | 10/08 | 0 | 9.95 | 0 | 0 | 0 |
| | | 11/08 | 0 | 9.95 | 0 | 0 | 0 |
| | | 12/08 | 0 | 9.95 | 0 | 0 | 0 |
| | | | 0 | | 0 | | |
| WARD LAKE ENER | WELLER | 1/08 | 922 | 7.96 | 443 | 1 | 30 |
| | | 2/08 | 844 | 7.96 | 372 | 1 | 29 |
| | | 3/08 | 923 | 7.96 | 430 | 1 | 30 |
| | | 4/08 | 1,009 | 7.96 | 391 | 1 | 34 |
| | | 5/08 | 924 | 7.96 | 481 | 1 | 30 |
| | | 6/08 | 821 | 7.96 | 556 | 1 | 27 |
| | | 7/08 | 829 | 7.96 | 544 | 1 | 27 |
| | | 8/08 | 797 | 9.95 | 696 | 1 | 26 |
| | | 9/08 | 773 | 9.95 | 461 | 1 | 26 |
| | | 10/08 | 728 | 9.95 | 581 | 1 | 23 |
| | | 11/08 | 720 | 9.95 | 737 | 1 | 24 |
| | | 12/08 | 746 | 9.95 | 618 | 1 | 24 |
| | 10,036 | | 6,310 | | | | |
| WARD LAKE ENER | ZALUD | 1/08 | 381 | 7.96 | 184 | 2 | 6 |
| | | 2/08 | 329 | 7.96 | 145 | 2 | 6 |
| | | 3/08 | 335 | 7.96 | 156 | 2 | 5 |
| | | 4/08 | 361 | 7.96 | 140 | 2 | 6 |
| | | 5/08 | 393 | 7.96 | 204 | 2 | 6 |
| | | 6/08 | 376 | 7.96 | 255 | 2 | 6 |
| | | 7/08 | 388 | 7.96 | 255 | 2 | 6 |
| | | 8/08 | 397 | 9.95 | 347 | 2 | 6 |
| | | 9/08 | 376 | 9.95 | 224 | 2 | 6 |
| | | 10/08 | 377 | 9.95 | 301 | 2 | 6 |
| | | 11/08 | 391 | 9.95 | 400 | 2 | 7 |
| | | 12/08 | 414 | 9.95 | 343 | 2 | 7 |
| | 4,518 | | 2,954 | | | | |
| WARD LAKE ENER | ZIEHM | 1/08 | 3,422 | 7.96 | 1,644 | 2 | 55 |
| | | 2/08 | 2,821 | 7.96 | 1,243 | 2 | 49 |
| | | 3/08 | 3,588 | 7.96 | 1,671 | 2 | 58 |
| | | 4/08 | 3,413 | 7.96 | 1,323 | 2 | 57 |
| | | 5/08 | 3,442 | 7.96 | 1,790 | 2 | 56 |
| | | 6/08 | 3,317 | 7.96 | 2,249 | 2 | 55 |
| | | 7/08 | 3,349 | 7.96 | 2,198 | 2 | 54 |
| | | 8/08 | 3,390 | 9.95 | 2,958 | 2 | 55 |
| | | 9/08 | 3,351 | 9.95 | 1,995 | 2 | 56 |
| | | 10/08 | 3,181 | 9.95 | 2,541 | 2 | 51 |
| | | 11/08 | 3,176 | 9.95 | 3,246 | 2 | 53 |
| | | 12/08 | 3,264 | 9.95 | 2,706 | 2 | 53 |
| | 39,714 | | 25,564 | | | | |
| WARD LAKE ENER - REPORTER TOTALS: | | | 10,657,416 | | 5,635,913 | | |
| YOHE | AVERY 23 | 1/08 | 15,175 | 16.75 | 1,281 | 18 | 27 |
| | | 2/08 | 14,182 | 16.75 | 1,205 | 18 | 27 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) | | |
|----------|---------------|-----------------|-----------|-------|----------------|---------------|--------------------------|----|----|
| YOHE | AVERY 23 | 3/08 | 14,838 | 16.75 | 920 | 18 | 27 | | |
| | | 4/08 | 14,387 | 16.75 | 711 | 18 | 27 | | |
| | | 5/08 | 16,173 | 16.75 | 927 | 18 | 29 | | |
| | | 6/08 | 14,529 | 16.75 | 986 | 18 | 27 | | |
| | | 7/08 | 14,819 | 16.75 | 484 | 18 | 27 | | |
| | | 8/08 | 12,912 | 16.75 | 531 | 18 | 23 | | |
| | | 9/08 | 14,040 | 16.75 | 1,186 | 18 | 26 | | |
| | | 10/08 | 14,734 | 16.75 | 1,168 | 18 | 26 | | |
| | | 11/08 | 13,748 | 16.75 | 620 | 18 | 25 | | |
| | | 12/08 | 13,461 | 18.79 | 593 | 18 | 24 | | |
| | | | | | 172,998 | | 10,612 | | |
| | | YOHE | CHESTER 6 | 1/08 | 10,003 | 19.67 | 35 | 30 | 11 |
| | | | | 2/08 | 9,018 | 19.67 | 40 | 30 | 10 |
| 3/08 | 9,494 | | | 19.67 | 35 | 30 | 10 | | |
| 4/08 | 9,667 | | | 19.67 | 40 | 30 | 11 | | |
| 5/08 | 9,932 | | | 19.67 | 40 | 30 | 11 | | |
| 6/08 | 9,686 | | | 19.67 | 40 | 30 | 11 | | |
| 7/08 | 10,115 | | | 19.67 | 35 | 30 | 11 | | |
| 8/08 | 10,153 | | | 19.67 | 40 | 30 | 11 | | |
| 9/08 | 9,862 | | | 19.67 | 40 | 30 | 11 | | |
| 10/08 | 10,044 | | | 19.67 | 35 | 30 | 11 | | |
| 11/08 | 9,501 | | | 19.67 | 40 | 30 | 11 | | |
| 12/08 | 9,269 | | | 19.67 | 40 | 30 | 10 | | |
| | | | | | 116,744 | | 460 | | |
| YOHE | OLDS ROCKET | 1/08 | 32,451 | 8.35 | 4,681 | 18 | 58 | | |
| | | 2/08 | 30,412 | 8.35 | 4,039 | 18 | 58 | | |
| | | 3/08 | 32,800 | 8.35 | 5,237 | 18 | 59 | | |
| | | 4/08 | 31,457 | 8.35 | 4,828 | 18 | 58 | | |
| | | 5/08 | 32,873 | 8.35 | 4,750 | 18 | 59 | | |
| | | 6/08 | 31,366 | 8.35 | 3,556 | 18 | 58 | | |
| | | 7/08 | 33,108 | 8.35 | 3,010 | 18 | 59 | | |
| | | 8/08 | 33,570 | 8.35 | 3,076 | 18 | 60 | | |
| | | 9/08 | 32,554 | 8.35 | 3,409 | 18 | 60 | | |
| | | 10/08 | 32,795 | 8.35 | 3,050 | 18 | 59 | | |
| | | 11/08 | 31,651 | 8.35 | 2,881 | 18 | 59 | | |
| | | 12/08 | 32,868 | 10.32 | 2,558 | 18 | 59 | | |
| | | | | | 387,905 | | 45,075 | | |
| YOHE | SEVEN UP CLUB | 1/08 | 11,564 | 17.35 | 368 | 7 | 53 | | |
| | | 2/08 | 10,667 | 17.35 | 288 | 7 | 53 | | |
| | | 3/08 | 11,556 | 17.35 | 359 | 7 | 53 | | |
| | | 4/08 | 11,193 | 17.35 | 295 | 7 | 53 | | |
| | | 5/08 | 10,824 | 17.35 | 312 | 7 | 50 | | |
| | | 6/08 | 12,456 | 17.35 | 352 | 7 | 59 | | |
| | | 7/08 | 12,598 | 17.35 | 349 | 7 | 58 | | |
| | | 8/08 | 12,158 | 17.35 | 374 | 7 | 56 | | |
| | | 9/08 | 11,754 | 17.35 | 339 | 7 | 56 | | |
| | | 10/08 | 11,898 | 17.35 | 305 | 7 | 55 | | |
| | | 11/08 | 11,043 | 17.35 | 77 | 7 | 53 | | |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|----------|-------------------------|-----------------|----------------|-------|---------------|---------------|--------------------------|
| YOHE | SEVEN UP CLUB | 12/08 | 10,920 | 17.35 | 86 | 7 | 50 |
| | | | 138,631 | | 3,504 | | |
| YOHE | STARFIRE | 1/08 | 29,773 | 7.78 | 3,434 | 17 | 56 |
| | | 2/08 | 28,799 | 7.78 | 2,688 | 17 | 58 |
| | | 3/08 | 30,779 | 7.78 | 2,515 | 17 | 58 |
| | | 4/08 | 29,489 | 7.78 | 2,358 | 17 | 58 |
| | | 5/08 | 30,278 | 7.78 | 2,171 | 17 | 57 |
| | | 6/08 | 29,277 | 7.78 | 1,832 | 17 | 57 |
| | | 7/08 | 30,140 | 7.78 | 1,405 | 17 | 57 |
| | | 8/08 | 29,905 | 7.78 | 2,040 | 17 | 57 |
| | | 9/08 | 28,536 | 7.78 | 2,552 | 17 | 56 |
| | | 10/08 | 23,807 | 7.78 | 1,193 | 17 | 45 |
| | | 11/08 | 26,572 | 7.78 | 3,037 | 17 | 52 |
| | | 12/08 | 31,346 | 7.78 | 4,429 | 17 | 59 |
| | | | 348,701 | | 29,654 | | |
| YOHE | STARFIRE SOUTH | 1/08 | 8,893 | | 0 | 5 | 57 |
| | | 2/08 | 8,602 | | 0 | 5 | 59 |
| | | 3/08 | 9,194 | | 0 | 5 | 59 |
| | | 4/08 | 9,312 | | 0 | 5 | 62 |
| | | 5/08 | 9,562 | | 0 | 5 | 62 |
| | | 6/08 | 9,246 | | 0 | 5 | 62 |
| | | 7/08 | 9,518 | | 0 | 5 | 61 |
| | | 8/08 | 9,968 | | 0 | 5 | 64 |
| | | 9/08 | 9,512 | | 0 | 5 | 63 |
| | | 10/08 | 7,111 | | 0 | 5 | 46 |
| | | 11/08 | 7,495 | | 0 | 5 | 50 |
| | | 12/08 | 9,363 | 7.78 | 0 | 5 | 60 |
| | | | 107,776 | | 0 | | |
| YOHE | STARSHIP ENTERPRISE & S | 1/08 | 15,271 | 8.35 | 753 | 10 | 49 |
| | | 2/08 | 14,312 | 8.35 | 753 | 10 | 49 |
| | | 3/08 | 16,155 | 8.35 | 874 | 10 | 52 |
| | | 4/08 | 14,803 | 8.35 | 901 | 10 | 49 |
| | | 5/08 | 15,469 | 8.35 | 858 | 10 | 50 |
| | | 6/08 | 14,761 | 8.35 | 815 | 10 | 49 |
| | | 7/08 | 14,874 | 8.35 | 771 | 10 | 48 |
| | | 8/08 | 14,387 | 8.35 | 812 | 10 | 46 |
| | | 9/08 | 13,952 | 8.35 | 743 | 10 | 47 |
| | | 10/08 | 14,055 | 8.35 | 765 | 10 | 45 |
| | | 11/08 | 14,895 | 8.35 | 790 | 10 | 50 |
| | | 12/08 | 15,468 | 10.32 | 645 | 10 | 50 |
| | | | 178,402 | | 9,480 | | |
| YOHE | SWAN | 1/08 | 1,587 | 16.75 | 181 | 2 | 26 |
| | | 2/08 | 1,501 | 16.75 | 171 | 2 | 26 |
| | | 3/08 | 1,665 | 16.75 | 173 | 2 | 27 |
| | | 4/08 | 1,576 | 16.75 | 171 | 2 | 26 |
| | | 5/08 | 1,733 | 16.75 | 168 | 2 | 28 |
| | | 6/08 | 1,497 | 16.75 | 85 | 2 | 25 |

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>

| Reporter | Project Name | Production Date | Gas (Mcf) | CO2 % | Water (Bbl) | Wells On-Line | Daily Avg Per Well (Mcf) |
|--------------------------------|--------------|-----------------|------------------|-------|----------------|---------------|--------------------------|
| YOHE | SWAN | 7/08 | 1,476 | 16.75 | 56 | 2 | 24 |
| | | 8/08 | 1,338 | 16.75 | 88 | 2 | 22 |
| | | 9/08 | 1,464 | 16.75 | 72 | 2 | 24 |
| | | 10/08 | 1,538 | 16.75 | 109 | 2 | 25 |
| | | 11/08 | 1,457 | 16.75 | 63 | 2 | 24 |
| | | 12/08 | 1,335 | 18.79 | 60 | 2 | 22 |
| | | | | | 18,167 | | 1,397 |
| YOHE | ZEBULON | 1/08 | 8,907 | 2.90 | 4,472 | 13 | 22 |
| | | 2/08 | 8,238 | 2.90 | 4,557 | 13 | 22 |
| | | 3/08 | 8,972 | 2.90 | 4,702 | 13 | 22 |
| | | 4/08 | 8,688 | 2.90 | 4,825 | 13 | 22 |
| | | 5/08 | 8,860 | 2.90 | 4,963 | 13 | 22 |
| | | 6/08 | 8,690 | 2.90 | 4,789 | 13 | 22 |
| | | 7/08 | 9,358 | 2.90 | 4,877 | 13 | 23 |
| | | 8/08 | 8,852 | 2.90 | 4,771 | 13 | 22 |
| | | 9/08 | 8,732 | 2.90 | 4,601 | 13 | 22 |
| | | 10/08 | 8,968 | 2.90 | 4,867 | 13 | 22 |
| | | 11/08 | 8,670 | 2.90 | 4,480 | 13 | 22 |
| | | 12/08 | 8,789 | 1.50 | 4,527 | 13 | 22 |
| | | | 105,724 | | 56,431 | | |
| YOHE - REPORTER TOTALS: | | | 1,575,048 | | 156,613 | | |

2008 Total Antrim Production

131,056,100

88,931,392

Gas volumes are reported at 14.73 psia and 60 degrees F

This report is available on the Internet at this address: <http://cis.state.mi.us/mpsc/gas/prodrpts.htm>